

Index

Page numbers in *italics* refer to illustrations only.

A

abducent nerve 32, 102, 137, 219
 accessory nerve 148, 149, 178, 179, 181, 268
 spinal 271
 acoustic neurinoma 13, 337
 surgical approach 34, 47, 89, 131, 248
 retrosigmoid retrolabyrinthine 253–259
 see also vestibular schwannoma
 acoustic neuroma 14
 acousticofacial bundle (AFB) 32, 137, 189, 252
 adenoid cystic carcinoma 217
 adenoma, pituitary 340
 adhesion bands 63, 143
 Allcock test 362
 ampullary nerve, superior 39, 60–61
 anastomoses 351
 aneurysm
 basilar 339
 vertebrobasilar, surgical approach 265
 angiofibroma, nasopharyngeal
 infratemporal approach 224–227
 juvenile 217
 arterial supply 352
 embolization 352
 preauricular transzygomatic approach 230
 anterior triangle 132–133
 arachnoid cyst 17, 18
 arcuate eminence 132
 astrocytoma 19, 20
 atlas, transverse process 199, 200, 265, 267

B

balloon occlusion *see* permanent balloon occlusion (PBO)
 basilar aneurysm 339
 basilar artery 32, 49, 83, 102, 138, 361
 bifurcation 361
 Bill's bar 39, 62, 90, 131
 bipolar coagulation 8–9, 65–66
 bipolar coagulators 4–5
 bleeding management 8–9
 bipolar coagulation 8–9
 from bony surfaces 9
 gelatin sponge 9
 monopolar coagulation 8

oxidized cellulose 9
 oxidized regenerated cellulose 9
 brain tissue management 9
 brainstem implantation 72–79
 indications 72
 neurofibromatosis type 2 (NF2) 72–79

C

carcinoma
 adenoid cystic 217
 nasopharyngeal 217, 340
 infratemporal approach 220–223, 228
 radiology 24, 25
 carotid artery *see* external carotid artery; internal carotid artery (ICA)
 cerebellar arteries
 anterior inferior (AICA) 32, 33, 102, 137, 252
 posterior inferior (PICA) 32, 83, 179
 superior (SCA) 16, 32, 49, 83, 92
 tumor removal 42, 43
 cerebellopontine angle (CPA) 32, 49
 lesions 13–21, 80
 decision making 335–338
 epidermoid 84–87, 288–291, 338
 extra-axial 13–19
 intra-axial 19–20
 meningiomas 13–17, 41–43
 neuroma 191–194
 surgical approach 34, 47
 cerebral arteries 121, 361
 chemodectoma 330
 see also glomus jugulare tumor
 choana 217
 cholesteatoma
 decision making 345
 surgical approach 147
 retrolabyrinthine 288–291
 see also petrous bone cholesteatoma (PBC)
 cholesterol granuloma 20, 21, 340, 344–345
 decision making 344
 surgical approach 89, 131, 179
 chondroma 345
 chondrosarcoma 21, 331, 339
 decision making 345
 surgical approach 89, 206, 265
 infratemporal fossa 213–216
 chordoma 17, 21, 339, 346
 clival 98–102, 108–111, 117, 147, 210–213, 217, 307–313, 345, 348, 349
 extending into petrous apices 145
 internal carotid artery displacement 372
 radiology 21, 22, 23–24
 decision making 345
 staging 348
 pathological behavior 330
 petrous apex 131
 surgical approach 89, 117, 125, 131, 147, 206, 217, 230, 265, 295
 combined retrolabyrinthine subtemporal orbitozygomatic 306–313
 infratemporal fossa 210–213
 middle fossa 145
 transcochlear 98–102, 108–111
 choristoma, eustachian tube 206
 choroid plexus 72
 papilloma 19
 circle of Willis 360–361, 363
 anatomical variations 361
 clival lesions 23–24
 decision making 339–344
 see also chordoma
 clivus 339
 see also clival lesions
 coagulation
 bipolar 8–9, 65–66
 monopolar 8
 cochlea 32
 congenital anomalies 72
 ossification 72
 tumor invasion 156
 cochlear nerve
 agenesis 72
 trauma 72
 combined transpetrous orbitozygomatic approaches 295–329
 advantages/disadvantages 329
 frontotemporal orbitozygomatic transpetrous approach 346
 indications 295
 infratemporal transzygomatic approach 321–328
 modified transcochlear orbitozygomatic approach 295–306
 sphenopetroclival meningioma 303–306
 surgical anatomy 295, 296
 trigeminal neurinoma 297–302
 retrolabyrinthine subtemporal orbitozygomatic approach 306–313
 translabyrinthine transapical orbitozygomatic approach 314–320

communicating arteries 361
 craniovertebral junction lesions 265
 crus commune 248, 249
 cylindroma 217

D

Dandy's vein 54
 decision making 330–349
 cerebellopontine angle tumors 335–338
 clival/pteroclival tumors 339–343
 contraindications to surgery 349
 jugular foramen tumors 331–335
 Meckel's cave area 346–348
 petrous apex lesions 344–345
 staging 348
 surgical management 330–331
 total versus subtotal removal 349
 deep temporal fascia 230
 dermoid 34, 346
 combined translabyrinthine transapical
 orbitozygomatic approach 314–320
 digastric ridge 31, 34, 35
 displacement, internal carotid artery 372
 Dorello's canal 137
 drilling guidelines 8
 drills 3, 4

E

effusion, within pneumatized petrous
 apex 21, 22, 345
 embolization 350–356
 complications 351
 glomus tumors of the temporal bone
 353–354
 juvenile nasopharyngeal angiofibroma
 352
 meningiomas 354–356
 endolymphatic duct 58–59
 endolymphatic sac 199, 200
 ependymoma 19, 20
 epidermoid 339, 346, 347
 decision making 338
 pathological behavior 330
 radiology 17, 18
 surgical approach 34, 80, 89, 117, 230,
 248, 277, 295, 338
 retrolabyrinthine 288–291
 transcochlear 93–97, 119
 transotic 84–87
 eustachian tube 32
 closure 92
 tumors 218
 choristoma 206
 external carotid artery embolization 350
 extreme lateral approach 265–276
 clival lesions 340
 combination approach 275–276
 glomus tumor 272–274
 indications 265
 surgical anatomy 265–268, 271
 surgical technique 268–270

F

facial nerve 39
 adhesions 63
 anatomy 31, 33, 34, 35, 62, 148
 decompression, surgical approach 131
 identification 39, 52–53, 149, 150
 in vestibular schwannoma surgery 57,
 67
 intraoperative facial nerve monitoring
 (IFNM) 2
 paralysis 112–114
 surgical management
 epidermoid surgery 88
 glomus tumor surgery 176, 177
 vestibular schwannoma surgery
 62–64, 67–70
 tumors 89
 neuroma 21, 22, 147, 179
 surgical approaches 147, 179
 infratemporal approach 158, 159
 translabyrinthine approach 42–43
 translabyrinthine approach with
 transapical extension 54
 far lateral approach *see* extreme lateral
 approach
 flocculus 137
 foramen of Luschka 72, 76
 fossa *see* middle cranial fossa; posterior
 cranial fossa
 frontotemporal orbitozygomatic approach
 340, 342
 trigeminal schwannoma 346

G

gasserian ganglion 118, 296
 gelatin sponge 9
 geniculate ganglion 32, 357
 giant cell tumors 21, 206
 glomus jugulare tumor 332
 C2Di2 tumor 161–166
 C3Di1 tumor 160
 C3Di2 tumor 166–172
 infratemporal fossa approach
 166–168
 transcochlear approach 173–175
 transotic approach 169–172
 classification 331
 decision making 331–333
 observation 333
 radiotherapy 333
 staging 348
 surgery 331–333
 inner ear invasion 156
 internal carotid artery management
 permanent balloon occlusion
 364–368
 stenting 368–372, 375–377
 subadventitial dissection 373
 subperiosteal dissection 373
 ipsilateral carotid body tumor 160
 radiology 25, 26–27
 surgical approach 89, 147, 179, 265
 petro-occipital transsigmoid (POTS)
 161–166

with intradural extension 161–166
 glomus tumors 23, 206
 arterial supply 353
 compartments 353–354
 embolization 353–354
 extreme lateral approach 272–274
 with intradural extension 160–168
 petro-occipital transsigmoid ap-
 proach 161–166
 see also glomus jugulare tumor
 glossopharyngeal nerve 148, 177, 179, 181
 granuloma, cholesterol 20, 21, 340,
 344–345
 decision making 344
 surgical approach 89, 131, 179

H

hearing loss 72–79, 112–114
 hemangioblastoma 19
 hemorrhage *see* bleeding management
 hypoglossal nerve 148, 179, 181, 271

I

inferior petrosal sinus 178, 181
 infracochlear approach 344
 infralabyrinthine approach 344
 infratemporal fossa approach
 type A 147–178
 facial nerve involvement 158, 159
 glomus tumors 166–168, 333
 indications 147
 internal carotid artery sacrifice 156,
 157–158
 surgical anatomy 148
 surgical technique 148–155
 tumor with inner ear invasion 156
 tumor with internal auditory canal
 invasion 158
 type B 206–216
 advantages/disadvantages 216
 cholesteatoma 345
 cholesterol granuloma 344
 chondrosarcoma 213–216
 chordoma 210–213, 348
 glomus jugulare tumor 333
 indications 206
 surgical anatomy 206, 207
 surgical technique 207–209
 type C 217–229
 advantages/disadvantages 229
 indications 217
 nasopharyngeal angiofibroma
 224–227
 nasopharyngeal carcinoma 220–223,
 228
 surgical anatomy 217–218
 surgical technique 218–219
 trigeminal schwannoma 348
 type D 230
 see also preauricular transzygomatic
 approaches

see also petro-occipital transsigmoid (POTS) approach

infratemporal sarcoma 321–328

instruments 3–6

- embolization 350
- microinstruments 5, 6–7

internal auditory canal (IAC) 131–132

- fundus 51
- identification 37, 38, 47, 59, 82, 89, 134–135, 145, 146
- infratemporal approach 158
- meningioma surgery 203–205

internal carotid artery (ICA) 31, 32, 138, 145, 146, 176, 206, 230, 231

- anatomy 357, 359–360
- bifurcation 121
- classification of segments 359–360
- embolization 350
- pathologies 358–359
- preoperative neuroradiological assessment 362
- sacrifice of 156, 157–158
- surgical management 357–377

 - displacement 372
 - permanent balloon occlusion (PBO) 363–367, 374
 - complications 363
 - dissection and resection after 373
 - skeletonization 372
 - stenting 367–371, 373–377
 - subadventitial dissection 372
 - after reinforcement with stenting 373–375
 - subperiosteal dissection 373
 - tumor removal 152, 155, 203–205

internal jugular vein (IJV) 178, 179, 182

intraoperative facial nerve monitoring (IFNM) 2

see also facial nerve

J

jugular bulb 31, 99, 148, 176

- high 44–45, 263

jugular foramen 179, 181

- surgical approaches 147–205

 - combined transotic–POTS approach 203–205
 - infratemporal fossa approach 147–178

tumors 24–29, 201, 331

- decision making 331–335
- meningiomas 25–29, 202, 203–205, 334
- neuroma 191–194

jugular vein *see* internal jugular vein (IJV)

juvenile nasopharyngeal angiofibroma 217

- arterial supply 352
- embolization 352

L

lateral skull base 13

lipoma 17, 19

longissimus capitis muscle 265, 266

lymphoma 19

M

mandibular nerve 209

Matas test 362

maxillary nerve 219

Meckel's cave 15, 93, 123, 292, 294

- decision making 346–348
- lesions 346

medulloblastoma 19

meningeal artery, middle 132, 208–209, 228

meningioma 331, 335–336, 339, 346

- cerebellopontine angle 13–17, 41–43
- classification 335
- embolization 354–356
- en-globe type 14
- en-plaque type 15, 89, 117, 126–129, 334, 342, 373
- in neurofibromatosis type 2 (NF2) 73

jugular foramen 25–29, 179, 203–205, 334

- decision making 333–335
- pathological behavior 330

petroclival 15, 16, 24, 89, 103–107, 125, 295, 342

- decision making 341–343
- en-plaque 126–129
- with inferior extension 131
- with supratentorial extension 16, 120, 122–124

petrous bone 23

posterior fossa 195–197, 248, 260–263

radiology 13–17, 25–29

relation to surrounding structures 15–17

sphenopetroclival 303–306

temporal bone 14, 16, 23, 47, 50–56, 126–129, 334

vascularization 355

see also meningioma surgery

meningioma surgery 335–337

- decision making 335–337, 341–342
- nonsurgical treatment 343
- staging 348
- total versus subtotal removal 343

embolization 354–356

internal carotid artery dissection 373

surgical approach 34, 47, 89, 117, 120, 147, 248, 265, 277

- choice of 337, 341–343
- combined transotic–petro-occipital transsigmoid 203–205
- modified transcochlear orbitozygomatic 303–306
- petro-occipital transsigmoid 195–197, 202
- preauricular transzygomatic 230
- retrosigmoid retrolabyrinthine 260–263, 337

transcochlear 103–107, 122–124, 126–129, 341

translabyrinthine 41–43, 337

- with transapical extension 50–56, 337

see also meningioma

meningoencephalocele 131

microinstruments 5, 6–7

microscope 3

middle cranial fossa 131–132

- see also* middle fossa approaches

middle fossa approaches 130–146

- chordoma 145
- classification 130
- clival lesions 340
- closure 137
- enlarged middle fossa approach 131
- indications 131
- meningioma 337
- schwannoma 138–144, 346
- surgical anatomy 131–133, 137
- surgical technique 133–137
- transpetrous 131, 340, 346

monopolar coagulation 8

N

nasopharyngeal tumors

- angiofibroma 224–227, 230
- juvenile 217

 - arterial supply 352
 - embolization 352
 - preauricular transzygomatic approach 230

carcinoma 217, 220–223, 228, 340

- radiology 24, 25

infratemporal approach 217, 218, 220–223, 224–227

Nerve Integrity Monitor-2 (NIM-2) 2

neurinoma

- acoustic 13, 337

 - surgical approach 34, 47, 89, 131, 248

- retrosigmoid retrolabyrinthine 253–259
- see also* vestibular schwannoma

facial nerve 22

- surgical approach 131

lower cranial nerve 17, 25, 27–28

- petro-occipital approach 197–199

pathological behavior 330

trigeminal

- radiology 17, 18, 24
- surgical approach 230, 295
- modified transcochlear orbitozygomatic 295–302
- preauricular infratemporal orbitozygomatic 235–240

see also neuroma

neurofibromatosis type 2 (NF2) 72–79

neuroma 21, 179, 339

- acoustic 14, 34

 - surgical approach 34

- facial nerve 21, 22, 147, 179
- surgical approach 34, 147, 179, 187–194, 202
- with extension into neck 191–194
- see also* neurinoma

O

occipital condyle 179
 oculomotor nerve 49, 93, 121
 operating room 1–7
 instruments 3–6
 intraoperative facial nerve monitoring (IFNM) 2
 microscope 3
 monitoring 2
 operative site preparation 2
 patient position 2
 surgeon position 3
 optic nerve 121
 orbitozygomatic approach
 preauricular frontotemporal 230
see also combined transpetrous orbitozygomatic approaches
 orbitozygomatic osteotomy 232–234, 246
 oxidized cellulose 9
 oxidized regenerated cellulose 9

P

papilloma, choroid plexus 19
 paragangliomas 21, 339–340
 parasellar lesions 218
 patient positioning 2
 middle fossa approach 133
 permanent balloon occlusion (PBO), internal carotid artery 363–367, 374
 complications 363
 dissection and resection after 373
 petro-occipital synchondrosis 217, 218
 petro-occipital transsigmoid (POTS) approach 179–202
 advantages/disadvantages 202
 clival lesions 340
 combination approaches 203–205, 275–276
 glomus tumors 161–166
 indications 179
 meningioma 195–197, 202, 203–205, 333
 neurinoma 197–199
 neuroma 187–194, 202
 with extension into neck 191–194
 schwannoma 333
 surgical anatomy 179–182, 186
 surgical technique 182–185
 petroclival meningioma *see* meningioma
 petrosal nerve, greater superficial 90, 132, 357
 petrous apex 132, 206, 207
 effusion within 21, 22, 345
 lesions 21–23, 344
 decision making 344–345
 pneumatization 345
 petrous bone cholesteatoma (PBC) 21, 331
 decision making 345
 surgical approach 80, 89, 117, 131, 179, 206
 transcochlear 112–114
 petrous bone meningioma 23, 283–287
 pituitary adenoma 340

polyvinyl alcohol 350
 posterior cranial fossa 32–33
 dermoid 314–320
 ependymoma 20
 epidermoid 93–97, 339
 meningioma 195–197, 248, 260–263
 posterior rhomboidal area 132
 postoperative care 6
 preauricular transzygomatic approaches 230–247
 advantages/disadvantages 246
 indications 230
 preauricular frontotemporal orbitozygomatic approach 230
 preauricular infratemporal transzygomatic approach 230
 surgical anatomy 230, 231
 surgical technique 231–234
 trigeminal neurinoma 235–240
 trigeminal schwannoma 241–245, 346–348
 type D infratemporal fossa approach 230
 pterygoid process 217
 pterygopalatine fossa tumors 218
 angiofibroma 224–227

R

radiology 13–29
 preoperative internal carotid artery assessment 362
 radiotherapy
 clival lesions 343
 glomus jugulare tumors 333
 retrolabyrinthine approaches 277–294
 cerebellopontine angle epidermoid 288–291
 indications 277
 meningioma 283–287, 337
 retrolabyrinthine subtemporal orbitozygomatic approach 306–313
 retrolabyrinthine subtemporal transapical approach 279–281, 337
 retrolabyrinthine subtemporal tentorial approach 281–282, 337, 346
 surgical anatomy 278
 surgical technique 279–282
 retrosigmoid retrolabyrinthine approach 248–264
 acoustic neurinoma 253–259
 advantages/disadvantages 264
 indications 248
 meningioma 260–263, 337
 surgical anatomy 248–249, 252
 surgical technique 249–251

S

sarcoma, infratemporal 321–328
 schwannoma
 lower cranial nerve 331
 decision making 333
 classification 333

surgical approach 125, 147
 preauricular transzygomatic 241–245
 trigeminal 241–245, 346–348
 classification 346
see also vestibular schwannoma
 semicircular canals 31, 34, 35
 translabyrinthine approach 36–37
 sigmoid sinus 57
 closure 125, 201
 meningioma removal 195–197
 translabyrinthine approach and 44, 45
 skeletonization, internal carotid artery 372
 sphenoid sinus 217, 219, 228, 229
 tumors 218
 splenius capitis muscle 265, 266
 stenting, internal carotid artery 367–371, 374
 glomus jugulare tumor 375–377
 subadventitial dissection and 373–375
 sternocleidomastoid muscle 265, 266
 styloid process 357
 subadventitial dissection, internal carotid artery 373
 after reinforcement with stenting 373–375
 subperiosteal dissection, internal carotid artery 373
 suction irrigation 8
 suction irrigators 3, 4
 surgical approaches 30
 classification 30
see also specific approaches
 surgical instruments 3–6
 embolization 350
 microinstruments 5, 6–7

T

taenia 72, 76
 tela choroidea 72
 temporal bone
 anatomy 30, 31–32
 glomus tumor embolization 353–354
 meningioma 14, 16, 23, 47, 50–56, 126–129, 334
 temporoparietal fascia 230
 transcochlear approaches 80
 classification 89
 combined transcochlear orbitozygomatic approach 295–306
 type A modified approach 89–116
 advantages/disadvantages 115
 cholesteatoma 345
 chordoma 98–102, 108–111
 clival lesions 340
 epidermoid 93–97
 glomus jugulare tumor 173–175
 indications 89
 meningioma 103–107, 341–342
 petrous bone cholesteatoma 112–114
 surgical technique 89–92
 type B modified approach 117–119
 epidermoid 119
 indications 117

- meningioma 341
 - surgical technique 117–118
 - type C modified approach 120–124
 - indications 120
 - meningioma 122–124, 341
 - surgical technique 120–121
 - trigeminal schwannoma 346
 - type D modified approach 125–129
 - indications 125
 - meningioma 126–129, 333, 342
 - surgical technique 125
 - see also* transotic approach
 - transcondylar approach *see* extreme lateral approach
 - translabyrinthine approach 34–46
 - advantages/disadvantages 46
 - combination approaches 203
 - translabyrinthine transapical orbitozygomatic approach 314–320
 - indications 34
 - meningioma 41–43, 337
 - surgical technique 34–40
 - transapical extension 47–71
 - advantages/disadvantages 71
 - cholesteatoma 345
 - indications 47
 - meningioma 50–56, 337
 - schwannoma 57–71
 - surgical technique 47–49
 - transotic approach 80–88
 - advantages/disadvantages 88
 - C3Di2 glomus tumor 169–172
 - combination approach 203
 - meningioma 203–205
 - epidermoid 84–87
 - indications 80
 - surgical anatomy after opening the dura 80, 83
 - surgical technique 80, 81–83
 - transpetrous approach, middle fossa
 - see also* combined transpetrous orbitozygomatic approaches
 - trigeminal nerve 32, 49, 83, 102
 - identification 134, 135
 - tumor removal 42, 55
 - trigeminal neurinoma
 - radiology 17, 18, 24
 - surgical approach 230, 295
 - modified transcochlear orbitozygomatic 295–302
 - preauricular infratemporal orbitozygomatic 235–240
 - trigeminal schwannoma 346–348
 - classification 346
 - surgical approach 241–245, 346–348
 - trochlear nerve 32, 49, 93
 - tumors
 - dissection techniques 10
 - widening access to 11, 12
 - see also specific tumors*
 - tympanic membrane 31
 - ventral cochlear nucleus 72, 76
 - vertebral arteries 32, 92, 137, 265, 266–268, 271
 - embolization 350
 - glomus tumor removal 272–274
 - vertebrobasilar aneurysm 265
 - vestibular aqueduct 248, 249
 - vestibular nerve
 - adhesions 63
 - inferior 39
 - superior 39
 - vestibular neurectomy 131
 - vestibular schwannoma 13
 - facial nerve management 62–64, 67–70
 - identification 67
 - protection 64, 68–70
 - in neurofibromatosis type 2 (NF2) 72, 73
 - middle fossa approach 138–144
 - translabyrinthine approach with transapical extension 57–71
 - see also* acoustic neurinoma
 - vestibule 34, 35
 - drilling around 44
 - vestibulocochlear nerve 33
 - vidian nerve 228, 229
 - vomer 217
-
- V**

 - vagus nerve 148, 179, 181
 - vein of Labbé 121, 292, 293

Z

 - zygomatic osteotomy 232, 246, 292