

Contents

Part 1 The NANDA International Classification: Assessment and Diagnosis

1	Nursing Diagnosis Basics	24
1.1	A Brief Introduction to Diagnosing.....	24
1.2	Nursing as a Discipline.....	26
1.3	The Nursing Process.....	27
1.4	Principles of Nursing Diagnosis: Introduction.....	29
1.5	Kamitsuru’s Tripartite Model of Nursing Practice.....	34
1.6	Principles of Nursing Diagnosis: Knowledge of Nursing Concepts.....	37
1.7	Assessing.....	41
1.8	Diagnosing.....	43
1.9	Documenting.....	46
1.10	Planning / Implementing.....	48
1.11	Evaluating.....	51
1.12	Principles of Nursing Diagnosis: Clinical Application.....	51
1.13	References.....	52
2	From Assessment to Diagnosis	55
2.1	Introduction to Assessment.....	55
2.2	Why do Nurses Assess?.....	55
2.3	Screening assessment.....	59
2.4	Obtaining Subjective Data.....	61
2.5	Obtaining Objective Data.....	62
2.6	Assessment Frameworks.....	62
2.7	Functional Health Pattern Assessment Framework.....	63
2.8	In-depth assessment.....	71
2.9	Data Analysis.....	71
2.10	Clustering of information/seeing a pattern.....	72
2.11	Identifying Potential Nursing Diagnoses (diagnostic hypotheses).....	73
2.12	Confirming / Refuting Potential Nursing Diagnoses.....	75
2.13	Differentiating Similar Diagnoses.....	78
2.14	Prioritizing Diagnoses.....	81
2.15	Summary.....	83
2.16	References.....	84

Part 2 The NANDA International Classification: Structure and Diagnoses

3	The NANDA International Classification of Nursing Diagnoses	88
----------	--	----

3.1	Introduction to Ontology, Classification, and the NANDA-I Taxonomy	88
3.2	Organizing Nursing Knowledge	98
3.3	Using the NANDA-I Taxonomy	101
3.4	A Brief Word About NANDA-I	105
3.5	International Considerations on the Use of the NANDA-I Nursing Diagnoses	106
3.6	Developing a Nursing Diagnosis and Submitting it to NANDA-I ..	108
3.7	Glossary of Terms	110
3.8	References	114
4	The Axial Structure of NANDA International	116
4.1	Introduction to the Axial Structure	116
4.2	NANDA-I Taxonomy II: A Multiaxial System	116
4.3	Definitions of the Axes	118
4.4	Future considerations	127
4.5	References	128
5	Ordering Principles for Diagnoses within the Taxonomic Structure	130
Part 3 The NANDA International Classification: What's New and Future Recommendations		
6	What's New in the NANDA-I 2024–2026 Edition	136
6.1	Overview on Changes and Revisions in the NANDA-I 2024–2026 Edition	136
6.2	New Nursing Diagnoses	137
6.3	Revised Nursing Diagnoses	137
6.4	Changes to Nursing Diagnosis Labels	139
6.5	Retired Nursing Diagnoses	153
6.6	Contributors to new or revised diagnoses	170
6.7	NANDA-I Nursing Diagnoses: Indicator Term Standardization ..	170
6.8	References	174
7	Future Improvement of the NANDA-I Classification.	175
7.1	Research Priorities	175
7.2	Refinement and Diagnoses to be Developed	176
7.3	References	181

8	Revised Level of Evidence Criteria for Diagnosis Submission	182
8.1	Introduction	182
8.2	Relationship Between Evidence and Validity Theory	183
8.3	Evidence Levels of Validity for NANDA-I Diagnoses	185
8.4	References	201

Part 4 The NANDA International Nursing Diagnoses

Domain 1. Health promotion	205
Class 1. Health awareness	
Decreased diversional activity engagement	207
Risk for decreased diversional activity engagement	208
Excessive sedentary behaviors	209
Risk for excessive sedentary behaviors	211
Imbalanced energy field	212
Class 2. Health management	
Ineffective health self-management	214
Risk for ineffective health self-management	216
Readiness for enhanced health self-management	218
Ineffective family health management	219
Risk for ineffective family health management	221
Ineffective community health management	223
Risk for ineffective community health management	224
Risk for ineffective blood glucose pattern self-management	225
Ineffective dry eye self-management	227
Ineffective dry mouth self-management	229
Risk for ineffective dry mouth self-management	232
Ineffective fatigue self-management	234
Ineffective lymphedema self-management	236
Risk for ineffective lymphedema self-management	238
Ineffective nausea self-management	240
Ineffective pain self-management	242
Readiness for enhanced weight self-management	244
Ineffective overweight self-management	245
Risk for ineffective overweight self-management	248
Ineffective underweight self-management	250
Risk for ineffective underweight self-management	253
Ineffective health maintenance behaviors	255
Risk for ineffective health maintenance behaviors	257
Ineffective home maintenance behaviors	259
Risk for ineffective home maintenance behaviors	261
Readiness for enhanced home maintenance behaviors	262
Readiness for enhanced exercise engagement	263

Inadequate health literacy	264
Risk for inadequate health literacy	266
Readiness for enhanced health literacy	267
Readiness for enhanced healthy aging	268
Elder frailty syndrome	269
Risk for elder frailty syndrome	271
Domain 2. Nutrition	273
Class 1. Ingestion	
Inadequate nutritional intake	275
Risk for inadequate nutritional intake	277
Readiness for enhanced nutritional intake	279
Inadequate protein energy nutritional intake	280
Risk for inadequate protein energy nutritional intake	282
Ineffective chestfeeding	284
Risk for ineffective chestfeeding	286
Disrupted exclusive chestfeeding	288
Risk for disrupted exclusive chestfeeding	290
Readiness for enhanced chestfeeding	292
Inadequate human milk production	293
Risk for inadequate human milk production	296
Ineffective infant feeding dynamics	298
Ineffective child eating dynamics	300
Ineffective adolescent eating dynamics	302
Impaired swallowing	304
Class 2. Digestion	
This class does not currently contain any diagnoses	
Class 3. Absorption	
This class does not currently contain any diagnoses	
Class 4. Metabolism	
Neonatal hyperbilirubinemia	306
Risk for neonatal hyperbilirubinemia	308
Class 5. Hydration	
Risk for impaired water-electrolyte balance	309
Risk for impaired fluid volume balance	310
Excessive fluid volume	311
Risk for excessive fluid volume	313
Inadequate fluid volume	314
Risk for inadequate fluid volume	316

Domain 3. Elimination and exchange	317
Class 1. Urinary function	
Impaired urinary elimination	319
Risk for urinary retention	320
Disability-associated urinary incontinence	321
Mixed urinary incontinence	323
Stress urinary incontinence	324
Urge urinary incontinence	325
Risk for urge urinary incontinence	327
Class 2. Gastrointestinal function	
Impaired gastrointestinal motility	328
Risk for impaired gastrointestinal motility	329
Impaired intestinal elimination	330
Risk for impaired intestinal elimination	332
Chronic functional constipation	334
Risk for chronic functional constipation	336
Impaired fecal continence	338
Risk for impaired fecal continence	340
Class 3. Integumentary function	
This class does not currently contain any diagnoses	
Class 4. Respiratory function	
Impaired gas exchange	341
Domain 4. Activity / rest	343
Class 1. Sleep / rest	
Ineffective sleep pattern	345
Risk for ineffective sleep pattern	347
Readiness for enhanced sleep pattern	349
Ineffective sleep hygiene behaviors	350
Risk for ineffective sleep hygiene behaviors	352
Class 2. Activity / exercise	
Impaired physical mobility	353
Risk for impaired physical mobility	355
Impaired bed mobility	356
Impaired wheelchair mobility	357
Impaired sitting ability	359
Impaired standing ability	360
Impaired transferring ability	361
Impaired walking ability	363
Class 3. Energy balance	
Decreased activity tolerance	364
Risk for decreased activity tolerance	365

Excessive fatigue burden	366
Impaired surgical recovery	368
Risk for impaired surgical recovery	370
Class 4. Cardiovascular / pulmonary responses	
Risk for impaired cardiovascular function	372
Risk for imbalanced blood pressure	374
Risk for decreased cardiac output	375
Risk for ineffective cerebral tissue perfusion	377
Ineffective peripheral tissue perfusion	378
Risk for ineffective peripheral tissue perfusion	380
Ineffective breathing pattern	381
Impaired spontaneous ventilation	383
Impaired child ventilatory weaning response	384
Impaired adult ventilatory weaning response	386
Class 5. Self-care	
Decreased self-care ability syndrome	388
Risk for decreased self-care ability syndrome	389
Readiness for enhanced self-care abilities	390
Decreased bathing abilities	391
Decreased dressing abilities	392
Decreased feeding abilities	394
Decreased grooming abilities	395
Decreased toileting abilities	397
Ineffective oral hygiene behaviors	398
Risk for ineffective oral hygiene behaviors	400
Domain 5. Perception / cognition	401
Class 1. Attention	
This class does not currently contain any diagnoses	
Class 2. Orientation	
This class does not currently contain any diagnoses	
Class 3. Sensation / perception	
This class does not currently contain any diagnoses	
Class 4. Cognition	
Acute confusion	403
Risk for acute confusion	405
Chronic confusion	406
Ineffective impulse control	408
Disrupted thought processes	409
Inadequate health knowledge	411
Readiness for enhanced health knowledge	413
Impaired memory	414
Impaired decision-making	415

Readiness for enhanced decision-making	416
Impaired emancipated decision-making	417
Risk for impaired emancipated decision-making	418
Readiness for enhanced emancipated decision-making	419
Class 5. Communication	
Impaired verbal communication	420
Risk for impaired verbal communication	422
Readiness for enhanced verbal communication	423
Domain 6. Self-perception	425
Class 1. Self-concept	
Readiness for enhanced self-concept	426
Disrupted personal identity	427
Disrupted family identity syndrome	428
Risk for disrupted family identity syndrome	430
Risk for impaired human dignity	431
Readiness for enhanced transgender social identity	432
Class 2. Self-esteem	
Chronic inadequate self-esteem	433
Risk for chronic inadequate self-esteem	435
Situational inadequate self-esteem	437
Risk for situational inadequate self-esteem	439
Inadequate health self-efficacy	441
Class 3. Body image	
Disrupted body image	443
Domain 7. Role relationship	445
Class 1. Caregiving roles	
Impaired parenting behaviors	447
Risk for impaired parenting behaviors	449
Readiness for enhanced parenting behaviors	451
Excessive parental role conflict	452
Class 2. Family relationships	
Disrupted family interaction patterns	454
Risk for disrupted family interaction patterns	456
Impaired family processes	457
Readiness for enhanced family processes	460
Risk for disrupted attachment behaviors	461
Class 3. Role performance	
Ineffective role performance	463
Ineffective intimate partner relationship	465
Risk for ineffective intimate partner relationship	467

Readiness for enhanced intimate partner relationship	468
Impaired social interaction	469
Ineffective childbearing process	471
Risk for ineffective childbearing process	473
Readiness for enhanced childbearing process	474
Domain 8. Sexuality	475
Class 1. Sexual identity	
This class does not currently contain any diagnoses	
Class 2. Sexual function	
Impaired sexual function.	476
Class 3. Reproduction	
Risk for impaired maternal-fetal dyad	478
Domain 9. Coping / stress tolerance	481
Class 1. Post-trauma responses	
Post-trauma syndrome	483
Risk for post-trauma syndrome	485
Risk for disrupted immigration transition	486
Class 2. Coping responses	
Maladaptive coping.	487
Readiness for enhanced coping	489
Maladaptive family coping	490
Readiness for enhanced family coping	491
Maladaptive community coping	492
Readiness for enhanced community coping	493
Excessive caregiving burden	494
Risk for excessive caregiving burden	496
Maladaptive grieving	498
Risk for maladaptive grieving	500
Readiness for enhanced grieving	501
Impaired resilience	502
Risk for impaired resilience	504
Readiness for enhanced resilience	505
Readiness for enhanced hope	506
Inadequate self-compassion	507
Excessive anxiety	509
Excessive death anxiety.	511
Excessive fear	513
Class 3. Neurobehavioral responses	
Risk for autonomic dysreflexia	515
Ineffective emotion regulation	517

Impaired mood regulation	519
Acute substance withdrawal syndrome	521
Risk for acute substance withdrawal syndrome	522

Domain 10. Life principles 523

Class 1. Values

This class does not currently contain any diagnoses

Class 2. Beliefs

This class does not currently contain any diagnoses

Class 3. Value / belief / action congruence

Moral distress	524
Impaired spiritual well-being	525
Risk for impaired spiritual well-being	527
Readiness for enhanced spiritual well-being	529
Impaired religiosity	531
Risk for impaired religiosity	533
Readiness for enhanced religiosity	534

Domain 11. Safety / protection 535

Class 1. Infection

Impaired immune response	538
Risk for infection	540
Risk for surgical wound infection	542

Class 2. Physical injury

Risk for physical injury	543
Risk for burn injury	544
Risk for cold injury	545
Risk for corneal injury	546
Risk for dry eye	547
Risk for perioperative positioning injury	549
Neonatal pressure injury	550
Risk for neonatal pressure injury	552
Child pressure injury	554
Risk for child pressure injury	557
Adult pressure injury	559
Risk for adult pressure injury	561
Risk for urinary tract injury	563
Impaired tissue integrity	564
Risk for impaired tissue integrity	566
Impaired skin integrity	568
Risk for impaired skin integrity	570
Impaired nipple-areolar complex integrity	572
Risk for impaired nipple-areolar complex integrity	574

Impaired oral mucous membrane integrity	576
Risk for impaired oral mucous membrane integrity	578
Risk for child falls	579
Risk for adult falls	581
Risk for aspiration	583
Ineffective airway clearance	584
Risk for accidental suffocation	586
Risk for excessive bleeding	588
Risk for shock	589
Risk for thrombosis	591
Risk for impaired peripheral neurovascular function	592
Risk for sudden infant death	593
Risk for elopement attempt	594
Class 3. Violence	
Risk for other-directed violence	596
Risk for female genital mutilation	597
Risk for suicidal self-injurious behavior	598
Non-suicidal self-injurious behavior	601
Risk for non-suicidal self-injurious behavior	604
Class 4. Environmental hazards	
Contamination	607
Risk for contamination	610
Risk for accidental poisoning	612
Risk for occupational illness	614
Risk for occupational physical injury	616
Class 5. Defensive processes	
Risk for allergic reaction	618
Risk for latex allergy reaction	619
Class 6. Thermoregulation	
Ineffective thermoregulation	620
Risk for ineffective thermoregulation	621
Decreased neonatal body temperature	622
Risk for decreased neonatal body temperature	624
Decreased body temperature	626
Risk for decreased body temperature	628
Risk for decreased perioperative body temperature	629
Hyperthermia	630
Risk for hyperthermia	632
Domain 12. Comfort	635
Class 1. Physical comfort	
Impaired physical comfort	637
Readiness for enhanced physical comfort	639
Impaired end-of-life comfort syndrome	640

Acute pain	641
Chronic pain syndrome	642
Chronic pain	643
Labor pain.	645
Class 2. Environmental comfort	
This class does not currently contain any diagnoses	
Class 3. Social comfort	
Readiness for enhanced social comfort	647
Inadequate social connectedness	648
Inadequate social support network	650
Excessive loneliness	652
Risk for excessive loneliness.	653
Class 4. Psychological comfort	
Impaired psychological comfort.	654
Readiness for enhanced psychological comfort.	656
Domain 13. Growth / development.	657
Class 1. Growth	
Delayed child growth	658
Risk for delayed child growth.	660
Class 2. Development	
Delayed child development	662
Risk for delayed child development.	664
Delayed infant motor development.	666
Risk for delayed infant motor development.	668
Impaired infant neurodevelopmental organization	670
Risk for impaired infant neurodevelopmental organization	672
Readiness for enhanced infant neurodevelopmental organization.	674
Ineffective infant suck-swallow response	675
Index	677
Concept Focus	Inside back cover