

Subject Index

Notes

The abbreviation TDLUs in sub entries refers to terminal ductal lobar units.

Page numbers in **bold** refer to tables.

Page numbers in *italics* refer to figures including those used in the examples.

A

Aberrations of Normal Development and Involution (ANDI) 17, 213

acinus

amorphous calcification 13, 30, 173

central necrosis 30

cystically dilated 213, 215, 242

distended 41, 173, 198

Grade 2 in situ carcinoma 112, 113, 145

involutional type calcification 270

solid cell proliferation 30

amorphous calcifications

in acinus 13, 30, 173

ductal distention 79, 80 179

fibrocystic change 238, 240, 240, 241, 243, 258

in situ carcinoma 119, 131, 190

Grade 2 111, 117, 142

Grade 3 80, 185

intraluminal 29

lobular carcinoma in situ 152, 154

specimen radiography 208

subgross vs. conventional histology 15

terminology inconsistencies 17

vacuum-assisted biopsy 33

anti-actin staining

in situ carcinoma 72, 172

lymph node 174

apocrine metaplasia 27, 115, 216

fibrocystic change 213, 215

areola skin retraction 77

atypical ductal hyperplasia (ADH) 252

axillary lymph nodes

metastases 88, 175

pathological 86

axillary tail microcalcifications 38

B

benign intraductal papilloma 84–89

blood vessels 163, 195, 196

bracketing technique 120, 189

branching calcifications 291

breast lumps

casting type calcifications 86–89

hard 66–75

hormone replacement therapy and 170–175

mixed crushed–stone like and casting type

calcifications 77–83

papilloma 300

broken needle tip–like calcifications,

fibroadenoma 288, 290

budlike protrusions 208

C

calcifications

amorphous *see* amorphous calcifications

branching 291

broken needle tip–like 288, 290

casting type *see* casting type calcifications

cotton ball–like *see* powdery calcifications

crushed stone–like *see* crushed stone–like

calcifications

differential diagnosis 211–303

dotlike 262, 274, 276, 277

involutional type *see* involutional type

calcification

pleomorphic *see* pleomorphic calcifications

popcornlike 278

powdery *see* powdery calcifications

punctate 262, 274, 276, 277

round/oval 137

calcified hematoma 223

calcium oxalate crystals *see* weddellite crystals

cancerous ducts 178

casting type calcifications

characteristics 2

crushed stone–like calcifications and 77, 78,

79, 177, 201, 201

diagnosis 2

disease progression 91

frequency of occurrence 3, 4

long-term outcome 306, 307

malignancy prediction 3, 5

malignancy ratio 5

palpable tumor 86

subgross/3D histology 89

central necrosis

distended acini 29

in situ carcinoma 71, 131, 190

Grade 2 33, 117

Grade 3 80

lobular carcinoma in situ 152, 154

terminal duct 173, 181

3D image 181

c-erbB-2/Her-2-neu staining 65

“close” surgical margin 101

cluster calcifications, necrotic malignant

tissue 14

Cooper ligament infiltration 87

cotton ball–like calcifications *see* powdery

calcifications

cribriform cell proliferation 178

cribriform in situ carcinoma 33, 142, 146, 256

crushed stone–like calcifications

benign 212

broken needle tip-shaped 132

casting type calcifications and 77, 78, 79, 177,

201, 201

characteristics 2

classification by malignant process 18–20

development 23

diagnosis 2

technique comparison 14, 14–17

differential diagnosis 2, 211–303

diversity 103

fibroadenoma 291

follow-up period 10–14, 10–14

pitfalls 11

frequency of occurrence 3, 4

long-term outcome 306, 307

malignancy prediction 6, 161

mammography findings 8–14, 9

multiple clusters 93–206

de-novo 158

disease extent underestimation 20, 20, 93,

157–209, 158–209

intervening normal tissue 94–156

mammography–histology concordance 19,

19, 93, 94–156, 108, 109

no associated tumor mass 149

previously removed 118–123, 118–123, 125

one/two clusters 21–92

disappearance/decrease in number 43,

43–44

disease progression 42, 90–92

long-term outcomes 42–44, 42–45, 76–92,

76–92

mammography findings, disease extent

underestimation 18, 18, 22, 46–92, 46–92

mammography–histology concordance 18,

18, 22, 24–44, 24–45

powdery calcifications and 19, 19, 112, 113,

145, 146

triangular arrowhead-shaped 98

work-up 10

CT, bone metastases 175

cystic hyperplasia *see* fibrocystic change

cysts 225, 227

D

desmoplastic reaction 62, 63

neoductgenesis indicator 92, 169, 199

periductal 205, 207

Doppler ultrasound, one/two clusters 60, 63

dotlike (punctate) calcifications 262, 274, 276,

277

ductal carcinoma in situ (DCIS) 31, 65, 95

terminology inconsistencies 306

ductectasia, fibrocystic change 216

ductlike structures

conventional vs. subgross 3D histology 82

distended 92, 195, 196, 199

unnaturally concentrated 64, 65, 162, 194, 204

ducts, distended 51

papilloma 295

E

E-cadherin expression, lobular carcinoma in

situ 152, 154

elbow sign 124

estrogen receptor expression, tumor 36

extensive intraductal component (EIC) 306

F

family history 164–169, 164–169

fascia infiltration, superficial 87

fibroadenoma 278–293

age and 278

calcifications

branching 291

crushed–stone like 291

crushed–stone like 9

de-novo 286, 286–287

density 289

irregular 280, 281, 284

collagen fiber formation 279

diagnostic surgical biopsy 285, 285

differential diagnosis 278

epithelial component 279

frequency of occurrence 212, 278

in situ carcinoma containing 292

involution 278

large-bore needle biopsy 285

mammography vs. biopsy 285

menopausal women 278

natural history 278

stromal component 279, 279, 282, 287

treatment 287

fibrocystic change 213–261

bilateral extensive, with calcifications

226–231, 226–231

calcification types 232–245

development 214

fibrocystic change
 diagnosis 220
 differential diagnosis 260–261
 excess fluid 213
 fluid overproduction 213, 216
 frequency of occurrence 212, 278
 galactography *see* galactography
 mammography vs. histology 220–221
 natural history 224, 224–225, 225
 nipple discharge 213, 213
 pathophysiology 218–219
 temporal changes 224, 224–225, 225
 fibroglandular tissue involution 262
 fibrosis
 fibrocystic change 220
 papilloma 296
 fine needle aspiration biopsy 183

G

galactography
 benign intraductal papilloma 84
 fibrocystic change 235, 236, 260, 261
 contrast media settlement 217, 233
 dilated ducts 221, 234, 237, 260
 subgross histology comparison 222, 222, 235, 236
 nipple discharge 232, 260
 papilloma 297
 retroareolar duct filling defect 84, 84
 TDLUs, normal distribution 8
 glandular tissue, atrophic 272
 Grade 1 in situ carcinoma 9
 distended TDLUs 112
 powdery calcification clusters 9
 psammoma body-like calcification 142, 145
 Grade 2 in situ carcinoma 9
 amorphous calcification and 111, 142
 cribriform pattern 36, 145
 crushed stone-like calcifications 9, 23
 development 23
 diagnostic technique comparison 69
 distended acini 113, 145
 histology 26, 97, 117, 184
 preoperative histology 80
 within the TDLU 134
 Grade 2 invasive ductal carcinoma 181
 Grade 3 in situ carcinoma 9, 48, 64
 diagnostic technique comparison 69
 distended ducts 52, 53, 83
 histology 29, 29, 64–65, 80, 88, 184
 mammography-histology correlation 48, 49, 81

H

halo sign 278
 hematoma, calcified 223
 hemorrhage 142
 histology
 amorphous calcifications 111, 173, 241, 258
 atypical ductal hyperplasia 252
 budlike protrusions 208
 cancerous subsegmental ducts 51
 central necrosis *see* central necrosis
 contiguous disease 46–92, 46–92
 cribriform carcinomas 33, 178
 psammoma body-like calcifications 148
 desmoplastic reaction 62, 199, 205
 distended acini 173, 198
 distended TDLUs 173
 ductlike structures 162, 194, 199, 204, 207
 extensive disease 46–92, 46–92
 fibroadenoma 281, 282, 283, 284, 285, 287, 288, 289, 290, 292
 fibrocystic change 221, 230, 231, 249
 Grade 1 in situ carcinoma, psammoma body-like calcifications 142, 145
 Grade 2 in situ carcinoma 40, 41, 101, 184

amorphous calcifications 26, 97, 117, 142
 central necrosis 117
 cribriform pattern 36, 37, 97, 145
 extensive 159
 no invasion 80, 173
 subgross/3D histology vs. 100
 within the TDLU 134
 Grade 3 in situ carcinoma 29, 29, 80, 92, 184
 amorphous calcifications 185
 extensive 88, 89
 no invasion 80
 subgross/3D histology vs. 82
 hyperplastic breast changes 231
 in situ carcinoma, multifocal 107
 calcified 122
 noncalcified 122, 131, 191
 invasive cribriform carcinoma 254, 255, 256
 invasive ductal carcinoma 88, 89
 involutonal type calcification 262, 263, 266, 267, 269, 270, 271, 272
 juvenile papillomatosis (Swiss cheese disease) 301
 lobular carcinoma in situ 139, 152, 153, 154, 252
 necrotic 156
 lymphocytic infiltration 185, 199, 205, 206
 lymph vessel invasion 174
 micropapillary carcinoma 133, 143, 168, 169, 209
 MRI vs. 69
 multiple clusters
 intervening normal tissue 94–156
 mammography findings concordance 19, 19, 93, 94–156, 108, 109, 110, 123
 neoductgenesis 64, 185, 207
 neoducts 209
 one/two clusters, mammography findings concordance 18, 22, 24–44, 24–45
 palpable lesion 68
 papilloma 297, 299, 303
 powdery calcifications 114
 psammoma body type calcifications 16–17, 230, 250
 fibrocystic change 220
 sclerosing adenosis 231
 solid cell proliferation *see* solid cell proliferation
 spherical calcifications 137
 spiculated (stellate) lesion 129, 130
 star-shaped lesion 130
 subsegmental ducts 71
 teacup-like calcifications 114
 tumor vessels 196
 vascular invasion 185
 weddellite crystals 247, 251, 259
 hormone replacement therapy (HRT) 170–175
 hyperplastic breast changes, benign
 frequency of occurrence 212
 TDLUs 9

I

immunohistochemistry
 anti-actin staining 172, 174
 c-erbB-2/Her-2-neu staining 65
 E-cadherin expression loss, lobular carcinoma in situ 152
 estrogen receptor expression 36
 tenascin staining 72, 73
 in situ carcinoma
 anti-actin staining 72, 172
 cribriform 33, 142, 146, 256
 fibroadenoma and 292
 Grade 1 *see* Grade 1 in situ carcinoma
 Grade 2 *see* Grade 2 in situ carcinoma
 Grade 3 *see* Grade 3 in situ carcinoma
 long-term outcome 306
 micropapillary 168, 169, 295
 MRI 45
 multifocal 106, 107

calcified 122
 noncalcified 122, 127, 128, 131, 135, 191
 solid cell proliferation 71, 80, 131, 133, 143
 intraductal papilloma, benign 84–89
 intraluminal necrosis 180, 181
 involutonal type calcification 265–277
 atrophic stroma hyalinization 263, 263
 calcification phases 267
 density 263
 diagnosis 264
 differential diagnosis 263
 distribution 264, 274–275, 274–275
 frequency of occurrence 212
 histology 265, 266, 267
 pathophysiology 262, 262–263
 powdery calcifications vs. 264, 264
 shape 263

J

juvenile papillomatosis (Swiss cheese disease) 301, 301

L

lobular carcinoma in situ (LCIS)
 architectural distortion 153
 diagnosis 152
 distended TDLU 137, 139
 histology 152, 252
 necrosis 153, 156
 mammography-histology correlation 155
 Pagetoid spread 156
 post-biopsy scar and 153
 lymph nodes
 anti-actin staining 174
 invasion 174
 metastatic 88
see also individual nodes
 lymphocytic infiltration 92, 169, 185, 199, 205, 206

M

malignant type calcifications
 diagnostic approach to 1–20
 grading system 9
 diagnostic problems 3–17
 distribution analysis 95
 within ducts 2
 frequency of occurrence 3, 3
 histologically verified 4
 malignancy probability, cluster number and 95
 management problems 3–17
 outside glandular tissue 2
 site of origin 2
see also individual types
 mammography
 axillary tail microcalcifications 38, 39
 benign intraductal papilloma 84, 85, 86
 broken needle tip-like calcifications 132, 288, 290
 calcification disappearance/decrease in number 44
 calcified hematoma 223
 calcified oil cysts 125
 casting type calcifications 91, 177, 201, 201
 crushed stone-like calcifications 8–14, 9
 cysts 227
 diagnostic reliability 2
 elbow sign 124
 fibroadenoma 280, 283, 284, 286, 288, 290, 291
 follow-up 293
 fibrocystic change 223–229, 232, 240, 248, 253
 amorphous calcifications 241
 fibrosis 296
 Grade 3 in situ carcinoma, subgross/3D histology vs. 81, 83

involutional type calcification 264, 268, 271–277

juvenile papillomatosis (Swiss cheese disease) 301, 301

malignant type calcifications 25, 32, 35, 98

MRI vs. 69

multiple clusters 14

- de novo 125, 126
- disease extent underestimation 20, 20, 93, 157–209
- histology findings concordance 19, 19, 93, 94, 94–156, 98
- malignancy prediction 95, 161
- no associated tumor mass 149, 150
- previously removed 118, 119

one/two clusters 10, 11, 12

- disease extent underestimation 18, 18, 22, 46–92, 46–92
- disease progression 42
- histology concordance 18, 18, 22, 24–44, 24–45
- long-term outcomes 76, 77, 78
- no associated tumor mass 34, 35, 136

palpable lesion 66, 86

papilloma 296, 298, 300, 301, 302, 303

- follow-up 303

pleomorphic calcifications 144

powdery calcifications 8–14, 144, 264

prognostic importance 305–307

psammoma body type(–like) calcifications 219, 220

“rosary bead–like chain” of nodules 301, 301

spiculated (stellate) lesion 124

TDLUs, normal distribution 8

teacup–like calcifications 221, 223, 228, 229

tent sign 124

triangular arrowhead-shaped calcifications 98

weddellite crystals 245, 246

micropapillary cell proliferation 133, 143, 178

micropapillary in situ carcinoma 168, 169, 209, 295

milk of calcium sediment 232, 233

MRI

- bone metastases 175
- disease extent underestimation 18
- histology vs. 69
- in situ carcinoma, solitary TDLU 45
- lobular carcinoma in situ 154
- mammography vs. 69
- multiple clusters 93, 151, 157, 159, 187, 209
- one/two clusters, disease extent estimation 58, 58, 59
- palpable lesion 67
- wedge-shaped breast abnormality 188

N

necrosis 48, 119, 185

- central *see* central necrosis
- intraluminal 180, 181
- vacuum-assisted biopsy 33

neovascularization 163, 187

neoductogenesis 51

- desmoplastic reaction 199, 207
- long-term outcomes 306
- lymphocytic infiltration 185, 199, 207
- mammography vs. 3D histology 83
- nodal metastases 175
- Tenascin C overexpression 64, 73
- 3D image 54, 83

neoducts 205, 206, 207, 209

nipple discharge

- fibrocystic change 213, 213, 232, 260
- in situ carcinoma 56
- one/two clusters 56, 84
- papilloma 84, 296

O

oil cysts, calcified 125

P

papilloma

- calcifications 296, 298, 300, 302, 303
- frequency of occurrence 212, 278, 294, 294–303
- galactography 297
- histology 297, 299, 303
- intraductal 294
- stroma 294
- structure 294

paraffin block radiograph

- involutional type calcification 270
- multiple clusters 121, 134, 145
- one/two clusters 37

percutaneous needle biopsy

- crushed stone–like calcification work-up 10
- fibroadenoma 288, 292

pleomorphic calcifications

- clusters 144
- definition 14
- fibrocystic change 260
- Grade 2 in situ carcinoma 111
- malignancy prediction 6
- terminology inconsistencies 17

polarized light

- amorphous calcifications 15
- distended acinus 31
- psammoma body type calcifications 16

popcornlike calcifications 278

postsurgical scars

- oil cysts 125
- star-shaped 130

powdery calcifications

- characteristics 2
- crushed stone–like calcifications and 19, 19, 112, 113, 145, 146
- diagnosis 2
- follow-up period 10–14, 12
- frequency of occurrence 3, 4
- Grade 1 in situ carcinoma 114
- involutional type calcification vs. 264, 264
- malignancy ratio 7
- mammography findings 8–14, 9
- pleomorphic calcifications and 144
- specimen radiography 115
- surgical excision 10
- work-up 10

protrusions, budlike 208

psammoma body type(–like) calcifications 13, 213

- diagnostic technique comparisons 16–17
- fibrocystic change 220, 238, 238, 250, 251, 257
- bilateral extensive 230, 231
- Grade 1 in situ carcinoma 16–17, 142, 145, 148
- normal intervening tissue 141, 145
- sclerosing adenosis 231
- terminal ductal lobar unit 114
- see also* teacup–like calcifications

punctate (dotlike) calcifications 262, 274, 276, 277

R

retroareolar duct filling defect 84

retroglandular clear space clusters 24

“rosary bead–like chain” of nodules 301, 301

S

scars, postsurgical *see* postsurgical scars

sclerosing adenosis

- powdery calcifications 9
- psammoma body–like calcifications 231
- subgross/3D histology 27

segmentectomy 169

skeletal metastases 175

skin retraction, areola 77

solid cell proliferation

- closed-packed ducts 178
- distended acini 29, 30
- Grade 3 in situ carcinoma 80
- in situ carcinoma 71, 131, 133, 143
- subgross/3D histology 143
- terminal duct, high-power magnification 173

specimen radiography

- amorphous calcifications 208
- architectural distortion 153
- broken needle tip-shaped calcifications 132
- dotlike calcifications 257
- fibroadenoma 281, 284, 292
- fibrocystic change 115, 230, 240, 242, 249
- Grade 1 in situ carcinoma 9
- Grade 2 in situ carcinoma 9, 101, 117
- Grade 3 in situ carcinoma 48
- involutional type calcification 266, 268, 269
- malignant type calcifications 26, 41
- micropapillary in situ carcinoma 169
- multiple clusters 106, 107, 121, 154, 198
- extensive disease 161, 184
- powdery calcifications and 112, 113, 145, 146
- previously removed 119, 120, 121
- vacuum-assisted 127, 128
- one/two clusters 36, 41
- pleomorphic calcifications 111
- powdery calcifications 9, 12, 112, 113, 115, 141, 145, 146
- psammoma body–like calcifications 250, 251
- sclerosing adenosis 9
- subgross/3D histology comparison 13
- teacup–like calcifications 115
- tumor mass removal 41
- weddellite crystals 238, 244, 250, 251
- spiculated (stellate) lesion 124, 129, 179
- stellate (spiculated) lesion 124, 129, 179
- stereoscopic imaging *see* subgross/3D histology
- stromelysin-3 enzyme 43
- subgross/3D histology
- amorphous calcifications 13, 14, 15, 111, 113
- conventional histology vs. 15
- psammoma body–like calcifications and 141
- apocrine metaplasia 27, 216
- cancerous ducts 50, 51, 53, 133, 180
- casting type calcifications 89
- Cooper ligament infiltration 87
- cribriform in situ carcinoma 146
- cystically dilated acini 213
- desmoplastic reaction 63
- distended acini 30, 235, 242
- distended TDLUs 28, 70, 96, 97, 98, 113
- amorphous calcifications 179
- in situ carcinoma 135
- ductal carcinoma in situ 25, 26, 65, 95
- ductectasia 216
- ductlike structures 195, 196, 204, 207
- fibroadenoma 279
- fibrocystic change 214, 217, 221, 222, 222, 236
- galactography comparison 235, 236
- Grade 1 in situ carcinoma 14, 113
- psammoma body–like calcifications 142
- Grade 2 in situ carcinoma 14, 55, 100, 113
- amorphous calcifications 142
- conventional histology vs. 100
- Grade 3 in situ carcinoma 52
- conventional histology vs. 82
- mammography–histology correlation 49, 81, 83
- hemorrhage 142
- hyperplastic change 25
- in situ carcinoma 27, 106, 147
- noncalcified 191
- invasive carcinoma, small 73
- involutional type calcification 262

subgross/3D histology

- lymphocytic infiltration 206
 - micropapillary carcinoma 143, 181
 - milk of calcium sediment 233
 - neoangiogenesis 163
 - neoductgenesis 54, 83
 - noncalcified malignant foci 99
 - papillomas 294, 295, 300
 - powdery calcifications 114, 146
 - psammoma body type calcifications 17, 141, 146
 - round/oval calcifications 137, 138
 - sclerosing adenosis 27
 - solid cell proliferation 143
 - specimen radiography vs. 13
 - spiculated carcinoma 179
 - subsegmental ducts 113, 162, 237
 - superficial fascia infiltration 87
 - TDLUs, normal 8, 180, 215
 - teacup-like calcifications 114
 - tortuous ducts 181
 - tumor vessels 163, 179, 195, 196
 - weddellite crystals 238, 239, 244, 245
- subsegmental ducts
- cancer cell filled 51, 71
 - distended 113, 162
 - fibrocystic change 237
- superficial fascia infiltration 87
- supraclavicular node 174, 175
- Swiss cheese disease (juvenile papillomatosis) 301, 301
- “swollen breasts” 176–182

T

- teacup-like calcifications
- fibrocystic change 217, 223, 240
 - bilateral extensive 226, 227, 228, 229
 - pathophysiology 218–219
 - mammography-histology comparison 220–221
 - multiple clusters 114
- technetium bone scan 175
- tenascin staining 64, 72, 73
- tent sign 124
- terminal ductal lobar units (TDLUs)
- benign hyperplastic breast changes 8, 9
 - calcifications with 2
 - cystically dilated 215, 216, 217, 242
 - distended 31, 98, 110, 172
 - distribution, normal 8
 - fluid distention 27, 28
 - in situ carcinoma 26, 27, 135
 - multiple cancerous 98–101, 98–101
 - normal 215
 - cancerous vs. 180
 - sclerosing adenosis 27
- terminology, inconsistent 17, 306
- 3D histology *see* subgross/3D histology

U

- ultrasound
- ductlike structures 207
 - fibrocystic change 246, 253

- involutional type calcification 265
- multiple clusters 182, 187, 202
 - neoangiogenesis 187
 - one/two clusters 39, 57
 - palpable lesion 67, 68
 - papilloma 300
 - simple cyst 227
 - tortuous ducts 57
 - weddellite crystals 246

V

- vacuum-assisted biopsy
- amorphous calcifications 33
 - casting type calcifications 2
 - diagnostic value 2
 - fibroadenoma 288, 289
 - Grade 2 carcinoma in situ 40
 - multiple clusters 105, 127, 193, 203
 - necrosis 33
 - papilloma 297, 298, 299
 - solitary calcification group 40
- vascular invasion 185

W

- weddellite crystals 245, 245, 246, 247
- diagnosis 245
 - fibrocystic change 238, 243, 244, 251, 259