

Index

Illustrations are comprehensively referred to from the text. Therefore, significant material in illustrations and tables have usually only been given a page reference in the absence of their concomitant mention in the text referring to that figure. Abbreviations; ICA, internal carotid artery; TJP, tympanojugular paraganglioma.

A

abducent nerve (CNVI)
 palsy with class C4Di2Vi tumor, clinical case 444
 palsy 437, 445
 sacrifice 445
 surgical anatomy (in relation to ICA) 557, 560
 accessory nerve *see* spinal accessory nerve
 acoustic canal *see* auditory canal
 activity of head and neck paragangliomas 5
 aditus ad antrum, class B2 tumor surgery 197
 adjunctive radiotherapy 106
 adrenergic blockage before carotid body tumor surgery 459
 adventitia *see* periadventitial tumor
 dissection; subadventitial dissection
 age and incidence 1
 Allcock test 125, 564
 anastomoses
 collateral vessel *see* collateral anastomoses
 cranial nerve (surgically constructed) facial-hypoglossal nerve 550–552
 instruments 154
 anatomy *see* radiology; surgical anatomy and specific structures
 anesthesia 146
 machine position 146
 aneurysm, intrapetrous carotid artery 86
 angiography
 anatomy in 42–72
 ICA 51–55, 564
 in balloon occlusion test 131, 564–565
 carotid body tumors 456
 bilateral 471
 TJPs class C clinical cases 78–79
 C1 and facial nerve management 498
 C2D0 combined with vagal paraganglioma 377
 C2De1 263, 264, 292, 293
 C2Di1 304
 C3De2Di1 432
 C3Di2 combined with vagal paraganglioma 320, 611
 C3Di2Vi 600
 C4Di2Vi 439, 446, 593
 vagal paraganglioma, clinical cases 354–355, 370, 375, 382–383, 391–392
 combined with carotid body tumor 360–361
 combined with class C2D0 tumor 377
 combined with class C3Di2 tumor 320, 611
see also computed tomography
 angiography; digital subtraction
 angiography; endovascular
 interventional neuroradiology;
 magnetic resonance angiography

annular ligament
 in class A2 tumor surgery 176
 in class B2 tumor surgery 197
 Anspach drill 149
 anterior compartment with class C and D TJPs, embolization and 113
 anterior drilling and mobilization of ICA 571–580
 clinical case 576
 anterior rerouting of facial nerve *see* facial nerve
 antibiotics 681
 antiplatelet therapy
 carotid body tumor surgery 485
 stenting of ICA 566
 apoptotic factor EGIN3 4
 arachnoid membrane, clinical case 644
 Arnold nerve 17, 22
 arterial supply (cranio-cervical), angiography 42–63
 assessing arterial circulation time 132
 arteriography *see* angiography
 aspirin, stenting of ICA 566
 atlantoaxial joint, CT 30, 34
 atlanto-occipital joint, CT 34, 35
 atlas (C1) 18
 lateral process, in C2De1 clinical case 269
 transverse process *see* transverse process
 vagal paraganglioma located in parapharyngeal space at level of 381
 in vertebral artery approach 659, 674
 periosteum 659, 679
 attic (and its dissection and opening [atticotomy])
 class A1 tumors 171, 172
 class B2 tumors 198
 class B3 207, 217
 auditory (acoustic) canal
 external
 blind sac closure *see* blind sac closure
 cartilage, in class C2De1 tumor surgery 266–267
 CT in plane of 32
 polyp-like mass *see* polyp
 vagal paragangliomas and preservation of 351
 internal 16–17
 class B3 tumor and 539, 541, 543, 546–547, 548
 class C3De2Di1 tumor and 430, 436
 class C4Di2 tumor and 647
 CT in plane of 32, 33, 35
 MRI 37, 38
see also canalplasty; retroauricular-transcanal approach; transcanal approach
 auricular artery, posterior, angiography 47
 auricular branch of vagus nerve 17, 22
 auricular nerve
 greater (donor for facial nerve graft) 518
 posterior, anatomy 491

autonomic disturbances in lower cranial nerve monitoring 154
 axial CT, bone windows 30–33
 axial MRI
 T1-weighted gadolinium-enhanced 39–40
 T2-weighted 36–38
 tympanojugular paragangliomas 76–77
 axis (C2) nerve root in vertebral artery approach 658, 663

B

balloon occlusion (vertebral and ICA)
 ICA, permanent 125–132, 564–565, 606–614
 clinical case 608–614
 complex TJPs 407, 418, 429, 431, 432, 433
 contraindications and complications 125–131
 dissection and resection of ICA after 606–614
 indications 125
 postoperative care/timing 132
 preparation for further surgery 132
 prevention of complications 131
 schematic drawings 607
 technique 131–132, 564–565, 612–614
 vagal paraganglioma 349
 vagal paraganglioma combined with class C3Di2 paraganglioma, clinical case 321, 325, 326
 ICA, temporary 111–112
 ICA, test 131, 564
 vertebral artery, permanent 141
 balloon occlusion (vertebral and internal carotid artery) 125–132
 basal branches of middle meningeal artery 51
 basal tentorial arteries 54
 basilar artery
 angiography 60–61
 proximal terminal branches 62
 class C4Di2Vi tumor surgery and 444
 MRI 40
 subtotal resection of tumors encasing (or its branches) 106
 basilar sinus 68
 Bien Air (System ORL-E-922) drill 149
 bilateral paragangliomas 105, 402–403
 carotid body tumors *see* carotid body tumors
 TJPs, jugulosigmoid system involvement 105
 vagal paragangliomas, clinical cases 352–359
see also multiple lesions
 biological behavior 3
 bipolar coagulation 149–152, 225
 carotid body tumors, in microsurgical periadventitial tumor dissection 460, 461

- class A1 tumors 163
 - clinical case 172, 173
- class A2 tumors 164
 - clinical case 178
- class B1 tumors, clinical case 188–189, 189–190
- class B2 tumors, clinical cases 195, 200
- class B3 tumors, clinical cases 207, 208, 212, 218, 219, 220, 544
- class C tumor 250
 - class C1 clinical case 522
 - class C2 clinical case 573
 - class C2De1 clinical case 272, 278, 279, 281, 286, 288
 - class C2Di1 clinical case 301, 312, 313
 - class C3Di2 clinical case 334, 411, 590
- in ICA control 567
- vagal paragangliomas 356
- bleeding
 - control *see* hemostasis
 - in intradural tumor surgery 654
 - in vertebral artery involvement 679
- blind sac closure of external auditory canal 225
 - class B2 tumor 204
 - class B3 tumor 206, 211, 225
 - class C2De1 tumor 265, 266, 268
 - class C2Di1 tumor 307
 - class C3De2Di1 tumor 432
 - class C3Di2 tumor and vagal paraganglioma combined 323
 - lower cranial nerve management and 629
 - vagal paraganglioma
 - combined with carotid body tumor 361
 - combined with class C3Di2 tumor 323
- blood component therapy 146
- blood vessels *see* vasculature
- bone removal
 - and avoidance of intradural recurrence 654
 - in facial nerve rerouting 553
 - degree of 514
- bone windows
 - axial CT 30–33
 - coronal CT 34–35
- bony infiltration (and its assessment) 3, 76
 - class C2De1 tumor 287
- bony margins of jugular fossa 12
- Brackmann suction irrigation 149
- brainstem
 - in class C1Di1 tumor surgery, clinical case 636, 637
 - in class C2Di1 tumor surgery, clinical case 312, 313
 - in class C3Di2 tumor surgery, clinical cases 411–412, 424–425
 - combined with vagal paraganglioma 332, 333, 334
 - in class C4Di2 tumor surgery, clinical case 648–649
 - cranial nerve arrangement 21–22
 - see also* medulla; pons
- C3 segment of ICA *see* foramen lacerum segment
- C4 segment *see* cavernous segment
- C5 (clinoid) segment of ICA 51
- C6 (ophthalmic) segment of ICA 51, 54–55
- C7 (communicating) segment of ICA 51, 54–55
- cameras 149
- canal wall down mastoidectomy
 - class B2 tumors 196
 - class B3 tumors 217
 - class C tumors 228
 - and facial nerve graft 522
 - lower cranial nerve management and 629
- canal wall up mastoidectomy
 - class B1 tumors 161
 - class B2 tumors, clinical case 193
- canalplasty
 - class A1 tumors 163
 - class A2 tumors 174, 175
 - class B3 tumors 206
- cancellous bone removal 344
 - ICA involvement and 573
- caroticotympanic artery
 - angiography 53
 - bipolar coagulation following
 - identification, class C2De1 tumor 286
- carotid artery (in general)
 - aberrant 86
 - aneurysm, intrapetrous 86
 - injury *see* injury
 - reconstruction in carotid body tumor surgery 463
- carotid artery, common
 - manual compression 125, 131
 - in vagal paraganglioma surgery 356
- carotid artery, external (ECA)
 - angiography 42–51
 - carotid body tumors 463, 485
 - bilateral 472, 473–474, 478, 482
 - clinical case 465, 467, 468, 472, 473–474, 478, 482
 - dissection 462, 468
 - embolization of branches 111
 - vagal paragangliomas 348
 - surgical clip closure of feeding artery 365
- carotid artery, internal (ICA) 51–55, 555–616
 - angiography 51–55, 564
 - balloon occlusion *see* balloon occlusion
 - bleeding control 567
 - cavernous segment 54
 - CT 31, 33, 34
 - dissection and resection after
 - permanent balloon occlusion 606–614
 - exposure 567–570
 - hints and pitfalls in management of 615
 - involvement (in general or unspecified) 572–614
 - accuracy in communicating degree of 227–228
 - clinical cases 572–606, 608–614
 - intradural extension and 636, 654
 - management 570–614
 - involvement in carotid body tumors 456
 - bilateral lesions 471, 472, 473, 474, 478, 481, 483, 484
 - clinical cases 465, 468–469, 471, 473, 474, 478, 481, 483, 484
- involvement in TJPs (and paragangliomas in general) 120–135, 399–400
 - bilateral 105, 133
 - complex TJPs 407, 408, 415–417, 421, 429, 431–432, 433–435, 438, 440, 441, 445, 448–450, 452
 - definitive management of C2De1 tumor clinical case 282–285
 - facial nerve management and 500, 540–541, 544
 - interventional radiology 111–112, 120–135
 - treatment options and decisions with 100, 104, 105, 108
 - vertebral artery involvement and 666
- involvement in vagal paraganglioma 348
 - clinical cases 357, 370, 377, 380, 382, 383, 385–386, 387, 388, 389, 390, 391–392, 393
- MRI 39, 40, 41
- preoperative assessment and management *see* preoperative period
- pterygopalatine segment of internal maxillary artery anastomosis with 48
- sacrifice 108, 314, 606
 - clinical cases 316–335, 435
- single, on lesion side 400
- stenting *see* stenting
- subadventitial dissection *see* subadventitial dissection
- surgical anatomy 555–564
- vagal paraganglioma surgery and 366, 372–373
- carotid body tumors (paragangliomas arising at carotic bifurcation) 294, 348, 455–488
 - anatomy and physiology 455
 - clinical cases 264, 464–485
 - combined with class C3Di2 tumor 587–591
 - combined with vagal paraganglioma 360–367
 - clinical presentations 90, 455–456
 - diagnosis and classification 456–457
 - see also* Shamblin grading
 - embolization 113, 458, 462
 - hints and pitfalls 485
 - imaging *see* radiology
 - malignancy 456, 458
 - multiple (incl. bilateral) lesions 105, 133, 360–367, 458, 469–485
 - clinical cases 264, 360–367, 469–485
 - combination with vagal paraganglioma 360–367
 - unsuspected contralateral tumor 264
 - neurovascular anatomy pertaining to 24–25
 - pathology 2, 455–456
 - pathophysiology 3
 - postoperative management 463
 - preoperative management 458–459
 - staging 91, 105
 - surgical management 295, 366, 459–462
 - surgical results and assessments 462–463
 - treatment options and decisions 104
 - bilateral disease 105, 133
- carotid bulb 51
- carotid canal
 - horizontal portion *see* horizontal portion
 - posteroinferior drilling 576

C

- C1 segment of ICA *see* cervical segment
- C1 vertebrae *see* atlas
- C2 segment of ICA *see* petrous segment
- C2 vertebrae nerve root in vertebral artery approach 658, 663

- TJPs with invasion/erosion of *see* class C
 TJPs with invasion/erosion of, but confined to tympanomastoid compartment *see* class B3 TJPs
 vertical portion *see* vertical portion
- carotid sinus syndrome syncope in carotid body tumors 90
- carotid space structures 25–26
- cartilage of external auditory canal in class C2De1 tumor surgery 266–267
- catecholamine secretion
 assessing 82–86
 excess 5
- cavernous segment (C4) of ICA
 radiologic anatomy 51, 53, 54
 surgical anatomy 557, 561
- cavernous sinus
 angiography 67–68
 TJPs involving 108, 398, 441–442
 subtotal resection 106
 vagal paraganglioma involving 390
- CCD camera 149
- cell types 2
- cerebellar artery
 anterior inferior (AICA)
 angiography 61
 class C2Di1 tumor, clinical cases 313, 425, 664
 class C3Di2 tumor combined with vagal paraganglioma, clinical case 332
 class C4Di2 tumor, clinical case 645
 MRI 38
 surgical anatomy 21
 posterior inferior (PICA) 58–60
 angiography 58–60
 C3Di2 clinical case 411
 C4Di2 clinical cases 444, 645, 649, 675
 MRI 40
 surgical anatomy 20, 21, 23
 superior
 angiography 62
 MRI 38
- cerebellopontine angle, residual tumor 669
- cerebellum, clinical case 644
- cerebral arteries, anterior 62
- cerebral edema 622
- cerebral ischemia, delayed, complicating balloon occlusion of internal carotid artery 125–131
- cerebral veins, middle and inferior 67
- cerebrospinal fluid leakage 681
- cervical fascia, deep, carotid body tumor surgery 481
- cervical nerve, second 22
- cervical segment (C1) of ICA 51, 51–52
 exposure 567–568
- cervical spine, upper, CT 30
- cervicocarotid paragangliomas 90
 clinical presentation 90
 diagnostic work-up 90–94
see also carotid body tumors; vagal paragangliomas
- chemodectoma (nonchromaffin tumor), definition 1, 347
- chief (type I) cells 2
- chondrosarcoma, jugular fossa 88
- chorda tympani nerve
 class A1 tumors 171
 class B1 tumors, sacrifice 186
 class B2 tumors, sacrifice 193
- choroidal point 60
- chromaffin tumor, definition 1
- circle of Willis
 evaluation of collateral circulation through 125, 131
 radiological anatomy 62–63
- class A TJPs 79, 98, 160–182
 clinical cases 170–182
 embolization 112
 surgical management 160–255
 pitfalls 225
- class A1 TJPs 160, 170–173
 surgical management 160, 163, 491
 clinical case 170–173
 facial nerve 491
 steps 163, 170–173
- class A2 TJPs 160, 174–182
 surgical management 161, 174–182, 491
 clinical case 174–182
 facial nerve 164, 491
 steps 164–165, 174–182
- class B TJPs 79, 98, 160–169, 183–225
 clinical cases 183–225
 embolization 112
 surgical management 160–255
 pitfalls 225
- class B1 TJPs 79, 98, 160, 183–191
 surgical management 161, 183–191, 225, 491
 clinical case 183–191
 facial nerve *see* facial nerve
 steps 166, 183–191
- class B2 TJPs 79, 98, 160, 192–204
 surgical management 161, 192–204, 225, 491
 clinical cases 192–204
 facial nerve *see* facial nerve
 steps 166, 166–168, 192–195, 192–204
- class B3 TJPs/glomus tumors 79, 98, 160, 205–224
 surgical management 163, 205–224, 225, 539–550
 clinical cases 205–224, 539–550
 facial nerve 207, 219, 220, 492, 493, 539–550
 steps 168, 205–224
- class C TJPs (carotid canal erosion) 81, 98, 160, 226–346
 embolization 112, 113, 442
 preoperative 263, 264, 284, 292, 293, 304, 305, 344
 illustrations 100
 surgical management 163, 226–346
 clinical cases 254–342
 facial nerve *see* facial nerve
 Gruppo Otologico Approach 227–253
 hints and pitfalls 344
 summary 343
 vagal paragangliomas combined with *see* vagal paraganglioma
- class C1 TJPs (jugular bulb and foramen erosion but limited carotid canal involvement) 81, 254–260, 634–639
 clinical case 254–260, 497–501, 521–527
 with intradural extension 634–639
 decision making 102
 facial nerve management
 C1 255, 256, 258, 259, 493, 497–501, 638
 nerve graft 521–527
- class C2 TJPs 261–289
 clinical cases 290–300, 301–315, 336–345, 502–513, 532–538, 640–645
 decision making 103
- with extra- or intra-dural extension *see* extradural extension; intradural area/region
- facial nerve management 337, 339–340, 502–513, 532–538
- ICA management 572–577
- class C3 TJPs 316–335
 clinical cases 577–580
 C3Di2 316–335, 414–428, 587, 587–591, 608–614, 646, 651–652
 C3Di2Vi 404–413, 598–604, 661–664
 combined with carotid body tumor 587–591
 combined with vagal paraganglioma 608
 permanent balloon occlusion 608–614
 vertebral artery involvement 661–671
 decision making 103
 ICA management 577–580, 577–591, 598–604
- class C4 TJPs (reaching foramen lacerum) 81, 592–597
 clinical cases 437–453, 592–597, 645–651, 672–676
 decision making 104
- class D TJPs 81, 98, 160
 embolization 112, 113
 with extradural extension *see* extradural extension
 illustrations 102
 with intradural extension *see* intradural area/region
 surgical management 163
 clinical cases 261–326
 treatment options/decisions 100, 103
- class V TJPs (vertebral artery involvement) 82, 98
 schematic drawings 102
- classification *see* staging and classification
- clinical presentations 73–97
 familial paraganglioma syndromes 4–5
- clinoid (C5) segment of ICA 51
- clival artery, lateral 54
- clivus (and its involvement) 398
 in class C tumor surgery 252, 410, 424, 443, 600, 636, 637, 648, 662
 dural bleeding 445
 clinical cases 287, 331, 410, 424, 443, 445, 600, 636, 637, 642, 648, 662
 surgical anatomy after completion of drilling 562
see also transclival and translabrynthine approach
- clopidogrel, stenting of ICA 566
- coagulation, bipolar *see* bipolar coagulation
- cochlea 20
 class B3 tumor and 546, 548
 class C tumor invading 344
 clinical case 259–260
 CT 34
 surgical anatomy (in relation to ICA) 555
see also transcochlear approach
- cochlear aqueduct
 MRI 37
 surgical anatomy 17
- cochlear nerve
 class B3 tumor and 546
 MRI 37, 38
- cochleariform process 19
 clinical case 523
- cog (bony process situated on the roof of epitympanum) 19
 class B2 tumor surgery 198, 199

- coil occlusion or embolization
 - class C2De1 tumor 284
 - class C3Di2Ve tumor 669
 - vertebral artery 141, 669
- collateral anastomoses and pathways
 - ascending pharyngeal artery with vertebral artery 45
 - embolization and knowledge of 112
 - in ICA occlusion
 - assessing efficacy 125, 131
 - recruitment 131
- color 3D angio CT *see* three-dimensional color angio CT
- communicating arteries
 - anterior 62
 - class C3Di2 tumor and collateral supply by 418
 - posterior 62
 - class C3Di2 tumor and collateral supply by 419
- communicating segment (C7) of ICA 51, 54–55
- complex TJPs 397–504
 - clinical cases 404–453
 - staged removal 316–335, 438–453
 - hints and pitfalls 453
 - perioperative complicating factors 397–403
- complications, postoperative/
 - postprocedural 681–684
 - balloon occlusion *see* balloon occlusion
 - stenting of ICA 605, 615
- computed tomography (CT) 29, 30–35
 - axial, bone windows 30–33
 - carotid body tumors 456
 - postoperative, with bilateral tumors 484–485
 - coronal, bone windows 34–35
 - facial nerve grafting, preoperative 528, 540
 - in long-term follow-up 684
 - preoperative assessment
 - ICA 120, 125
 - vertebral artery 138–141
- TJPs, postoperative
 - class B3 210, 224
 - class C1 260, 497
 - class C2De1 289, 291
 - class C2Di1 314
 - class C3Di2 410, 412, 422, 678
 - class C3Di2 combined with vagal paraganglioma 328
 - class C4Di2 441, 646
 - facial nerve management and 497
- TJPs, preoperative 75, 76
 - class B1 183
 - class B2 192
 - class B3 206, 540
 - class C1 254
 - class C2 combined with vagal paraganglioma 375–376
 - class C2Di1 302
 - class C3, ICA stenting 581
 - class C3Di2 415–416
 - class C3Di2Vi 405–406
 - class C4Di2Vi 438, 450–451, 597
- vagal paragangliomas 347–348
 - combined with TJP 375–376
 - postoperative clinical case 367
 - recurrent 380
- computed tomography angiography (angio CT) 43, 45, 48, 56, 57, 58, 60, 61
 - class C4Di2Vi tumor 441
- condylar canal
 - anterior *see* hypoglossal canal
 - posterior 17
- condylar emissary vein
 - anterior 68–69
 - posterior 68
 - lower cranial nerve management and 628
- condylar veins
 - anterior 12, 18
 - class C tumor surgery 228
 - posterior 12
 - management (bleeding/closure) 618
- condylar venous confluent, anterior 69
- confluence of sinuses 64
- conservative management of carotid body tumors 463
- contrast-enhanced MRI
 - axial T1 39–40
 - balloon occlusion of ICA 565
 - carotid body tumor (bilateral) 470
- TJPs
 - class B3 and facial nerve grafting 541
 - class C3 and ICA management 586, 588, 591, 599, 600
 - combined with carotid body tumor 588
 - complex 416, 426, 430–431, 451
 - intradural extension 639, 651–652
 - vertebral artery involvement 675–676
- vagal paraganglioma, clinical cases 381–382, 389–390
 - combined with jugular paraganglioma 335
 - post-intervention 394–395
- convexity branches of middle meningeal artery, anterior and posterior 51
- coronal CT, bone windows 34–35
- coronal MRI
 - T1-weighted 41
 - TJPs 76–77
- corticosteroids 681
- cranial base *see* skull base
- cranial branches of internal maxillary artery 49
- cranial fossa
 - middle, CT 32
 - posterior, CT 30
 - posterior, dura
 - infiltration, clinical cases 434–435, 440, 444, 574, 636
 - lower cranial nerve management and 626
 - vertebral artery involvement and 662, 662
- cranial nerves (CN) 623–632
 - in class C tumor surgery 228, 249
 - clinical cases 286, 296–297, 310, 311, 312, 421, 425, 649
- iatrogenic damage (causing deficits/functional loss) 682–690
 - with embolization 112
 - rehabilitation 682–684
 - see also* palsies (*subheading below*)
- intradural extension indicating involvement of 633
- microsurgical instruments for anastomoses 154
- monitoring, facial nerve *see* facial nerve
- monitoring, lower CNs 154–155, 631–632
 - potential problems 632
- MRI of lower CNs 36
- palsies (lower)
 - algorithm for bilateral paragangliomas and unilateral palsy 402
 - following class C tumor surgery 343, 436
 - following vagal paraganglioma surgery 358
- principles of management of lower CNs 623–632
 - clinical case 625–632
 - hints and pitfalls 632
 - maximizing preservation 624
 - potential problems 632
- schwannoma of lower CNs 86
- surgical anatomy 12, 20, 21–22, 25–26, 623
 - lower CNs 13, 20, 21–22, 228
- venous management and lower CNs 617, 621
- vertebral artery involvement and lower CNs 664, 679
 - see also specific nerves*
- craniocervical junction, class C4Di2Vi tumor extension to 438
- craniocervical vessels *see* vasculature
- cranio-temporo-cervical approach with class C tumors 238, 256
 - clinical case 336–345
- craniotomy in vertebral artery approach 659, 660
- cutting mode (Vesalius machine) 151–152

D

- deafness *see* hearing loss
- decision making *see* treatment options
- decompression of ICA 570, 571
 - with partial mobilization 571
- deep cervical fascia, carotid body tumor surgery 481
- deep venous system filling, angiographic assessment 132
- definitions 1, 347
- dental artery, inferior 48
- dexamethasone 681
- digastric muscle 15, 24
 - in carotid body tumors 485
 - bilateral lesions 472, 477, 479
- in class C tumors, in infratemporal fossa type A approach with transcondylar extension 239, 240, 253
 - clinical cases of C2 tumor 337, 339, 514
 - clinical cases of C2De1 tumor 267, 268, 269, 288
- facial-hypoglossal nerve anastomosis and 551, 552
- in vagal paraganglioma, clinical case 373
- digital camera 149
- digital subtraction angiography of carotid body tumors 456
 - clinical case 464
- direct puncture in embolization 120
- discharge of patient 682
- Dorello's canal, surgical anatomy 557, 561
- drills 149
- drugs (medication)
 - postoperative 681–682
 - thromboembolism prevention *see* thromboembolism prevention
- dura
 - displacement (class De1/2) 81
 - clinical case 261
 - at jugular bulb level, and ICA management 604
 - resection with class C3Di2 and vagal paraganglioma combined 331

retraction leading to facial nerve stress 563
 within or beneath *see* intradural area
 dural venous sinus 64–68
 closure 618
 potential problems 621–622
 dysphagia (swallowing dysfunction) due to vagal injury 685–689

E

ear, middle *see* middle ear
 EGIN3 4
 elderly
 class B2 surgery 168
 class C3 De1/2 tumor, TJPs decision making 103
 electrocautery, bipolar *see* bipolar coagulation
 electrodes in facial nerve monitoring 155–156
 electromyography (EMG)
 in facial nerve monitoring 155, 156–159
 in vagal injury 686–687
 embolization 111–120
 aims and effects 111
 carotid body tumors 113, 458, 462
 complications 112
 direct puncture in 120
 technique 111–112
see also specific techniques
 TJPs 112–113
 class C *see* class C TJPs
 vagal paragangliomas 113, 120, 136, 348
 validation 112
 EMG *see* electromyography
 emissary veins 63, 67–68, 68–69
 hypertrophy 617
 endolymphatic sac tumor 89
 endovascular interventional neuroradiology 111–145
 vagal paragangliomas 113, 120, 136, 348–349
 hints and pitfalls 395
 epidemiology 1–2
 epitympanum, tumor located in 542
 eustachian tube
 class B3 tumor occupying, clinical case 213, 214, 215, 544
 surgical anatomy (in relation to ICA) 555, 560, 561
 extradural extension, TJPs with (class De) 98
 clinical cases 261–300, 429–437
 decision making 103
 extradural segments of vertebral artery 22–23
 TJPs engulfing (class Ve) 82, 98
 clinical case 665–671
 extraosseous (V1) segment of vertebral artery 22, 55
 extraspinal segment of vertebral artery *see* V3
 extratemporal facial nerve 514
 anatomy 490–491
 clinical cases 499, 502, 512

F

facial artery
 angiography 42
 carotid body tumor surgery 467
 facial nerve (CNVII) 489–554, 682–683
 anterior rerouting 492, 496, 506, 509, 559, 602, 624, 654
 results 515
 specific technical points 514
 on brainstem 638
 class A1 tumor surgery 491
 class A2 tumor surgery 164, 491
 class B1 tumor surgery 491
 clinical case 185, 188
 class B2 tumor surgery 166, 491–492
 clinical cases 193, 194, 202, 203
 class B3 tumor surgery 207, 219, 220, 492, 493
 class C1–C4 tumor surgery 226, 227, 228, 344, 453, 492
 C1 *see* class C1
 C2 337, 339–340, 502–513
 C2De1 268, 272, 273, 274–276, 277, 293, 297, 536–538
 C2Di1 307, 308–309, 313
 C3De2Di1 432
 C3Di2 combined with vagal paraganglioma 323–324, 330, 332, 334
 C3Di2Vi 602
 C4Di2Vi 441, 442, 453
 in infratemporal fossa type A approach with transcondylar extension 239, 241–242, 268
 CT 35
 degree of tumor involvement influencing management of 492–552
 clinical cases 497–552
 dural retraction leading to stress on 563
 Fisch classification in management of 491–492
 functional considerations in surgery 108
 confirmation of functional integrity 158
 postoperative function prediction 158–159
 grafting 518–550, 682, 683
 harvesting of donor nerve 518–520
 results 550
 hints and pitfalls in management 553
 hypoglossal nerve anastomosis with 550–552
 identification 157, 490–491
 infratemporal 558, 563
 localization/mapping 157
 microinstruments for anastomoses 154
 mobilization 495–496, 568
 monitoring (intraoperatively) 147, 155–159
 anterior rerouting 514
 instrumentation 155–156
 purposes 155
 technique 156–159
 MRI 38
 rehabilitation 682–683
 grafts *see subheading above*
 results of transposition 515
 surgical anatomy 15, 19, 21, 489, 490–491, 558–559, 563
 surgical trauma 682–683
 prevention 157–158
 vagal paraganglioma surgery 489–554
 clinical case 362, 362–363

facial veins 67–68
 in carotid body tumor surgery 479
 in class C2De1 clinical case 269
 fallopian bridge technique 227, 254, 492, 493–496
 clinical case 497–513
 fallopian canal
 facial nerve dissection from
 with class C tumors 228, 505
 clinical cases 275, 505
 with vagal paraganglioma, clinical case 362–363
 facial nerve grafting and, clinical case 528
 ICA management and, clinical case 602
 skeletonization with carotid body tumors 476
 familial paraganglioma syndromes 1, 3–4
 carotid body tumors in 455
 clinical cases 290–300
 clinical presentation 4–5
 treatment options and decision making 105, 395
 family history taking, TJPs and 86
 far-lateral approach to class C tumors 236
 fascial grafts *see* temporalis fascial grafts
 femoral artery approach in balloon occlusion test 131
 Fisch Classification System for TJP, modified 79–82, 98, 160
 embolization and 112
 facial nerve management and 491–492
 illustrations for C1–C4 101
 surgical management and 160
 vagal paragangliomas added to 349
 stage I clinical cases 352–359, 368–378
 stage II clinical cases 360–367
 stage III clinical case 389–395
 flaps (muscle) for skull base reconstruction 653
 flexible endoscopic evaluation of swallowing (FEES) with sensory testing (FEESST) 686
 fluoroscopic control, embolization under 111
 follow-up
 long-term 684
 postoperative 106
 regular (long-term) 106
 foramen jugulare *see* jugular foramen
 foramen lacerum, anterior, TJPs reaching *see* class C4 TJPs
 foramen lacerum segment (C3) of ICA
 angiographic anatomy 51, 53
 surgical anatomy 557, 561
 foramen magnum involvement 398–399
 residual tumor 668, 669
 foramen transversarium in vertebral artery approach 660
 foraminal (V2/transverse) segment of vertebral artery 22, 55, 656
 forceps
 bipolar 151
 microsurgery 153
 fossa *see* cranial fossa; infratemporal fossa; jugular foramen/fossa
 functional evaluation of swallow (FEES) and with sensory testing (FEESST) 686

G

- gadolinium-enhanced MRI
axial T1 39–40
balloon occlusion of ICA 565
carotid body tumor (bilateral) 470
TJPs
class B3 and facial nerve grafting 541
class C3 and ICA management 586, 588, 591, 599, 600
combined with carotid body tumor 588
complex 416, 426, 430–431, 451
intradural extension 639, 651–652
vertebral artery involvement 675–676
vagal paraganglioma, clinical cases 381–382, 389–390
combined with jugular paraganglioma 335
post-intervention 394–395
gasserian ganglion, surgical anatomy (in relation to ICA) 555–556, 561
gender (sex) and incidence 1
genetic defects 1, 3–4
carotid body tumors and 455–456
testing 4, 5
treatment options and decision making in patients with 105
genetic testing/screening/counseling 5
TJPs and 86
geniculate ganglion
facial nerve management and 496, 514, 553
clinical cases 505, 507, 509, 537
surgical anatomy (in relation to ICA) 555, 562, 563
Glasscock–Jackson classification system of TJPs 79
glomus jugulare *see* tympanojugular paragangliomas
glomus tumor, definition 1, 347
glomus vagale/intravagale *see* vagal paragangliomas
glossopharyngeal nerve (CNIX)
accidental direct stimulation in lower cranial nerve monitoring 154
class C tumor surgery 228, 344
C2 clinical case 337
C2De1 clinical case 297
C3De2Di1 clinical case 436
injury (and consequential palsy) 687
after vagal paraganglioma surgery 374
monitoring 631, 632
MRI 36
surgical anatomy 12, 13, 15, 17, 19, 20, 21, 22, 26, 623
in relation to ICA 555
tympanic branch 17, 22
grafting in carotid artery injury 462
growth rate 3
Gruppo Otologico Approach
TJPs 227–253
vagal paragangliomas 351

H

- hearing loss 684
class B2 paraganglioma with, clinical case 196–204
class B3 paraganglioma with, clinical case 211–215
class C1 paraganglioma with, clinical case 254–260

- class C2 paraganglioma with, clinical case 336–343
class C3Di2 paraganglioma with, clinical case 316–335
rehabilitation 684
surgery for TPJ paraganglioma and risk of 107
hemostasis (bleeding control)
class A and B tumor surgery 225
ICA control 567
venous 617–622
heparin (low-molecular-weight), stenting of ICA 566
heredity *see* genetic defects; genetic testing
HIF (hypoxia inducible factors 1 and 2) 4
high-resolution CT
ICA preoperative assessment 125
TJPs 76
histopathology 2
historical overview 5–7
horizontal portion of carotid canal
angiography 53
exposure/drilling 585, 603
and permanent balloon occlusion of ICA 614
tumors invading *see* class C3 TJPs
horizontal segment of ICA (in petrous bone) 52
class C3 clinical case, CT 581
class C4Di2Vi clinical case 448, 449
exposure 568
surgical anatomy 555, 560, 561, 563
hypoglossal branch of ascending pharyngeal artery 45
hypoglossal canal (anterior condylar canal)
erosion by paraganglioma 77
MRI 36, 39, 41
surgical anatomy 17–18, 20
hypoglossal nerve (CNXII) 550–552
carotid body tumor surgery 472, 479, 480
class C tumor surgery 228, 244, 246
C2 clinical case 342
C2De1 clinical case 269
C3De2Di1 clinical case, palsy 436
CT 36
facial nerve anastomosis with 550–552
monitoring 631
MRI 36
surgical anatomy 18, 22, 25–26, 228, 550, 623
in exposure of cervical segment of ICA 567
vagal paraganglioma surgery
clinical case 358
palsies 358
hypophyseal artery, posteroinferior 53–54
hypotensive anesthesia 146
hypotympanum
class C1 tumor approach via 226
TJPs with extension to *see* class B1 TJPs;
class B2 TJPs
TJPs without extension to *see* class A TJPs
hypoxia inducible factors 1 and 2 (HIF) 4
- class C1 tumor, and facial nerve graft 522
incus (and its removal)
class B1 tumor 184
class B2 198
class B3 tumor 207, 218
class C1 tumor 523
class C2Di1 308
inferomedial compartment with class C and D TJPs, embolization and 113
infralabyrinthine area
approach to class C tumors 226–227, 228, 232
ICA involvement 573
lower cranial nerve management and dissection of 625
infratemporal facial nerve, surgical anatomy (in relation to ICA) 558, 559, 563
infratemporal fossa, class C3Di2Ve tumor
clinical case and involvement of 666
infratemporal fossa approach (ITFA) to class C1–C4 TJPs 226, 237
clinical cases 255, 264, 405, 419, 432, 640, 645, 646, 668
morbidity 226
type A 228–234
carotid body tumors 460
complex TJPs 419, 432, 438
extensions of 234–253, 343, 405
see also specific extensions
facial nerve rerouting and 496
in vertebral artery involvement 668
see also subtemporal infratemporal approach
infratemporal fossa approach (ITFA) to vagal paragangliomas 351
clinical case 392
infratentorial circulation time, angiographic evaluation 132
inheritance *see* genetic defects; genetic testing
injury/trauma (iatrogenic damage), surgical
ICA (carotid artery generally) 567, 615
in carotid body tumor surgery 462
nerve *see* cranial nerves; facial nerve
instrumentation 149–152
facial nerve monitoring 155–156
interventional neuroradiology
see endovascular interventional neuroradiology
intrabulbar dissection with class C2De1 tumor 281
intracranial extension, TJPs with *see* class D TJPs
intracranial pressure 681
venous system and its impact on 621, 622, 681
intracranial segment of vertebral artery
see V4 segment
intracranial venous system *see* venous system
intradural area/region (within or beneath dura) 633–655
anatomy 20–21
order of resection (intradural or extradural first) 653
TJPs with extension into (class Di) 98, 344, 397–398, 633–655
clinical cases 301–335, 404–453, 587–606, 634–639, 640–652
dissection technique 234, 645–651
hints and pitfalls 654
minimizing recurrence 654

I

- iatrogenic damage *see* injury
imaging *see* radiology
implants, laryngeal 687, 688
incudostapedial joint disarticulation 225
class B2 tumors 198

skull base reconstruction 653
treatment options/decisions 100, 103
vagal paraganglioma extending into, clinical case 389
see also cranial fossa, posterior
intradural segment of vertebral artery *see* V4 segment
intraparotid facial nerve 502, 507, 510, 531, 532, 550, 553
intrapetrous segment of ICA *see* petrous segment
intratemporal facial nerve, anatomy 489, 490
ischemia, cerebral, delayed, complicating balloon occlusion of internal carotid artery 125–131

J

Jacobson (tympanic) nerve 17, 22
jugular branch of ascending pharyngeal artery 45
jugular bulb (JB)
anomalies 88
in class C1 tumor surgery 256, 258, 500
in class C2De1 tumor surgery 281
in class C3Di2 tumor surgery 420, 421, 604
in class C4Di2Vi tumor surgery 440
CT 31, 35
facial nerve anatomy (and its management) in relation to 489, 494, 500
MRI 39
sacrifice 99–100
surgical anatomy 12, 16, 559, 562
TJPs eroding (but limited carotid canal involvement) *see* class C1 TJPs
TJPs without erosion of *see* class B TJPs
jugular foramen/fossa (JF)
chondrosarcoma 88
CT 35
differential diagnosis of lesions involving 86–89
erosion, clinical case 254
meningioma 88
MRI 39
surgical anatomy 12–19
anterior relationships 17
bony margins 12
inferior relationships 17–18
internal 12–13
lateral relationships 15
lower cranial nerve arrangement 21–22
medial relationships 17
posterior relationships 19
superior relationships 16–17
surgical approaches 226–228
arguments against conservative approaches 226–227
principles 226–228
tumors extending to *see* class B TJPs; class C TJPs
jugular paragangliomas 226
definition 1
epidemiology 1
pathophysiology 2
jugular process (of occipital)
carotid body tumor surgery 476
class C tumor surgery 244, 245
jugular tubercle 17
class C tumor surgery 244
C3Di2 clinical case 421

jugular veins, anterior 70
jugular veins, external 70
jugular veins, internal 70
in carotid body tumor (bilateral) surgery 470, 479
in class C tumor surgery 232, 247
clinical cases 280, 294, 340, 342, 408, 420, 421, 500
and facial nerve management 500
management (identification/closure) 617, 618–619
potential problems 621–622
spinal accessory nerve in relation to 620, 627, 632
in vagal paraganglioma surgery, clinical cases 356, 364, 372, 380
jugular veins, posterior 70
jugulocarotid spine in class C2 tumor surgery 341, clinical case 341
jugulosigmoid system
bilateral paragangliomas involving 105
preservation 227
juxtacondylar approach to vagal paragangliomas 351

L

labyrinth (incl. bony labyrinth) 19–20
in class C3Di2 tumor surgery 422, 423, 424, 440, 443
combined with vagal paraganglioma 330
posterior 20
see also infralabyrinthine area; translabyrinthine approach; translabyrinthine–transclival approach
labyrinthine arteries 60
lacerum *see* foramen lacerum
large intradural extension 397–398
large-sized TJPs 397
laryngeal pathophysiology in high vagal injury 685–689
lateral process of C1, in C2De1 clinical case 269
levator scapulae 18
in vertebral artery approach 658, 660
lingual artery, angiography 42
long-term follow-up 684
longissimus capitis in vertebral artery approach 22, 658, 660
lumbar drainage 681
Luschka's foramen, MRI 36
lymph nodes (regional)
metastases 3
class C2De1 tumor, sampling in clinical case 270
treatment options and decision making 105–106
parapharyngeal space, differential diagnosis of disorders affecting 91
surgical anatomy 24

M

magnetic resonance angiography (angio-MRI; MRA)
complex TJPs 417–418
preoperative assessment of ICA 125
vagal and jugular paraganglioma combined 319
vertebral artery involvement 667
magnetic resonance imaging (MRI) 29, 36–41
axial *see* axial MRI

balloon occlusion of ICA 565
carotid body tumor 456
bilateral 470
clinical case 291, 300, 464, 470, 587–591
postoperative 300, 463, 483
cervicocarotid paragangliomas 90
in long-term follow-up 684
preoperative assessment
ICA 125
vertebral artery 138–141
T1-weighted *see* T1-weighted MRI
T2-weighted 36–38
TJPs (in general) 75, 76–78
combined with carotid body tumor 588
combined with vagal paraganglioma, *see subheading below*
complex tumors 409–410, 413, 416, 422–423, 426–428, 430–431, 436, 438, 441–442, 451
facial nerve management and 498, 541
ICA management and class C3 tumors 586, 588, 599–600, 604
intradural extension 635, 639, 640–641, 644–645, 646–647, 650–652
vertebral artery involvement of C3 tumor 662, 667–668, 671, 673, 675–676
vagal paraganglioma, clinical cases 353, 381–382
complex tumors 406–407
postoperative 359, 367
vagal paraganglioma combined with TJPs, clinical cases 318, 369, 376, 389–390, 610
postoperative 328, 335, 394
post-radiotherapy 394–395
malignancy 3
carotid body tumors 456, 458
in familial paraganglioma syndromes 4
metastases *see* metastatic disease
malleus
class A2 tumor surgery 166
clinical case 177, 180
class B tumor surgery, clinical case 166
class C1 tumor surgery, clinical case 523
class C2Di1 tumor surgery, clinical case 308
CT 35
mandibular branch of trigeminal nerve, surgical anatomy (in relation to ICA) 555, 560
mandibular condyle in class C tumor surgery 232
see also transmandibular approach
mandibular segment of maxillary artery, angiography 48, 49
mandibulotomy in exposure of cervical segment of ICA 568
manual compression test (of common carotid artery) 125, 131
manubrium of malleus in class A2 tumor surgery 166
clinical case 177
marginal tentorial arteries 54
mastoid (mastoid part/process of temporal bone)
in carotid body tumor surgery 485
clinical cases 476, 479
in class C2 surgery 339, 339–340
in class C2Di1 surgery 307
surgical anatomy 12, 15
TJPs with extension to hypotympanum and 79, 98

tumors limited to *see* class B TJPs
 in vagal paraganglioma surgery, clinical cases 362, 392
see also retroauricular–transmastoid approach; retroauricular–transmastoid–transcervical approach; transcervical–transmastoid approach
 mastoid antrum, aditus to, class B2 tumor surgery 197
 mastoid canaliculus 17
 mastoid emissary vein 68, 617
 mastoid segment of facial nerve 15, 492
 in class B2 tumor surgery 194
 in class B3 tumor surgery 542, 548
 in class C tumor surgery 228, 553
 clinical cases 503, 504, 505, 513, 516, 524, 529, 542
 facial nerve grafting and 553
 clinical case 524, 529, 542
 mobilization 495, 496
 surgical anatomy 490, 559
 mastoidectomy
 carotid body tumors (bilateral) 472, 476
 class B1 tumors 161
 clinical case 184
 class B2 tumors, clinical case 193, 196
 class B3 tumors, clinical cases 206, 217
 class C tumors 228
 clinical cases 271, 307, 323, 338, 512, 522, 532
 facial nerve graft 522, 532
 lower cranial nerve management and 629
 Matas test 125, 564
 maxillary artery (internal) 48–49
 angiography 48–49
 branches 49
 medication *see* drugs
 medulla, tumor in contact with, clinical case 411
 medullary segment of posterior inferior cerebellar artery 59
 MEN2 cancer syndrome 4, 346
 meningeal artery (angiography)
 accessory 48, 49
 middle 48, 49, 49–51
 surgical anatomy (in relation to ICA) 555, 560
 posterior 57
 meningeal vein, middle 67
 meningioma, jugular fossa 88
 mesotympanum, tumors limited to *see* class B TJPs
 metastatic disease 3
 carotid body tumors 456
 nodal *see* lymph nodes
 treatment options and decision making 105–106
 microinstruments 152
 microscope 149
 microsurgical periadvential tumor
 dissection with carotid body tumors 460, 461
 Midas Rex drill 149
 middle ear
 landmarks 19
 surgical anatomy (in relation to ICA) 559
 TJPs limited to cleft of (=class A) 79, 98
 see also otoscopy
 morphological imaging, skull base tumors 687
 motor dysfunction (postoperative), pharyngolaryngeal 685, 686
 multicentric lesions *see* multiple lesions

multicompartmental structure of class C and D tumors, embolization and 113
 multiple endocrine neoplasia type 2 (MEN2) 4, 455
 multiple lesions (incl. multicentric) 397, 402–403
 assessment for 86
 carotid body tumors *see* carotid body tumors
 familial paraganglioma syndromes 4
 treatment options/decision making 105, 402, 403
 see also bilateral paragangliomas and specific tumor combinations
 muscle (and muscle layers)
 jugular fossa region 15, 18
 vertebral artery extradural segment 22, 658, 660
 muscle flaps for skull base reconstruction 653
 muscular artery of V3v 57
 musculospinal artery, angiography 44
 mutations 3–4
 carotid body tumors and 456
 testing for 5
 types 4

N

natural history 3
 neck
 anterolateral 24–27
 dissection 344
 class C1 tumor and facial nerve management 499
 class C2De1 tumor 267–271
 class C3Di2 and vagal paraganglioma combined 323
 vagus nerve anatomy 685
 veins 69–70
 see also transcervical approach; transcervical–transmastoid approach
 needle electrode in facial nerve monitoring, placement 156
 nerve graft *see* facial nerve
 nerve integrity monitors
 NIM-2 147
 NIM-Pulse 153
 see also cranial nerves and specific nerves
 neurofibromatosis type 1 and NF1 gene 4, 455, 456
 neuroimaging *see* radiology
 neurological deficits in venous infarction 622
 neuromeningeal branch of ascending pharyngeal artery, angiography 44
 neurovascular anatomy pertaining to carotid body tumors 24–25
 neurovascular bundle in clinical cases
 class C2De1 tumor 267, 270
 class C2Di1 tumor 307
 NF1 (NF type 1) and NF1 gene 4, 455, 456
 NIM-2 147
 NIM-Pulse 155
 nitinol self-expanding ICA stents 133, 138, 566
 nonchromaffin tumor, definition 1

O

oblique muscles (superior and inferior) 18
 in vertebral artery approach 22, 658, 659, 660

occipital artery
 angiography 43–44, 44, 47
 in class C tumor surgery 228
 clinical case 269
 occipital bone
 condyles *see* occipital condyles
 jugular fossa bounded by 12
 jugular process of *see* jugular process
 jugular tubercle *see* jugular tubercle
 residual tumor 669
 occipital condyles 17, 18, 23
 in class C tumor surgery 245, 246, 344
 clinical cases 278, 279, 324, 342, 420–421, 662
 ICA involvement and 573
 involvement/erosion by paraganglioma 77
 treatment options/decisions 108
 lower cranial nerve management and 628
 vagal paraganglioma at level of, clinical case 380
 vertebral artery involvement and 662, 673, 674
 see also juxtacondylar approach; transcondylar approach
 occipital muscles in vertebral artery approach 658
 occipitomastoid suture 12
 omohyoid muscle dissection, vagal paraganglioma 372
 operating room setup 146–149
 operative site preparation 147
 ophthalmic (C6) segment of ICA 51, 54–55
 ophthalmic veins, superior and inferior 67
 ossicular chain in surgery
 class A2 tumors 164, 166
 clinical case 180
 class B2 tumors, clinical case 198
 class B3 tumors, clinical case 206
 see also specific ossicles
 otic capsule erosion by class C3De2Di1 tumor 430
 otoscopy (of middle ear tumors)
 tumors completely visible on *see* class A1 TJPs
 tumors not visible on *see* class A2 TJPs
 oval window, tumors located close to
 class A1 tumor 173
 class B2 tumor 202, 203
 class B3 tumor 223

P

paragangliomas, definitions/terminology 1, 347
 paralysis/palsy (lower cranial nerves)
 compensation (after allowing paralysis) 99
 pre-existing, treatment options/decisions 105
 see also specific nerves
 parapharynx and parapharyngeal space
 differential diagnosis of masses 91
 vagal paragangliomas
 approaches 351
 clinical cases 365, 369, 376, 381, 394
 vertebral artery involvement and 666
 parotid gland
 carotid body tumor surgery, clinical case 477

- in class C tumor surgery 228, 344
 - clinical cases 275, 502, 507, 510, 531, 532, 534, 550, 553
 - facial nerve portion in 502, 507, 510, 531, 532, 534, 550, 553
- parotid space, parapharyngeal mass (of vagal paraganglioma) extending to 369
- pathology 2
- pathophysiology 2–3
- patient
 - discharge 682
 - preparation (incl. positioning) 147
 - facial nerve monitoring 156
- patient interference box 156
- perforating arteries, pontine 60–61
- periadvential tumor dissection (microsurgical) with carotid body tumors 460, 461
- pericarotid cell involvement
 - class B3 tumors 208, 209, 213, 214, 217, 221, 223, 223
 - class C2D0 tumor combined with vagal paraganglioma 376
- periosteum of atlas in vertebral artery approach 659, 679
- peritubal cell covering carotid artery, removal 209
- personnel in operating theatre
 - in facial nerve monitoring 156
 - position 146, 148
- pes anserinus and facial nerve rerouting 514
- petroclival fissure 12
- petrosal nerve, greater superficial, surgical anatomy (in relation to ICA) 555, 561, 563
- petrosal sinus, inferior
 - angiography 66–67, 67
 - in class C tumor surgery 249, 344
 - C2De1 clinical cases 281, 285, 298
 - C3De2Di1 clinical case 433
 - class C1 clinical case, and facial nerve management 501
- CT 31
 - lower cranial nerve management and 623, 624, 630
 - management (bleeding/closure) 618, 621
 - surgical anatomy 13, 623
- petrosal sinus, superior, angiography 65, 67
- petrosectomy, subtotal
 - class B3 tumors 163, 168
 - clinical case 196, 542
 - class C tumors 240, 241
 - clinical cases 256, 271, 499
 - facial nerve management and 499, 516
- petrous part of temporal bone 12
- carotid artery aneurysm involving 86
- CT through apex part 34
- ICA in *see* petrous segment
- involvement/infiltration (incl. erosion) by paraganglioma 77
 - clinical cases 415, 430, 440, 441, 443, 444, 596, 626, 630, 640
- lower cranial nerve and 626, 630, 640
- petrous segment (C2) of ICA 51, 52–53
- exposure 568
- horizontal and vertical segments *see* horizontal segment; vertical segment
- pharyngeal artery, ascending
 - anastomosis with vertebral artery 45
 - angiography 44–45
 - tumor blush 378
- pharyngeal branch of ascending pharyngeal artery, angiography 44
- pharyngeal pathophysiology in high vagal injury 685–689
- pharyngeal portion of lingual artery, angiography 42
- pheochromocytoma, definition 1
- pillar muscle movement, Fisch stage I paraganglioma 358
- piperacillin 681
- plain skull radiograph, class C3De2Di1 tumor 431
- polyp or polypoidal mass in external auditory canal 74
 - clinical cases 216, 295
- polyvinyl alcohol (PVA) particles in embolization 111
 - carotid body tumors 113
 - TJPs 113
 - vagal paragangliomas 113
- pons, tumor pushing the 409
- pontine perforating arteries 60–61
- postauricular incision (clinical cases)
 - class C2De1 tumor 264, 265
 - class C3Di2 combined with vagal paraganglioma 329
- posterolateral compartment with class C and D TJPs, embolization and 113
- postoperative period 152–154, 681–684
 - in balloon occlusion of ICA 132
 - facial nerve function in, prediction 158–159
 - follow-up in 106
 - management 152–154
 - carotid body tumors 463
 - complex paragangliomas 436
 - vagal paragangliomas 352
 - see also* complications
- post-styloid division of parapharyngeal space, differential diagnosis of masses 91
- pregeniculate portion of facial nerve 505, 514, 553
- preoperative period/considerations 146–149
 - carotid body tumors 458–459
 - ICA 564–566
 - indications for presurgical management 564
 - neuroradiological assessment 120–125
 - stenting *see* stenting
 - vagal paragangliomas 351
 - vertebral artery assessment 138–141, 656
- prepontine cistern
 - basilar artery in relation 60–61
 - ICA in relation to 561
- prestyloid division of parapharyngeal space, differential diagnosis of masses 91
- pretransverse (extraosseous; V1) segment of vertebral artery 22, 55, 656
- prevertebral muscle, vagal paraganglioma involving 382
- protimpanum in class A2 tumor surgery 164
- pseudotumor cerebri 622
- pterygoid segment of maxillary artery, angiography 48, 49
- pterygoid venous plexus 70
- pterygopalatine segment of internal maxillary artery, angiography 48, 49
- PVA *see* polyvinyl alcohol
- radiculomuscular artery of V3v 57
- radiograph, plain, class C3De2Di1 tumor 431
- radiology (neuroimaging)
 - anatomy 29–72
 - ICA 31, 33, 34, 39, 40, 41, 51–55, 564
 - carotid body tumors 91, 133, 136, 456
 - clinical case 464
 - morphological, skull base tumors 687
 - preoperative assessment of ICA 120–125
 - TJPs 75–79
 - vagal paragangliomas 90, 347–348
 - see also* wait and scan policy and specific imaging modalities
- radiotherapy 106–107
 - adjunctive 106
 - carotid body tumors 463
 - indications 106, 107
 - primary 107
 - recurrence after 402–403
 - vagal paraganglioma
 - clinical cases 359, 394–395
 - indications 349
 - see also* stereotactic radiosurgery
- reconstructive surgery
 - skull base 653
 - vascular, in carotid body tumor surgery 462–463
- recording electrodes in facial nerve monitoring 156
- rectus capitis lateralis 18
- recurrence (after treatment) 402–403
 - factors favoring 108
 - in intradural extension, minimizing 654
 - management 106
 - postoperative follow-up detecting 106
 - vagal paragangliomas 375–395
- residual disease, postoperative follow-up detecting 106
- resuscitation in ICA injury 615
- retinal vein, central 67
- retroauricular approach
 - class A2 tumors 164
 - class B3 tumors 211
- retroauricular–transcanal approach, class A2 tumors 161
 - clinical case 174
- retroauricular–transmastoid approach, class B1/B2 tumors 166
- retroauricular–transmastoid–transcervical approach to carotid body tumors 460
 - clinical case 476–485
- retrofacial air cells
 - class B3 tumor and facial nerve management and 542
 - class C1 tumor and facial nerve management and 499
 - class C2D0 tumor combined with vagal paraganglioma and infiltration of 376
- retrofacial tympanotomy 225 *see* tympanotomy, retrofacial
- retrosigmoid approach to class C tumors 227
- rising sun sign 16, 73
- round window
 - class A2 tumor surgery 164
 - class B3 tumor surgery 221

S

- sagittal MRI, TJPs 76–77
 salt-and-pepper sign 76, 406, 456
 saphenous vein as sural nerve landmark 518
 Schwann-like cells 2
 schwannoma, lower cranial nerve 86
 scissors, microsurgical 153
 screening 5
 scrub nurse's position 148
 SDH *see* succinate dehydrogenase
 self-expanding nitinol ICA stents 133, 138, 566
 semicircular canal
 lateral, tumor involving 542
 CT of erosion 540
 posterior
 CT 35
 surgical anatomy 16–17
 superior, CT 33, 35
 semispinalis capitis in vertebral artery approach 658
 sensory dysfunction (postoperative), pharyngolaryngeal 686
 sex and incidence 1
 Shamblin grading of carotid body tumors 91, 94, 456–458
 class/type I 457, 458
 clinical case 464–465
 clinical case combined with class C3Di2 tumor 587–591
 clinical case combined with vagal paraganglioma 360
 class/type II 457, 458
 clinical case 290, 466–469
 class/type III 457, 458
 clinical case 469–485
 vascular reconstruction 463
 sigmoid sinus
 angiography 63, 65
 carotid body tumor surgery 476
 class B3 tumors, skeletonization 206, 217
 class C tumor surgery 232
 C1 clinical case 256, 500
 C2 clinical case 512
 C2De1 clinical cases 280, 294, 298
 C2Di1 clinical case 311, 312
 C3Di2 clinical cases 408, 420, 421, 666
 C3Di2 combined with vagal paraganglioma, clinical case 324
 facial nerve management and 500
 dominant or unilateral, on lesion side 401
 lower cranial nerve management and 627, 628
 management (bleeding/closure) 618, 619
 surgical anatomy 13, 17, 19
 vertebral artery approach 659
 site (operative) preparation 147
 skin (operative site) preparation 147
 skull base
 carotid body tumors (bilateral) involving 472
 class C3 tumors and ICA management and 602
 morphological imaging of tumors 687
 reconstruction 653
 vagal paraganglioma involving 361
 clinical cases 364, 365, 386, 387
 vagus nerve anatomy 685
 skull radiograph, plain, class C3De2Di1 tumor 431
 solitary lesions, treatment options and decision making 98–104
 speech rehabilitation, postoperative 686, 687, 688
 sphenobasal emissary vein 69
 sphenoid sinus
 CT 31
 surgical anatomy (in relation to ICA) 560
 spinal accessory nerve (CNXI)
 accidental direct stimulation in lower cranial nerve monitoring 154
 class C tumor surgery 228
 clinical cases of C2De1 269, 296
 clinical cases of C3De2Di1, palsy 436
 monitoring 631, 632
 MRI 36
 surgical anatomy 12, 17, 21, 22, 228, 623
 in relation to internal jugular vein 620, 627, 632
 vagal paraganglioma surgery, clinical case 358, 368
 splenius capitis in vertebral artery approach 22, 658, 660
 staged surgery
 bilateral carotid body tumors 469–485
 class C4Di2Vi tumor 438–453
 staging and classification
 carotid body tumors 91, 105
 TJPs 79–82
 rationale with intradural extension 639
 tympanic and tympanomastoid paragangliomas 98–99
 vagal paragangliomas 91, 104
 stapes (in clinical cases)
 in class B1 tumor surgery 185, 189, 190
 in class B2 tumor surgery 202
 in class C1 tumor 259
 in class C2 tumor and facial nerve management 514
 in class C2De1 tumor 272
 stenting of ICA, preoperative 132–138, 343, 566, 568, 580–606
 carotid body tumors 458
 bilateral lesions, clinical case 471, 478, 481, 483, 484, 485
 class C3 tumors, clinical cases 429, 433, 434, 581–591, 598–604, 608–614
 class C4 tumors, clinical cases 447, 450, 452, 592–597
 complicating factors 605, 615
 subadventitial drilling after 580–606
 technical aspects 566
 vagal paragangliomas 136, 139–141, 349
 clinical cases 371, 383, 385, 388, 392, 393
 reinforcement stent 392
 stereotactic radiosurgery
 class C4Di2Vi clinical case 441
 recurrence after 402–403
 sternocleidomastoid (SCM) muscle 15, 22, 24
 in carotid body tumor surgery 485
 clinical case 476
 in class C tumor surgery in infratemporal fossa type A approach with transcondylar extension 239, 253
 clinical cases 267, 268, 307
 flaps, skull base reconstruction 653
 in vertebral artery approach 22, 658
 steroids 681
 stimulating electrodes in facial nerve monitoring 155
 straight sinus 64
 stylohyoid muscle
 in class C2 tumor surgery, clinical case 340
 in vagal paraganglioma surgery, clinical case 384
 styloid process of temporal bone 12, 15, 26
 in class C tumor surgery 228, 232, 241, 243, 244
 clinical cases 276–277, 310, 324, 340–341, 528, 602
 and facial nerve grafting 528
 and ICA management 602
 surgical anatomy (in relation to ICA) 555
 in vagal paraganglioma surgery, clinical case 384
 stylomastoid foramen
 facial nerve (and its management with TJPs – mainly class C2) and 553, 559
 anterior rerouting of nerve 514
 clinical cases 503, 507, 508, 510, 517, 524, 528
 facial–hypoglossal nerve anastomosis 551
 surgical anatomy (in relation to ICA) 559
 vagal paraganglioma surgery 362, 363
 subadventitial dissection (in ICA involvement) 399, 571–572, 580–606
 after reinforcement with stent 580–606
 clinical cases 393, 447, 448, 473, 576, 578, 584
 subfacial recess tympanotomy *see* tympanotomy
 sublingual artery, angiography 42
 submental segment of facial artery, angiography 42
 suboccipital venous plexus 70
 subperiosteal dissection of ICA 399, 570, 571–572
 subtemporal infratemporal approach to jugular fossa 227
 see also infratemporal fossa approach
 subtotal resection, indications 106
 succinate dehydrogenase (SDH) gene mutations 3–4, 395
 carotid body tumors and 456
 clinical cases 290–300, 375–378
 testing for 5
 suction irrigation 149
 superficial venous system filling, angiographic assessment 132
 superior compartment with class C and D TJPs, embolization and 113
 suprahyoid portion of lingual artery, lateral, angiography 42
 supratentorial circulation time, angiographic evaluation 132
 supratubal recess in class B2 tumor surgery 198, 199
 sural nerve (donor for facial nerve graft) 518, 553
 clinical cases 526–527, 531, 534–535, 538, 548–549
 harvesting 518–520
 surgeon's position 146, 148
 surgical anatomy 12–25
 facial nerve 15, 19, 21, 489, 490–491, 558–559
 ICA 555–564
 swallowing dysfunction (dysphagia) due to vagal injury 685–689

sympathetic chain in carotid space 26
System ORL-E-922 drill (Bien Air) 149

T

T1-weighted MRI
axial gadolinium-enhanced 39–40
coronal 41
T2-weighted MRI, axial 36–38
temporal artery
middle deep, angiography 48
superficial, angiography 48
temporal bone
carotid canal *see* carotid canal
dissections 490
facial nerve anatomy through 489, 490
jugular fossa bounded by 12
mastoid part/process *see* mastoid
paragangliomas, pathology 2
petrous part *see* petrous part
styloid process *see* styloid process of
temporal bone
tumors limited to the tympanomastoid
compartment of, without jugular
bulb erosion *see* class B TJPs
see also entries under infratemporal
temporalis fascial grafts
class A2 tumor surgery 164–165
clinical case 177
class B1 tumor surgery, clinical case
191
class B2 tumor surgery, clinical case
183
class C2 tumor surgery, clinical case
535
temporalis muscle
flaps, skull base reconstruction 653
in infratemporal fossa approach type A
to class C1–C4 tumors 234
in transcondylar–transtubarcular
extension 253
temporomandibular joint in class C2De1
clinical case 278
tentorial arteries, marginal and basal 54
tentorium, TJP reaching 406
theatre (operating room) setup 146–149
three-dimensional (3D) color angio CT
carotid body tumors (bilateral) 484–
485
class C3 tumors and ICA management
586, 591
class C4Di2Vi tumor 452, 597, 676
thromboembolism prevention
carotid body tumor surgery 485
in stenting of ICA 566
thyroid artery, superior, angiography 42
thyroplasty 688, 689
tonsillar segment of posterior inferior
cerebellar artery 59
torcular herophili 64
total vs. subtotal resection, indications
106
tragal pointer and extratemporal facial
nerve anatomy 490
transapical extension, translabyrinthine
approach with, clinical case of class
C4Di2Vi tumor 441–446
transcanal approach (via external
auditory canal), class A1 tumors 163
transcervical approach
carotid body tumors 459, 460
clinical case 472–475
vagal paragangliomas 351
clinical cases 335–336, 371
transcervical–transmastoid approach to
vagal paragangliomas 351

transclival and translabyrinthine
approach to class C3Di2 tumor
combined with vagal paraganglioma
329–335
transcochlear approach
class C tumors 236
clinical case 411
to vertebral artery 656, 657, 658, 665,
677
transcondylar approach/extension
(±transtubarcular approach) 227, 234,
236–253
clinical cases 261–289, 336–345, 405,
420
to vertebral artery, extreme lateral/far-
lateral 656, 657, 665, 670, 672, 674,
679
transjugular approach to class C tumors
226, 227
translabyrinthine approach (transotic
approach) 562
class C tumors 236
with transapical extension, clinical
case 441–446
translabyrinthine–transclival approach to
class C3Di2 tumor combined with vagal
paraganglioma 329–335
transmandibular approach to vagal
paragangliomas 351
transmastoid approach *see*
retroauricular–transmastoid approach;
retroauricular–transmastoid–
transcervical approach; transcervical–
transmastoid approach
transmeatal approach to class B2 tumors
166
transotic extension *see* translabyrinthine
approach
transverse foramen (foramen
transversarium) in vertebral artery
approach 660
transverse process of atlas 18, 22
in vagal paraganglioma surgery, clinical
case 356
transverse segment (V2/foraminal
segment) of vertebral artery 22, 55,
656
transverse sinuses
angiography 63, 65
class C3Di2Ve tumor reaching 666
trauma, surgical *see* injury
treatment options and decision making
98–110
genetic defects and familial syndromes
105, 395
multiple lesions 105, 402, 403
solitary lesions 98–104
trigeminal nerve (CNV) 560
mandibular branch, surgical anatomy
(in relation to ICA) 555, 560
MRI 38
tumor suppressor genes 4
tympanic annulus in class C2Di1 tumor
clinical case 308
tympanic artery, inferior 19
tympanic bone 15, 16
drilling/removal in class C3 clinical
cases 583–584, 602
tympanic branch of ascending pharyngeal
artery, inferior, angiography 44, 44
tympanic canaliculus 17
tympanic membrane
in surgery
class A1 tumors 171
class A2 tumors 175, 177
class B1 tumors 184, 187, 188
class B2 tumors 195

surgical anatomy (in relation to ICA)
559
tympanic nerve (Jacobson nerve) 17, 22
tympanic paragangliomas 74–75, 98–99
clinical presentation 74–75
differential diagnosis 86
epidemiology 1
staging (modified Fisch classification)
98
treatment options and decision making
98–99
tympanic plexus 19
tympanic segment of facial nerve 491,
492
clinical cases 503, 505, 523, 525, 526,
530, 540, 543
tympanojugular paragangliomas (TJPs
incl. paraganglioma proper, previously
glomus jugulare) 1, 73–79
complex tumors *see* complex TJPs
diagnostic work-up 75–89
differential diagnosis 86–89
facial nerve management *see* facial
nerve
Gruppo Otologico Approach 227–253
intradural extension *see* intradural area
pathophysiology 2–3
postoperative follow-up 106
staging and classification 79–82
Fisch *see* Fisch Classification System
treatment (general aspects)
embolization *see* embolization
options and decision making 99–100
summary of major surgical
considerations 107–108
see also jugular paragangliomas;
tympanic paragangliomas;
tympanomastoid paragangliomas
tympanomastoid paragangliomas 74–75,
98–99
clinical presentations 74–75
imaging 75
staging (modified Fisch classification)
98
treatment options and decision making
98–99
see also class B TJPs
tympanomeatal flaps
class A1 tumors 163
clinical case 171
class A2 tumors 164, 166
clinical case 175, 176, 181, 182
class B tumors 166
B1 clinical case 191
tympanoplasty, closed, facial nerve
management in class B1 491
tympanotomy, infrafacial 257
tympanotomy, posterior
class B tumors 166
B1 166, 184, 185, 186, 187, 188, 190,
191, 491
B2 166, 193, 194, 195
care to prevent damage in 225
facial nerve management and 491,
495, 553
class C1 tumor 256
tympanotomy, retrofacial 225, 491
facial nerve management and 553
tympanotomy, subfacial recess
class B2 tumor, clinical case 193
class B3 tumor, clinical case 220, 222

U

unresectable tumors, management 106

V

V1 (extraosseous/pretransverse) segment of vertebral artery 22, 55, 656
 V2 (foraminal/transverse) segment of vertebral artery 22, 55, 656
 V3 (extraspinal) segment of vertebral artery 22, 55, 57, 656
 interventional neuroradiology of tumors involving 138, 138
 venous plexus around 70–71
 V4 (intradural; intracranial) segment of vertebral artery 23–24, 55, 58, 656
 TJPs involving (Vi) 82
 clinical cases 404–413, 437–453
 interventional neuroradiology 138
 vagal paragangliomas (glomus vagale) 1, 100–104, 347–396
 anatomy 347
 clinical cases 352–395
 bilateral tumors 352–359
 combined with C2 TJP 375–378
 combined with C3Di2 TJP 316–335, 608–614
 recurrent tumor 375–395
 clinical presentation 90
 degree of extension at diagnosis 349
 diagnosis 347–348
 imaging 90, 347–348
 embolization 113, 120, 136, 348
 facial nerve management *see* facial nerve
 pathology 2
 pathophysiology 347
 postoperative management 352
 preoperative considerations 351
 radiotherapy indications 349
 staging 91, 104
 stenting 136, 139–141, 349
 surgical approaches 351
 symptoms 347
 treatment options/decisions 100–104, 348–349
 vagus nerve (CNX)
 accidental direct stimulation in lower cranial nerve monitoring 154
 in class C2De1 tumor surgery, clinical cases 269, 294–295
 injury (and consequential palsy/paralysis) 685–690
 with complex TJP paraganglioma, clinical case 436
 with vagal paraganglioma, clinical case 358
 intradural extension and 642
 monitoring 631, 632
 MRI 36

palsy/paralysis
 postoperative *see* injury (subheading above)
 preoperative, clinical case 290–300
 surgical anatomy 12, 14, 17, 18, 20, 21, 22, 25–26, 623
 auricular branch (Arnold nerve) 17, 22
 in vagal paraganglioma surgery, clinical case 364, 365
 vasculature (craniocervical)
 angiography *see* angiography
 collateral *see* collateral anastomoses and pathways
 injury *see* injury
 reconstruction in carotid body tumor surgery 462–463
 surgical anatomy pertaining to carotid body tumors 24–25
 vascular compartments and embolization of class C and D tumors 113
 see also arterial supply; venous system and specific vessels
 vasospasm in ICA injury 615
 velopharyngeal incompetence to vagal injury 686, 688
 venous graft in carotid artery injury 462
 venous system/drainage (craniocervical) 63–72, 617–622
 angiography 63–72
 assessment of venous filling 132
 extracranial 69–72, 617–622
 intracranial 63–69, 617–622
 clinical case of C3Di2 and vagal paraganglioma combined and 333
 connections between 68–69
 intracranial pressure affected by 621, 622, 681
 principles of management 617–622
 treatment options and decision making regarding 105, 108
 vertebral artery surrounded by 679
 vertebral artery 22–24, 55–62, 656–680
 anastomosis of ascending pharyngeal artery with 45
 embolization 111–112
 vagal paragangliomas 348
 intradural extension and 642
 involvement (by TJPs) 344, 401, 656–680
 classification by degree of *see* class V TJPs
 clinical cases 404–413, 437–453, 588, 661–678
 hints and pitfalls 679
 illustrations 101
 interventional neuroradiology 138–141
 surgery and major surgical considerations 108, 657–660
 preoperative evaluation 138–141, 656
 radiological anatomy
 angiography 55–62
 MRI 39, 40

surgical anatomy 20, 22–24
 extradural segments *see* extradural segments
 intradural segment *see* V4 (intradural; intracranial) segment
 V3 segment *see* V3
 vagal paraganglioma supplied by 391
 vertebral vein 70–72
 vertebral venous plexus 70
 vertebrobasilar junction
 angiography 59
 in vertebral artery involvement 679
 clinical case 678
 vertical portion of carotid canal 17
 TJPs invading *see* class C1 TJPs; class C2 TJPs
 vertical segment of ICA (in petrous bone) 52
 class C2 clinical case 573, 575
 class C3 clinical case 582, 583, 588
 class C4Di2Vi clinical case 448
 exposure 568
 lower cranial nerve management and 626
 partial mobilization 571
 surgical anatomy (in relation to ICA) 555
 Vesalius machine 149–150, 151
 vestibular aqueduct, CT 35
 vestibular nerve, MRI 37
 vestibulocochlear nerve (CNVIII) 21
 C3Di2 and vagal paraganglioma combined, clinical case 332, 334
 see also cochlear nerve; vestibular nerve
 VHL (von Hippel–Lindau disease) and VHL gene 4, 455, 456
 vidian artery 52
 vocal cord augmentation 687
 vocal fold medialization 683–684
 von Hippel–Lindau disease (and VHL gene) 4, 455, 456
 von Recklinghausen's disease (neurofibromatosis type 1) and NF1 gene 4, 455, 456

W

wait and scan policy 107
 carotid body tumors 463
 vagal paragangliomas 348
 Willis' circle *see* circle of Willis

X

Xpert Stent system 122, 349, 566

Z

Zeiss S21 operating microscope 149
 zellballen 2, 455