

# Subject Index

## Notes

Abbreviations used: CDS - color Duplex sonography

Page numbers in *italics* refer to figures.

vs. indicates a comparison or differential diagnosis.

## A

- abdominal hernia, 105, 105
  - palpable masses vs., 99
- abdominal lymph nodes, 108
- abdominal pain
  - diffuse *see* diffuse abdominal pain
  - lower *see* lower abdominal pain
  - upper *see* upper abdominal pain
- abdominal sonography, 16–31
  - scan planes, 16, 17, 19
    - - longitudinal scan, 16, 17
    - - sequence of, 18
    - - transverse scan, 16, 17
  - - *see also* topography
- abdominal tumor
  - ascites, 155, 159, 159
  - differential diagnosis, 88
  - obstructive lesion, 89
- abdominal vessels, 28, 188–190, 191
  - *see also* specific blood vessels
- abscesses, 94–95, 95
  - aorta, 206
  - chest wall, 402, 402
  - fever vs., 92
  - gallbladder, 341, 341, 351
  - kidney, 277, 278, 286, 286
  - liver *see* liver
  - male genital organs, 392
  - perirenal masses, 292
  - postoperative ultrasound, 435, 436
  - salivary glands, 427
  - spleen, 316, 319, 320
  - therapeutic aspiration/drainage, 56, 59, 60, 61
  - thyroid gland, 419–420, 420
- absorption, 3
- Achilles tendon, 44, 178
  - bursitis, 178
  - distance values, 45
- acoustic enhancement, 11, 12
- acoustic shadowing, 11, 11
  - gallbladder, 348–349
  - gallstones, 11
- acquired pyloric stenosis, 357, 357
- acromioclavicular arthritis, 170, 170–171

- active infective colitis, 368, 369
- acute abdomen, 438
- acute cholecystitis, 63, 63–64
  - further testing, 351
  - gallbladder, 339, 339–340, 340
  - gallbladder hydrops, 63, 64
  - upper abdominal pain vs., 62
- acute febrile enterocolitis, 364, 364–365
- acute glomerulonephritis, 135, 269, 269
  - differential diagnosis, 117, 125
  - edema, 117, 119
- acute hepatitis, 235
- acute nonsuppurative thyroiditis
  - differential diagnosis, 179
  - goiter, 184
- acute pancreatitis, 65–67, 66, 295, 295–296
  - computed tomography, 310
  - fine-needle aspiration, 310
  - further testing, 299, 310
  - necrosis, 66, 301, 302
  - parasitic cysts, 301, 302
  - pseudocyst, 301, 302
  - upper abdominal pain vs., 62
- acute prostatitis, 389, 390
- acute renal failure (ARF), 124–138, 268, 269
- acute suppurative cholangitis, 145
- acute suppurative thyroiditis
  - differential diagnosis, 179
  - goiter, 184
- adenoid cystic carcinoma, salivary glands *see* salivary glands
- adenoma
  - gallbladder, 347, 347–348
  - liver, 248, 248
  - pleomorphic, salivary glands, 429
  - thyroid gland, 181, 181, 419, 419, 422, 422
    - - differential diagnosis, 179
- adenomatous hyperplasia, thyroid gland, 418, 418–419
- adenomatous nodules, thyroid gland, 422
- adenomyomatosis, gallbladder, 343, 344
- adhesive bands, 82, 82
- adjustment errors, equipment settings, 6
- adnexitis, 78–79, 79
  - lower abdominal pain vs., 75
- adrenal glands, 262–293
  - documentation, 47
  - examination, 264–266, 265
  - fine-needle aspiration biopsy (FNAB), 56
  - normal, 265, 265
  - tumors, 292
- adrenal tumors, 96, 96–97
  - fever vs., 93
- agenesis, gallbladder, 337
- AIDS, gallbladder, 340, 340
- alcoholic cirrhosis, 238, 239, 239
- alcohol instillation, therapeutic aspiration and drainage, 60
- aliasing, CDS, 8
- alimentary fatty liver, 234, 234
- A-mode ultrasound, 3, 4
- amyloidosis
  - differential diagnosis, 179
  - goiter, 179, 186–187
  - small intestine wall thickening, 365
- analgesic nephropathy, 133–134, 271, 271
  - differential diagnosis, 125
- anastomoses, postoperative ultrasound, 433, 433
- anechoic changes, 48
  - liver, 241, 242–244
  - salivary glands, 427–428
  - thyroid gland, 417–418
- aneurysms, 198, 198–199, 199
  - classification, 206
  - hepatic artery, 243
  - renal artery, 200
- angiography, 207
- angiomyolipoma, kidney, 279–280, 280
- ankle
  - arthritis, 176, 176–177
  - distance values, 45
- ankylosing spondylitis, 169
- Ann Arbor staging, 113
- annular pancreas, 298, 298

- anterior humeroradial scan, elbow, 40  
 anterior humeroulnar scan, elbow, 40  
 anterior longitudinal scan  
   - hip, 41  
   - knee, 42  
   - malleolar region, 44  
   - shoulder, 36, 36  
 anterior transverse scan  
   - knee, 42  
   - malleolar region, 44  
   - shoulder, 32, 37, 37  
 antiglomerular basement membrane disease, 129  
 - differential diagnosis, 125  
 aorta, 28, 188, 188, 189, 192, 194–207  
   - abscesses, 206  
   - anomalies, 194  
   - atherosclerotic changes, 192, 198  
   - Doppler indices, 193, 193  
   - ectasia, 197, 197  
   - elongation, 197, 197  
   - hemodynamic changes, 192  
   - right midabdominal transverse scan, 25  
   - sclerosis, 197, 197  
   - tortuosity, 197  
   - upper abdominal longitudinal scan, 22, 29  
 aortic aneurysms, 204, 204, 207  
   - differential diagnosis, 205  
 aortic valve insufficiency, 209  
 appendicitis, 75–76, 76  
   - differential diagnosis, 75, 373  
   - large intestine wall thickening, 369, 369  
 arterial perfusion disorders, 436  
 arterial prosthesis, 195, 229  
 arteries, 188–213, 194–207  
   - aneurysms, 198, 198–199, 199  
   - anomalies, 194  
   - arterial prosthesis, 195, 229  
   - arteriovenous fistula, 195, 196  
   - atherosclerosis, 202, 202  
   - classification by location, 201  
   - displacement/compression/infiltration, 200, 200  
   - Doppler indices, 193  
   - echogenic luminal changes, 205, 205  
   - echogenic wall changes, 201, 202–203  
   - - wall thickening, 202, 202  
   - elongation, 197  
   - false aneurysm, 195, 196  
   - flow velocities, 193  
   - further testing, 206–207  
   - hypoechoic luminal changes, 203–204  
   - hypoechoic wall changes, 201, 202  
   - interpretation, 206–207  
   - lymphadenopathy, 205  
   - metastases, 205  
   - paravascular changes, 205, 205–206, 206  
   - postoperative lesions, 195–196  
   - prosthesis infection, 206, 206  
   - retroperitoneal fibrosis, 205  
   - sclerosis, 197  
   - traumatic lesions, 195–196  
   - *see also specific arteries*  
 arteriovenous fistula, 195, 196  
 arthritis  
   - acromioclavicular, 170, 170–171  
   - ankle, 176, 176–177  
   - cubital, 171, 171  
   - hip, 173–174, 174  
   - knee *see knee*  
   - osteoarthritis vs., 163  
   - shoulder *see shoulder*  
   - sternoclavicular, 170–171, 171  
   - synovitis, 35  
 arthrosonography, 31–45  
   - abnormal findings, 33  
   - capabilities, 31  
   - clinical importance, 31  
   - distance values, 45  
   - guidelines, 36  
   - limitations, 31–32  
   - normal findings, 32  
   - synovial membrane, 32  
 articular synovitis  
   - fingers, 172, 172–173, 173  
   - toes, 172–173  
 ascariasis  
   - bile ducts, 331, 331  
   - biliary obstruction, 142  
 ascending thoracic artery, 216  
 ascites, 155–163  
   - differential diagnosis, 155–156  
   - gallbladder, 344  
   - tumors, 439, 447, 448, 448  
   - *see also specific diseases/disorders*  
 atheromatous plaques, 201  
   - protuberant intraluminal, 201, 201  
 atherosclerosis, 197–199, 198  
   - aorta, 192, 198  
   - arteries, 202, 202  
   - cervical vessels *see cervical vessels*  
   - plaque classification, 203  
 atrial myxoma, 98  
   - fever vs., 93  
 atrophic kidney, 134, 264, 290  
   - differential diagnosis, 125  
 attenuation, 3  
 atypical cysts, kidney, 284, 285  
 atypical hemangioma, liver, 249, 249  
 atypical lobulation, liver, 251, 251  
 autoimmune chronic pancreatitis, 309  
 axial resolution (of ultrasound), 2  
 axillary longitudinal scan, shoulder, 39

**B**

- bacterial sialadenitis, 428, 428  
 Baker cysts, 175, 176  
 basic equipment settings, 6  
 basilar artery, 216  
 basket pattern, tumor vascularity, 445, 446  
 B-cell carcinoma, thyroid gland, 421  
 B-cell lymphoma, thyroid gland, 421  
 beam angle, CDS, 8  
 beam shape, 2  
 benign exudative effusion, pleura, 404, 404  
 benign prostatic hyperplasia (BPH), 386, 387, 390, 390  
 benign tumors *see tumors*  
 bezoar, 82, 83, 362  
 bicipital tenosynovitis, 167–168  
   - polyarthritis, 168  
 bile ducts, 322–333  
   - anatomy, 322, 322, 323  
   - atresia  
    - ascites, 156, 163  
    - differential diagnosis, 140  
   - carcinoma, 333  
   - cirrhosis, 324  
    - secondary, 140, 147  
   - compression, 143, 143–144  
    - differential diagnosis, 140  
    - duodenal diverticulum, 144  
    - inflamed lymph nodes, 144  
    - stent treatment, 144  
    - tumor, 144  
   - cysts, 242, 324, 326, 326  
   - ductal dilatation, 325, 325  
    - metastases, 329  
    - echogenic changes, 330

- extended right intercostal scan, 23
  - extrahepatic duct changes, 330–332
  - - anechoic changes, 330–331
  - - echogenic changes, 332
  - - hypoechoic changes, 330–331
  - further testing, 333
  - hepatic artery calcification, 332
  - intrahepatic bile duct carcinoma, 328, 329
  - intrahepatic changes, 324–330
  - - anechoic changes, 324–329
  - - hypoechoic changes, 324–329
  - jaundice, 139
  - normal findings, 322, 324
  - obstruction, 142, 142
    - - differential diagnosis, 139
    - - duct stones, 331
  - papillomatosis, 142, 328, 328, 331
  - papillomatous carcinoma, 328, 328
  - parasagittal upper abdominal longitudinal scan, 323
  - parasites, 328
    - - ascariasis, 331, 331
  - pneumobilia, 330, 332
  - sclerosing cholangitis, 324, 327, 327
  - sludge, 331, 331, 346, 346–347, 349
    - - further testing, 351
  - stones, 324, 332, 332
    - - intrahepatic, 330
    - - obstructing cystic duct, 331
  - topography, 21, 21
    - see also gallbladder
  - biliary colic, 64, 64–65
  - upper abdominal pain vs., 62
  - biliary tract
    - carcinoma, 451
    - postoperative obstruction, 435
  - bladder *see* urinary bladder
  - blood clots, urinary bladder, 386–387, 387
  - blood vessels *see specific blood vessels*
  - B-mode ultrasound, 3, 4
    - cervical vessels, 214, 214
    - common carotid artery, 214
  - shoulder arthritis, 169
  - splenic infarction, 74
  - bone, arthrosonography, 32
  - bone erosion, abnormal findings, 33
  - bowel *see* gastrointestinal tract
  - brachiocephalic trunk, 216
  - branching pattern, tumor vascularity, 445, 446
  - breast cancer, 97, 97
    - fever, 93
    - palpable masses, 100
  - Budd-Chiari syndrome, 147, 447
    - ascites, 155, 162–163
    - CDS, 152
    - differential diagnosis, 140
    - hepatosplenomegaly, 148, 152, 152
  - bursitis, Achilles tendon, 178
- C**
- calcifications
    - liver, 254
    - spleen, 319, 319, 320
    - thyroid gland, 422, 423
    - tumors, 443
  - carcinoid tumors
    - gastrointestinal tract, 440, 440
    - large intestine wall thickening, 372
  - carcinoma
    - gallbladder, 341, 342, 348, 348, 349
    - mucoepidermoid, salivary glands, 429
    - prostate gland, 391, 391
    - stomach wall swelling, 356, 356
    - uterus, 395–396
  - cardiac inflow stasis, hepatosplenomegaly, 148
  - Caroli syndrome
    - bile duct compression, 143
    - cholelithiasis, 141, 142
    - differential diagnosis, 140
    - liver cysts, 242
  - carotid artery
    - stenosis, 221
    - stent implantation, 223, 223, 224
  - carpal joints, 41
  - cartilage, arthrosonography, 32
  - caudate lobe, liver *see* liver
  - cavitating tumor, kidney, 287, 287
  - C-cell carcinoma, thyroid gland, 421
  - celiac trunk, 28, 188, 189
    - Doppler indices, 193, 193
  - infiltration, pancreatic carcinoma, 200
  - upper abdominal longitudinal scan, 29, 189
  - variations, 195
  - cervical carcinoma, 396, 396
  - cervical vessels, 214–230
    - abnormal findings, 221–230
    - - *see also specific diseases/disorders*
    - anatomy, 216
    - atherosclerotic plaques, 221, 221, 221–222, 222, 222
    - B-mode ultrasound, 214, 214
    - CDS *see* color duplex sonography (CDS)
    - duplex sonography, 214–216, 215
    - ECA stenosis, 225, 225
    - ICA occlusion, 226, 227, 228, 229
    - ICA stenosis, 225, 226
    - interpretation, 220
    - pulsed Doppler ultrasound *see* pulsed Doppler ultrasound
    - scanning protocol, 219–221
    - stenosis, 222, 222–223, 223
    - thrombosis, 229, 229–230, 230
    - transverse scans, 220
  - cervix, lower abdominal scan, 378
  - chest wall, 402–403
    - abnormal findings, 402
    - - *see also specific diseases/disorders*
    - abscesses, 402, 402
    - lesion evaluation, 401
    - tumor infiltration, 402, 403
  - cholangiectasis, postoperative ultrasound, 433, 433
  - cholangiocellular carcinoma, 249, 250
  - cholangitis, 145–146
    - chronic, 145, 146
    - differential diagnosis, 139
    - - upper abdominal pain, 63
  - cholecystitis, 147
    - acute *see* acute cholecystitis
    - differential diagnosis, 140
    - cholelithiasis, 141, 141–142
    - differential diagnosis, 139
    - - *see also* gallstones
  - cholesterol polyps, gallbladder, 347, 347
  - cholesterosis, gallbladder, 343, 343
  - chronic cholangitis, 145, 146
  - chronic cholecystitis, 344, 345

- chronic glomerulonephritis, 128–129, 270, 270  
– differential diagnosis, 125
- chronic gouty arthropathy, elbow nodules, 172
- chronic hepatitis, 238, 238
- chronic myeloid leukemia, liver metastases, 240
- chronic pancreatitis, 89–90, 296, 296, 297, 297–298  
– computed tomography, 300, 310  
– cysts, 301, 302  
– differential diagnosis, 88  
– duct dilation, 309, 309  
– fine-needle aspiration, 310  
– focal, 306, 306  
– further testing, 299–300, 310  
– glucose tolerance test, 300
- chronic prostatitis, 391, 392
- chronic pyelonephritis, 130–131, 271, 271  
– differential diagnosis, 125
- chronic renal disease, indeterminate, 287
- chronic sialadenitis, 428
- chronic toxic liver disease, 238, 238
- chronic venous insufficiency, 209, 209
- chronic viral hepatitis, 235, 235
- chylous effusion, pleura, 406
- circle of Willis, 216
- cirrhosis, 239
- collateral vessels, portal venous system, 258, 259, 259
- colloid nodules, thyroid gland, 419, 420
- colon, documentation, 47
- colon carcinoma  
– gastrointestinal tract, 441  
– liver metastases, 254
- color artifacts, CDS, 8
- color duplex sonography (CDS), 7–8  
– aneurysms, 199  
– bicipital tenosynovitis, 167  
– Budd–Chiari syndrome, hepatosplenomegaly, 152  
– cervical vessels, 214–215  
– – anomalous course, 215, 215  
– common femoral vein thrombosis, 121  
– dissecting aortic aneurysm, 71  
– goitrous nodule, 103  
– hepatorenal syndrome, 135  
– iliac artery stenosis, 198  
– left heart failure, 119  
– liver abscesses, 247
- lymph node metastases, 113, 113  
– lymphoma, 114
- mitral valve endocarditis, 98
- Mönckeberg sclerosis, 203
- neck cysts, 104
- nodular varix, 106, 106
- phlegmasia cerulea dolens, 123
- portal hypertension, 158
- renal vein thrombosis, 74
- serpentine aneurysm, 199
- shoulder arthritis, 169
- colorectal carcinoma, 370, 371, 371–372
- common carotid artery, 216, 217
- B-mode ultrasound, 214
- common duct stone disease, cholelithiasis, 141
- common femoral artery, Doppler indices, 193, 193
- common femoral vein thrombosis, 121
- common hepatic artery, 189
- common iliac artery, 188
- complicated atherosclerotic plaques, 202, 202
- complicated cysts, kidney, 274, 274
- compression  
– arteries, 200, 200  
– veins, 211
- compression atelectasis, lung parenchyma, 409, 410
- computed tomography (CT)  
– acute pancreatitis, 310  
– biliary tract carcinoma, 451  
– chronic pancreatitis, 300, 310  
– hepatic tumor, 450  
– large intestine, 374  
– liver, 256  
– pancreatic carcinoma, 311  
– stomach, 360  
– veins, 213
- computed tomography angiography, liver, 256
- confetti artifact, CDS, 8
- congenital cysts, pancreas, 301, 301–302
- congenital hypertrophic pyloric stenosis, 357
- congestion, veins, 208, 208  
– vena cava, 208
- congestive cirrhosis, 236, 236, 239
- conglutination thrombi, 204
- constipation, 87–91  
– definition, 87  
– differential diagnosis, 88  
– tumors, 440–441
- constructive pericarditis, hepatosplenomegaly, 148, 152–153
- continuous-wave (CW) Doppler ultrasound, 4
- contracted gallbladder, 336, 336, 337
- contrast-enhanced sonography, 6
- contrast harmonic imaging (CHI), 5
- convex scanner, transducers, 5
- coprostasis, diffuse abdominal pain vs., 81
- cortical nephrocalcinosis, 282, 282
- Courvoisier gallbladder, 336, 336
- Crohn disease, 87–89  
– differential diagnosis, 88, 373
- large intestine wall thickening, 366–367, 367
- peritonitis, 84
- small intestine wall thickening, 363, 363–364, 364, 364
- cubital arthritis, 171, 171
- cutaneous changes, Graves disease, 182
- cystadenocarcinoma, ovaries, 397, 398
- cystadenolymphoma (Warthin tumor), salivary glands, 429, 429
- cystic liver, hepatosplenomegaly, 148, 151
- cystic neoplasias, pancreas, 302
- cystic renal cell carcinoma, 275, 276
- cystic transformation (pseudocysts), thyroid gland, 418, 418
- cystic tumors, ovaries, 397, 398
- cysts  
– bile ducts, 324, 326  
– edge shadowing, 15  
– kidney see kidney  
– liver see liver  
– ovaries, 396, 397  
– pancreas see pancreas  
– paraovarian, 396  
– salivary glands, 427  
– spleen, 315, 315–316, 319

**D**

- deep vein thrombosis, paraneoplastic syndrome, 441

- degenerative lesions, rotator cuff, 165, 165, 166  
de Quervain thyroiditis, 415, 415  
- goiter, 184  
descending thoracic artery, 216  
diabetic autonomic neuropathy, small intestine, 361, 361  
diabetic fatty liver, 234, 234  
diabetic nephropathy, 269, 269, 270, 271  
diaphragm, right flank scan, 25  
diaphragmatic crura, liver, 251, 252  
diarrhea, 87–91  
- definition, 87  
- differential diagnosis, 88  
- tumors, 440–441  
diffuse abdominal pain, 81–86  
- differential diagnosis, 81  
- see also specific diseases/*disorders*  
diffuse colloid goiter, 416, 416  
diffuse goiter, 180  
- differential diagnosis, 179  
diffuse lesions, kidney, 287  
diffusely infiltrating carcinoma, large intestine, 370, 370  
diffuse malignant gastric lymphoma, stomach, 356, 357  
digital image processing, 5–6  
digital rectal examination, 394  
dilated bile ducts, jaundice, 139  
displacement  
- arteries, 200, 200  
- tumors, 449  
dissecting aortic aneurysm, 71, 71, 199  
- CDS, 71  
- diffuse abdominal pain vs., 81  
- transesophageal echocardiography (TEE), 199  
distance values, elbow, 45  
diuresis urography, 52, 52  
diverticula  
- large intestine wall thickening, 371  
- urinary bladder, 384, 384  
diverticulitis, 76, 76–77, 90, 90  
- differential diagnosis, 88  
- lower abdominal pain, 75  
- large intestine wall thickening, 369–370, 370, 371  
documentation, 46–48  
- guidelines, 46–47  
- image, 46  
- written, 46
- Doppler effect, 1  
Doppler frequency, CDS, 7  
Doppler indices  
- aorta, 193, 193  
- cervical vessels, 215  
Doppler spectrum, synovitis, 35  
Doppler ultrasound, 4  
- mesenteric vascular occlusion, 85, 85  
double-contrast radiography, large intestine, 374  
ductal dilatation  
- bile ducts *see* bile ducts  
- pancreas, 309, 309  
- pancreas divisum, 309, 309  
- pancreatic tumor, 309  
ductectasia, pancreas, 299, 299  
duct stones  
- bile ducts, 324  
- liver, 254  
- pancreas, 305, 305  
duodenal diverticulum, bile duct compression, 144  
Duplex sonography, 4  
- cervical vessels *see* cervical vessels  
duplicated gallbladder, 342, 342  
duplication, vena cava, 211, 212
- E**
- ECA stenosis, cervical vessels, 225, 225  
echinococcal cysts  
- hepatosplenomegaly, 148, 153  
- liver, 244, 244  
echocardiography, left heart failure, 120  
echogenicity, 48  
- imaging artifacts, 9  
- liver, 241, 251–254  
- tumors, 443, 443  
echogenic ligamentum teres, liver, 252, 252–253  
echogenic luminal changes, arteries, 205, 205  
echogenic portal tracts, liver, 253, 253  
echogenic wall changes, arteries *see* arteries  
echo patterns, 48, 48  
ectasia  
- aorta, 197, 197  
- portal vein, 243  
ectopic kidney, 264, 264, 290  
edema, 116–123  
- differential diagnosis, 116–117
- gallbladder, 341, 341  
- *see also* specific diseases/*disorders*  
edge shadowing, 15, 15  
elbow, 40–41  
- anterior humeroradial scan, 40  
- anterior humeroulnar scan, 40  
- distance values, 45  
- nodules, 171–172, 172  
- - chronic gouty arthropathy, 172  
- - rheumatoid arthritis, 172  
- posterior longitudinal scan, 41  
elongation  
- aorta, 197, 197  
- arteries, 197  
emboli, 203, 203–204  
emphysematous cholecystitis, 345, 346  
empyema  
- gallbladder, 347, 347, 349, 351  
- therapeutic aspiration/*drainage*, 60, 61  
endocarditis, 98–99  
- fever vs., 93  
endometrial carcinoma, 395, 396  
endometriosis, 398, 398–399  
endometriosis externa, 399  
endoscopy  
- goitrous nodule, 102  
- large intestine, 374  
endosonography  
- large intestine, 374  
- pancreatic tumor, 311, 451  
enterocolitis, 364, 364–365  
- acute febrile, 364, 364–365  
epididymitis, 394, 394  
epiploic appendicitis, 77, 77  
- lower abdominal pain vs., 75  
equipment settings, 6  
erosive psoriatic arthritis, 34  
esophagus, 352  
examination, 16–45  
extended intercostal scan, 19  
extended right intercostal scan, 23, 24  
external carotid artery, 218, 218  
- transverse scans, 220  
external iliac artery, 188  
external iliac vein, 28  
extrahepatic cholelithiasis, 141, 142  
exudation, knee arthritis, 174, 174  
exudative coxitis, joint effusion, 33

- F**
- fallopian tubes, 30
  - false aneurysm, arteries, 195, 196
  - fatty liver, 146–147
    - differential diagnosis, 140
    - focal sparing, 245, 245, 246
    - hepatosplenomegaly, 148, 149, 149–150
  - febrile enterocolitis, acute, 364, 364–365
  - female genital organs, 29, 395–399
    - abnormal findings, 395
    - – *see also specific diseases/disorders*
    - anatomy, 377
    - lower abdominal scan, 378
  - female urinary bladder, 29
  - femoral hernia, 105
  - palpable masses vs., 99
  - femoral vein thrombosis, 210
  - fetal lobulation, kidney, 278, 278
  - fever, 92–99
    - differential diagnosis, 92–93
    - lymph node enlargement, 92
    - primary tumors, 92
    - tumors, 438
  - fibroma, 107
    - palpable masses vs., 100
  - fibrosis
    - liver, 235, 235–236
    - pancreas *see pancreas*
  - fine-needle aspiration biopsy (FNAB), 53–57
    - contraindications, 57
    - general risks, 57
    - indications, 56–57
    - interpretation, 57
    - liver, 256
    - materials, 53, 53
    - organs, 56–57
    - pancreatic carcinoma, 310
    - pancreatic insufficiency, 90
    - pancreatic tumor, 451
    - pancreatitis, 310
    - technique, 53, 54, 55, 56
  - fingers, 41
    - articular synovitis, 172, 172–173, 173
  - fixation, tumors, 449
  - flexion creases, gallbladder, 342, 343
  - flow changes, portal venous system, 258, 259, 259
  - fluid accumulations
    - fine-needle aspiration biopsy (FNAB), 57
    - postoperative ultrasound, 434, 434
    - fluid deficit, 126
    - differential diagnosis, 125
    - focal chronic pancreatitis, 306, 306
    - focal fatty infiltration, liver, 252, 252
    - focal nodular hyperplasia, 248, 248
    - further testing, 450
    - vascularity, 445
  - focal pancreatitis, 303, 304
  - focal sparing, fatty liver, 245, 245, 246
  - focusing, resolution (of ultrasound), 2
  - foreign bodies
    - postoperative ultrasound, 436, 436
    - urinary bladder, 387, 388
    - uterus, 396, 396
  - Frauscher classification, renal tumors, 452
  - frequency, 1–2
  - functional impairment, tumors, 447
  - function studies, 49–52
    - diuresis urography, 52, 52
    - gallbladder contractions, 49, 49
    - gastric emptying, 50, 50
    - residual urine determination, 51, 51
- G**
- gallbladder, 334–351
    - abscesses, 351
    - acoustic enhancement, 12
    - acute cholecystitis, 339, 339–340, 340
    - agenesis, 337
    - anatomy, 334, 334
    - congestion, 336, 336
    - contracted, 49, 49, 336, 336, 337
    - Courvoisier, 336, 336
    - differential diagnosis, 351
    - documentation, 46
    - duplicated, 342, 342
    - echogenic, 337, 338
    - empty, 337, 338
    - empyema, 351
    - further testing, 351–352
    - hypoplasia, 336
    - interpretation errors, 351
    - intraluminal changes, 335, 346–350
      - – acoustic shadowing, 348–349
      - – adenoma, 347, 347–348
      - – carcinoma, 348, 348, 349
      - – cholesterol polyps, 347, 347
      - – complex echo pattern, 349–350
      - – empyema, 347, 347, 349
      - – gravel, 348, 348
      - – hydrops, 347
      - – phlegmons, 349
      - – pneumobilia, 349
      - – sludge, 346, 346–347, 349
      - – stones, 348, 349
      - – stony gallbladder, 349, 349
      - location changes, 337, 337
      - nonvisualization, 337–338
      - normal findings, 334, 334
      - perforated *see perforated gallbladder*
      - “Phrygian cap,” 337, 337
      - positional changes, 335
      - scan planes, 334
      - – extended right intercostal scan, 24
      - – right longitudinal paramedian scan, 24
      - – right midabdominal transverse scan, 25
      - shape changes, 335, 337, 337
      - shrunken (stony), 336, 336, 337, 338
      - side-lobe artifact, 10
      - siphon, 337
      - size changes, 335, 335, 336–338
      - sludge, 351
      - stones *see cholelithiasis; gallstones*
      - stony, 337
      - topography, 20, 20
      - tumors, weight loss, 437
      - upper abdominal longitudinal scan, 22
      - wall changes, 335, 339–345
        - – abscesses, 341, 341
        - – adenomyomatosis, 343, 344
        - – AIDS, 340, 340
        - – ascites, 344
        - – carcinoma, 341, 342
        - – cholesterosis, 343, 343
        - – chronic cholecystitis, 344, 345
        - – complex, 339–341
        - – differential diagnosis, 341
        - – echogenic, 342–345
        - – edema, 341, 341
        - – emphysematous cholecystitis, 345, 346
        - – flexion creases, 342, 343
        - – hypoechoic, 339–341
        - – liver disease, 340, 340
        - – lymphoma, 341

- - metastases, 341
  - - pancreatic disease, 340, 340
  - - porcelain gallbladder, 344, 344–345
  - - trauma, 340
  - - xanthogranulomatous cholecystitis, 344, 344
  - see also bile ducts
  - gallbladder diverticulum, 337, 337
  - gallbladder hydrops, acute cholecystitis, 63, 64
  - gallstones, 348, 349, 350, 351
  - acoustic shadowing, 11
  - further testing, 351
  - mechanical bowel obstruction, 82, 83
  - small intestine, 362
  - see also cholelithiasis
  - gastric carcinoma, stomach wall thickening, 358, 358
  - gastric emptying, 50, 50
  - gastric ulcer, stomach wall thickening, 357
  - gastrinoma, gastrointestinal tract, 441
  - gastroenteritis
  - diffuse abdominal pain vs., 81
  - small intestine, 361, 361
  - gastroenterology, contrast-enhanced sonography, 6
  - gastrointestinal tract, 352–375
  - anatomy, 352
  - carcinoid tumors, 440, 440
  - colon carcinoma, 441
  - documentation, 47
  - gastrinoma, 441
  - mechanical obstruction, 82, 82, 83
  - - small intestine, 361–362
  - normal findings, 352
  - obstruction
  - - ascites, 155, 161–162
  - - gastrointestinal tract tumors, 438
  - - mechanical see above
  - - postoperative, 435
  - rectal carcinoma, 441
  - scanning protocol, 354
  - scan planes, 352
  - tumors, 93, 93–94
  - - bowel obstruction, 438
  - - fever vs., 92
  - - further investigation, 452
  - - weight loss, 437
  - - vipoma, 441
  - - wall structure, 352
  - see also specific organs
  - gastroscopy, 359–360
  - genital organs, 379
  - documentation, 47
  - female see female genital organs
  - male see male genital organs
  - scanning protocols, 379
  - scan planes, 375
  - glomerulonephritis
  - acute see acute glomerulonephritis
  - chronic see chronic glomerulonephritis
  - classification, 124
  - occurrence, 124
  - glucose tolerance test, chronic pancreatitis, 300
  - goiter, 179–187
  - differential diagnosis, 179
  - diffuse see diffuse goiter
  - Graves disease, 182
  - Riedel thyroiditis, 184–185
  - goitrous nodule, 102, 102–103, 103
  - CDS, 103
  - endoscopy, 102
  - palpable masses vs., 99
  - gouty nephropathy, 136, 136, 269, 269
  - differential diagnosis, 126
  - gravel, gallbladder, 348, 348
  - Graves disease, 182, 182–183
  - differential diagnosis, 179
  - hyperthyroidism, 182, 415, 415–416
- H**
- halos, tumors, 444–445
  - hard plaques, cervical vessels, 222, 222
  - Hashimoto thyroiditis, 183, 183, 415, 415
  - differential diagnosis, 179
  - heart failure
  - with low-output syndrome, 127, 127
  - renal insufficiency, 125
  - shock kidney, 136
  - helminthiasis, 140
  - hemangioma
  - liver, 253, 253–254
  - microcalcification, 444
  - pancreas, 306
  - salivary glands, 430
  - spleen, 318, 318, 320
  - hematoma
  - chest wall, 402
  - kidney, 276, 276, 279
  - liver, 244, 245, 253
  - male genital organs, 392, 392
  - perirenal masses, 292
  - hemodynamic changes, aorta, 192
  - hemorrhage, kidney
  - intracystic, 275, 275
  - intratumoral, 287, 287
  - hemorrhagic cysts
  - kidney, 287, 288
  - liver, 247, 247, 254, 254
  - hemorrhagic effusion, pleura, 405
  - hepatic artery
  - aneurysms, 243
  - calcification, 332
  - hepatic cirrhosis, 140, 140, 156, 156–157, 157, 236, 237, 239
  - differential diagnosis, 139
  - - ascites, 155
  - - hepatosplenomegaly, 148
  - - hepatosplenomegaly, 149, 149
  - regenerative nodules, 246, 246
  - hepaticojejunostomy, 433
  - hepatic tumors, 145, 145
  - computed tomography, 450
  - differential diagnosis, 139
  - - ascites, 156
  - - hepatosplenomegaly, 148, 150, 150
  - further testing, 450
  - magnetic resonance imaging, 450
  - hepatic veins, 28
  - right subcostal oblique scan, 22
  - hepatocellular carcinoma, 249, 249
  - halo, 444
  - microcalcification, 444
  - hepatorenal syndrome, 135, 135
  - CDS, 135
  - differential diagnosis, 125
  - hepatosplenomegaly, 148–154
  - CDS, 152
  - differential diagnosis, 148
  - see also specific diseases/disorders
  - hernia, 77, 77–78, 91
  - abdominal see abdominal hernia
  - differential diagnosis, 88
  - - lower abdominal pain, 75
  - - palpable masses, 99
  - - upper abdominal pain, 62
  - high lateral intercostal scan (high left flank scan), 19, 26
  - hip, 41–42
  - anterior longitudinal scan, 41
  - arthritis, 173–174, 174
  - distance values, 45
  - posterior transverse scan, 42
  - synovitis, 174

- Hodgkins disease, 114  
 - hepatosplenomegaly vs., 148  
 - weight loss, 438
- hyaline connective tissue, thyroid gland, 419
- hydrocele, testis, 393, 393
- hydronephrosis, 131  
 - differential diagnosis, 125
- hydronephrotic sac, 383, 384
- hydrops, gallbladder, 347
- hyperechoic pattern, 48  
 - salivary glands, 430  
 - thyroid gland, 416–417, 418–421, 422–423
- hypernephroma, 95–96, 96  
 - fever vs., 93
- hypertension, 197–199
- hyperthyroidism, Graves disease, 182, 415, 415–416
- hypoechoic pattern, 48  
 - arteries, 203–204  
 - artery wall changes, 201, 202  
 - liver, 241, 245–251  
 - salivary glands, 428–429  
 - thyroid gland, 414–416
- hypoplasia, gallbladder, 336
- hypoplastic kidney, 269, 270
- 
- I**
- ICA occlusion, cervical vessels, 226, 227, 228, 229
- ICA stenosis, cervical vessels, 225, 226
- iliac artery stenosis, 198  
 - CDS, 198
- image documentation, 46
- imaging artifacts, 8–15, 9  
 - acoustic enhancement, 11, 12  
 - acoustic shadowing, 11, 11  
 - echogenicity classification, 9  
 - edge shadowing, 15, 15  
 - mirror image artifact, 13, 13, 14  
 - noise, 10, 10  
 - principles, 8  
 - reverberations, 14, 14–15  
 - side-lobe artifact, 9, 9, 10  
 - slice-thickness artifact, 12, 12–13, 13  
 - *see also specific types*
- impaired gastric emptying, 70, 70
- upper abdominal pain vs., 62
- impedance mismatch, 3
- implant materials, postoperative ultrasound, 431, 431
- infarction, spleen, 317, 317, 320, 321

- inferior mesenteric artery, 28
- Doppler indices, 193, 193
- inferior vena cava, 28, 188–189, 191
- infiltrating carcinoma, large intestine, 370, 371
- infiltration  
 - arteries, 200, 200  
 - tumors, 449
- inflammation  
 - effusion, pleura, 405  
 - lymph nodes *see lymph nodes*, enlargement
- inflammatory mass, kidney, 287, 287
- inguinal hernia, 105  
 - palpable masses vs., 99
- intercostal scan, 19
- internal carotid artery, 217, 218  
 - looping, 215  
 - stenosis, 215  
 - transverse scans, 220
- internal iliac artery, 188
- internal iliac vein, 28
- interorgan bleeding, upper abdominal pain vs., 63
- interstitial nephritis, classification, 124
- interventional ultrasound, 52–61  
 - *see also specific techniques*
- intra-abdominal bleeding, 86, 86
- diffuse abdominal pain vs., 81
- intra-abdominal lymph nodes, documentation, 46
- intracranial Doppler sonography, 220
- intracystic hemorrhage, kidney, 275, 275
- intrahepatic bile duct carcinoma, 328, 329
- intrahepatic cholelithiasis, 141, 142
- bile ducts, 330
- intrahepatic thrombosis, portal vein, 247, 247
- intraluminal changes  
 - thrombosis, 210, 210  
 - veins, 208, 210
- intravascular bleeding, 72, 72–73
- intratumoral hemorrhage, kidney, 287, 287
- intussusception, 82, 83  
 - small intestine, 362
- ischemic colitis, 368, 368
- isoechoic changes  
 - liver, 241, 251  
 - thyroid gland, 418–421

- 
- J**
- jaundice, 139–147  
 - differential diagnosis, 139–140  
 - dilated bile ducts, 139  
 - liver size/configuration, 139
- joint effusion  
 - abnormal findings, 33  
 - erosive psoriatic arthritis, 34  
 - exudative coxitis, 33
- joint imaging  
*see arthrosonography*
- joint pain/swelling, 163–178  
 - differential diagnosis, 164  
 - *see also specific diseases/disorders*
- jugular vein thrombosis, 229, 229, 230
- tumor, 441
- 
- K**
- kidney, 262–293  
 - abscesses, 277, 278, 286, 286  
 - anatomy, 262  
 - anechoic changes, 284–287  
 - angiomyolipoma, 279–280, 280  
 - atrophic, 264, 290  
 - cavitating tumor, 287, 287  
 - circumscribed lesions, 287, 287  
 - circumscribed parenchyma changes, 272  
 - - anechoic changes, 272–276  
 - - hyperechoic, 279–283  
 - - hypoechoic, 276–278  
 - - isoechoic, 276–278, 278–279  
 - - circumscribed pelvis/sinus changes, 283–288  
 - - - anechoic, 284–287  
 - - - hypoechoic, 284–287  
 - - - isoechoic, 287–288  
 - - cysts, 272–273, 273  
 - - atypical, 284, 285  
 - - complicated, 274, 274  
 - - hemorrhagic, 287, 288  
 - - multiple parapelvic, 275, 284, 284  
 - - parapelvic, 290  
 - - diffuse changes, 267–271  
 - - diffuse lesions, 287  
 - - documentation, 46  
 - - echogenicity, 266  
 - - ectopic, 264, 264, 290  
 - - evaluation, 287–291  
 - - examination, 292–264  
 - - fetal lobulation, 278, 278

- fine-needle aspiration biopsy (FNAB), 57
- further testing, 287–291
- hematoma, 276, 276, 279
- hemorrhage
  - intracystic, 275, 275
  - intratumoral, 287, 287
- hyperechoic changes, 268–269
- circumscribed parenchyma changes, 279–283
- large, 268–269
- parenchyma, 279–283
- small (hypoplasia), 270–271
- hypoechoic changes, 267, 267, 267–268
- circumscribed pelvis/sinus, 284–287
- large, 267–268
- parenchyma, 276–278
- hypoplastic, 269, 270
- indeterminate mass, CDS, 289, 290
- infected obstruction, 286, 286
- inflammatory mass, 287, 287
- isoechoic changes
  - circumscribed pelvis/sinus, 287–288
  - parenchyma, 278–289
  - small (hypoplasia), 269–270
- large, 264, 264
- hyperechoic, 268–269
- hypoechoic, 267–268
- left flank scan, 26
- left midabdominal transverse scan, 27
- lymphocoele, 275
- lymphoma, 276, 277
- metastases, 276
- multiple parapelvic tumor, 284, 284
- non-Hodgkins lymphoma, 277
- normal, 263
- obstructive pyelocalyceal ectasia, 275
- oncocyтома, 278
- parenchyma bands, 278, 279, 284, 285
- parenchymal calcification, 283
- pelvic stone, 288, 288
- pyelitis, 286, 286
- pyonephrosis, 286, 286
- renal calyceal, 288, 288
- right flank scan, 25
- right intercostal scan, 23
- right midabdominal transverse scan, 25
- scar tissue, 280, 280–281, 281
- secondary cysts, 274, 274
- size changes, 266
- small (hypoplasia), 263, 263, 264, 269–270
  - hyperechoic, 270–271
  - hypertension, 290
  - isoechoic, 269–270
- solitary parapelvic tumor, 284
- tuberculosis, 275
- tumors
  - Frauscher classification, 451
  - further investigation, 451
  - Muster classification, 451
- vascular calcification, 283, 288, 288
- vascular occlusive disease, 270, 270
  - see also entries under renal
- Kimmelstein-Wilson
  - glomerulosclerosis, 128
  - differential diagnosis, 125
- Klatskin tumor, biliary obstruction, 142
- knee, 42–43
  - anterior longitudinal scan, 42
  - anterior transverse scan, 42
  - arthritis, 35, 174–175
    - exudation, 174, 174
  - distance values, 45
  - osteoarthritis, 174
  - posterior longitudinal scan, 43
  - posterior transverse scan, 42
  - suprapatellar longitudinal scan, 43
  - suprapatellar transverse scan, 43
- L**
  - .....
- laboratory tests, tumors, 442
- laparoscopy, liver, 256
- large intestine, 354, 366–374
  - abnormal findings, 366
    - see also specific diseases/disorders
  - circumscribed wall thickening, 365–366, 370–371
    - carcinoid, 372
      - colorectal carcinoma, 370, 371, 371–372
      - diverticula, 371
      - diverticulitis, 371
      - infiltrating carcinoma, 370, 371
- lipoma, 107, 107
  - chest wall, 403
  - palpable masses vs., 100
  - salivary glands, 430
- lipomatosis, pancreas
  - see pancreas
- liquefaction, tumors, 443
- liver, 231–261
  - abscesses, 95, 244, 247, 247
    - micronodular, 237, 237
  - adenoma, 248, 248
    - further testing, 450
    - halo, 444
  - -- vascularity, 445

- anatomical guidelines, 22
- anatomy, 231, 231–232
- atypical hemangioma, 249, 249
- atypical lobulation, 251, 251
- calcification, 254
- caudate lobe, 22
- - echogenicity decrease, 246, 246
- circumscribed changes, 233, 241–257
- - anechoic changes, 241, 242–244
- - echogenic changes, 241, 251–254
- - hypoechoic changes, 241, 245–251
- - interpretation, 255–257
- - isoechoic changes, 241, 251
- cirrhosis *see* hepatic cirrhosis
- computed tomography, 256
- computed tomography angiography, 256
- contrast-enhanced sonography, 6
- cysts, 242, 242–244, 255
- - Caroli syndrome, 242
- - hemorrhagic, 247, 247
- - noise, 10
- diaphragmatic crura, 251, 252
- diffuse changes, 233, 234, 234–241
- - interpretation, 240–241
- documentation, 46
- duct stones, 254
- Echinococcal cysts, 244, 244
- echogenic ligamentum teres, 252, 252–253
- echogenic portal tracts, 253, 253
- examination, 231–233
- fibrosis, 235, 235–236
- - hepatosplenomegaly, 148, 153–154, 154
- fine-needle aspiration biopsy (FNAB), 56, 256
- - risks, 57
- focal fatty infiltration, 252, 252
- focal nodular hyperplasia, 248, 248
- fresh hematoma, 253
- hemangioma, 253, 253–254
- hematologic malignant systemic disease, 250, 250
- hematoma, 244, 245
- hemorrhagic cyst, 254, 254
- laparoscopy, 256
- magnetic resonance imaging, 256
- metastases, 237, 237, 239, 240, 244, 245, 250, 250, 255
- - chronic myeloid leukemia, 240
- - colon carcinoma, 254
- - further testing, 450
- - isoechoic, 251, 251
- - mirror image artifact, 14
- - pneumobilia, 254
- - protocol, 232
- - quadrate lobe, 22
- - sarcoidosis, 237, 237
- - scan planes, 231
- - left subcostal oblique scan, 27
- - paramedian upper abdominal longitudinal scans, 231
- - right flank scan, 25
- - right intercostal scan, 23, 231, 232, 232, 233
- - right longitudinal paramedian scan, 24
- - right midabdominal transverse scan, 25
- - right subcostal oblique scan, 22, 231
- - upper abdominal longitudinal scan, 22, 29, 189
- - upper abdominal transverse scan, 231, 232, 233
- size/configuration, jaundice, 139
- tumors *see* hepatic tumors
- ultrasound-guided therapeutic intervention, 256
- vascularity, 255
- *see also entries under hepatic; specific diseases/disorders*
- liver disease
- edema, 118
- - differential diagnosis, 116
- gallbladder wall changes, 340, 340
- longitudinal paramedian scan, 19
- longitudinal scan
- abdominal sonography, 16, 17
- tendovaginitis, 35
- looping, internal carotid artery, 215
- lower abdominal longitudinal scan, 19, 31
- lower abdominal pain, 75–81
- differential diagnosis, 75
- *see also specific diseases/disorders*
- lower abdominal scan, 378
- lower abdominal transverse scan, 19, 30
- lower-extremity thrombosis, 120–121, 121
- differential diagnosis, 117
- lower extremity venous sonography, 67
- lumbar arteries, 188
- luminal changes, veins *see* veins
- lung parenchyma, 401, 408–411
- abnormal findings, 408–410
- *see also specific diseases/disorders*
- compression atelectasis, 409, 410
- lesion evaluation, 401
- lung tumors, 408, 408
- metastases, 408, 408
- obstructive atelectasis, 410, 410
- pneumonia, 409, 409
- pulmonary abscesses, 409, 409
- pulmonary infarction, 410, 411
- lung tumors, lung parenchyma, 408, 408
- lymphadenopathy
- arteries, 205
- pancreas, 305, 305
- lymphangioma, salivary glands, 430
- lymphatic pathways, 99
- lymph nodes
- abdominal, 108
- fine-needle aspiration biopsy (FNAB), 56
- metastases
- - CDS, 113, 113
- - further investigation, 452
- peripheral, 109
- lymph nodes, enlargement, 107–116, 109, 116
- bile duct compression, 144
- causes, 110
- differential diagnosis, 108
- fever, 92
- inflammation, 110–111, 111
- - differential diagnosis, 99, 108
- interpretation errors, 115–116
- lymphoma, 110
- metastases, 106, 108, 112, 112, 113
- - differential diagnosis, 108

**lymphocoele**

- primary tumors, 92
- principles, 107–110
- lymphocoele, kidney, 275**
- lymphogranulomatous Hodgkin's disease, 99**
- lymphoma, 113–115, 114, 115**
  - Ann Arbor staging, 113
  - CDS, 114
  - differential diagnosis, 108
  - – fever, 93
  - – hepatosplenomegaly, 148, 150–151, 151
  - – palpable masses, 99
  - enlarged lymph nodes, 110
  - gallbladder wall changes, 341
  - high-grade, 101, 101, 102
  - kidney, 276, 277
  - large intestine wall thickening, 370, 372, 372
  - metastases, salivary glands, 429, 429
  - spleen, 316, 316–317, 320
  - thyroid gland, 416

**M**

- macrocalcification, tumors, 443, 444**
- magnetic resonance angiography, 207**
- magnetic resonance imaging (MRI)**
  - hepatic tumor, 450
  - liver, 256
- malassimilation, 300**
- male bladder, 30**
- male genital organs, 30**
  - abnormal findings, 389
  - – see also specific diseases/disorders
  - abscesses, 392
  - anatomy, 376–377
  - evaluation, 394
  - further testing, 394
  - hematoma, 392, 392
- malignant effusion, pleura, 406**
- malignant exudative effusion, pleura, 404, 404, 405**
- malignant gastric lymphoma, stomach wall thickening, 359**
- malignant tumors see tumors**
- malleolar region, 44, 44**
  - tenosynovitis, 177, 178
- mechanical bowel obstruction see gastro-intestinal tract**
- mechanical ileus, diffuse abdominal pain vs., 81**

- medial longitudinal scan, malleolar region, 44**
- medullary nephrocalcinosis, 138, 281, 282**
  - differential diagnosis, 126
- medullary sponge kidney, 281**
- Meigs syndrome**
  - ascites vs., 155, 162
  - ovaries, 398
  - pleural effusions, 162
- Ménétier disease, 356**
- mesenchymal tumors, stomach wall, 359**
- mesenteric vascular occlusion, 84–85, 85**
  - acute portal vein thrombosis, 85
  - diffuse abdominal pain vs., 81
  - Doppler sonography, 85, 85
  - small intestine wall thickening, 365
- mesenteric vascular thrombosis, ascites vs., 155, 162**
- mesenteric vein, acute thrombosis, 260, 261**
- metacarpophalangeal joint, distance values, 45**
- metastases, 105–106, 106**
  - arteries, 205
  - chest wall, 402
  - gallbladder wall changes, 341
  - halo, 445
  - kidney, 276
  - liver see liver
  - lung parenchyma, 408, 408
  - lymph nodes see lymph nodes, enlargement
  - palpable masses vs., 100
  - spleen, 318, 318, 320
  - thyroid gland, 421
- metatarsophalangeal joint, distance values, 45**
- microcalcification, 443, 444**
- micronodular abscesses, liver, 237, 237**
- mild urinary stasis, 382, 383**
- Mirizzi syndrome, 143, 143**
- mirror image artifact**
  - imaging artifacts, 13, 13, 14
  - liver, 14
  - mitral valve
  - endocarditis, 98, 98
  - insufficiency, 209
- M-mode ultrasound, 3**
- moderate urinary stasis, 383, 383**
- Mönckeberg sclerosis, 203, 203**
- monitor, equipment settings, 6**

- motion artifacts, CDS, 8**
- mucinous cystadenoma, ovaries, 397**
- multiple parapelvic cysts, kidney, 275, 284, 284**
- mumps, 427, 427**
- muscle, arthrosonography, 32**
- Muster classification, renal tumors, 451**
- myocardial infarction, upper abdominal pain vs., 62**
- myoma, uterus, 395, 395**
- myxedema, 118, 118**
  - differential diagnosis, 117

**N**

- neck cysts, 104, 104–105**
  - CDS, 104
  - palpable masses vs., 100
- necrotizing acute pancreatitis, 66, 301, 302**
- nephrostomy, therapeutic aspiration/drainage, 61**
- neuroendocrine tumors**
  - pancreas, 305, 305
  - weight loss, 438
- neurological ultrasound, contrast-enhanced sonography, 6**
- night sweats, tumors, 438**
- nodular goiter, 180, 180–181**
  - differential diagnosis, 179
  - thyroid gland see thyroid gland
- nodular varix, 106, 106**
  - CDS, 106, 106
  - palpable masses vs., 100
- nodules, thyroid gland**
  - see thyroid gland
- noise, 10, 10**
  - CDS, 8
- hepatic cyst, 10**
- nomenclature, 47–48**
- non-alcoholic steatohepatitis (NASH), 146–147**
  - differential diagnosis, 140
- non-Hodgkin's lymphoma, 114, 115, 438**
  - kidney, 277
  - palpable masses vs., 99
  - splenic artery displacement, 200
  - weight loss, 437

**O**

- obstructed tubular systems, postoperative ultrasound, 434–435, 435**
- obstructing cystic duct stone, bile ducts, 331**

- obstructive atelectasis, lung parenchyma, 410, 410
- obstructive cholestasis, ductal dilatation, 330, 330
- obstructive pyelocalyceal ectasia, 275, 382, 382
- oncocytoma – kidney, 278
- salivary glands, 429
- thyroid gland, 420, 420
- ophthalmic signs, Graves disease, 182
- orchitis, 392, 392
- organ absence, postoperative ultrasound, 431, 431
- organ changes, tumors, 447, 447
- organ transplants, postoperative ultrasound, 432, 432
- Osler disease, 243
- osteoarthritis – arthritis vs., 163
- knee, 174
- rotator cuff, 170
- ovarian arteries, 188
- ovarian cyst torsion, 80, 80
- lower abdominal pain vs., 75
- transvaginal sonography, 80
- ovaries – anatomy, 377
- cystadenocarcinoma, 397, 398
- cystic tumors, 397, 398
- cysts, 396, 397
- Meigs syndrome tumors, 398
- mucinous cystadenoma, 397
- premenopausal cysts, 396
- serous cystadenoma, 397, 398
- overall gain, signal processing, 5
- P**
- .....
- pain
- abdomen *see* diffuse abdominal pain; lower abdominal pain; upper abdominal pain
  - tumors, 438
- palpable masses, 99–107
- differential diagnosis, 99–100
  - *see also specific diseases/disorders*
- pancreas, 293–311
- anatomy, 293, 293
  - annular, 298, 298
  - carcinoma *see* pancreatic carcinoma
- circumscribed changes, 295, 301–311
- – anechoic changes, 301–303
  - – hyperechoic changes, 305–307
  - – hypoechoic changes, 303–305
  - – interpretation errors, 307–308
  - – isoechoic changes, 303–305
  - congenital cysts, 301, 301–302
  - cystic neoplasias, 302
  - cysts
    - – chronic pancreatitis, 301, 302
    - – congenital, 301, 301–302
    - – diffuse changes, 295–300
    - – hyperechoic changes, 297–298
    - – hypoechoic changes, 295–296
    - – documentation, 46
    - – duct dilation, 309, 309
    - – ductectasia, 299, 299
    - – duct stone calcifications, 305, 305
    - – examination, 293–295
    - – fibrosis, 297, 297
    - – lipomatosis vs., 299
    - – fine-needle aspiration biopsy (FNAB), 56
    - – risks, 57
    - – hemangioma, 306
    - – large, 298, 298
    - – lipomatosis, 297, 297
    - – fibrosis vs., 299
    - – lymphadenopathy, 305, 305
    - – neuroendocrine tumor, 305, 305
    - – normal, 293, 293, 294
    - – protein plug, 306, 306
    - – pseudocysts, 306, 307
    - – further testing, 310, 311
    - – mimics, 307, 308
    - – therapeutic aspiration/drainage, 61
    - – scanning protocol, 294–295
    - – small, 298, 298
    - – topography, 21, 21
    - – tumors, 94, 94
    - – carcinoma *see* pancreatic carcinoma
      - – duct dilation, 309
      - – endosonography, 451
      - – ERP, 451
      - – fever vs., 92
      - – fine needle aspiration, 451
      - – further testing, 451
  - upper abdominal longitudinal scan, 22, 29
- pancreas divisum, 303, 303
- duct dilation, 309, 309
- pancreatic carcinoma, 304, 304
- celiac trunk infiltration, 200
  - computed tomography, 311
  - endosonography, 311
  - fine needle aspiration, 310
  - further testing, 310
  - mimics, 307, 308
  - weight loss, 437
- pancreatic disease, gallbladder wall changes, 340, 340
- pancreatic insufficiency, 89–90
- differential diagnosis, 88
  - fine-needle aspiration biopsy (FNAB), 90
- pancreatitis, 303, 303
- acute *see* acute pancreatitis
  - ascites vs., 155, 159, 160
  - focal, 304, 304
  - stomach wall swelling, 355
- pannus, 33
- rheumatoid arthritis, 34
- papillomatosis, differential diagnosis, 140
- papillomatous carcinoma, bile ducts, 328, 328
- paralytic ileus, 83, 84
- differential diagnosis
  - ascites, 155, 161, 161–162
  - diffuse abdominal pain, 81
  - small intestine, 362
  - toxic megacolon, 83
- paramedian upper abdominal longitudinal scans, 231
- paraneoplastic syndrome, deep vein thrombosis, 441
- paraovarian cysts, 396
- parapelvic cysts, kidney, 290
- parasagittal upper abdominal longitudinal scan, 323
- parasitic cysts, acute pancreatitis, 301, 303
- paravascular changes, arteries, 205, 205–206, 206
- parenchyma bands, kidney, 278, 279, 284, 285
- parenchymal calcification, kidney, 283
- parenchymal goiter, thyroid gland, 416, 416
- parotid gland, 425, 426
- mixed tumor, 428, 428
- parotitis, 103
- pelvic stone, kidney, 288, 288
- pelvic venous thrombosis, 120–121, 121
- differential diagnosis, 117

- penis, anatomy, 377
- percutaneous nephrostomy, 60–61
- perforated duodenal ulcer, upper abdominal pain vs., 62
- perforated gallbladder, 69, 69–70, 337, 338
- upper abdominal pain vs., 62
- perforated ulcer, 68, 68–69
- upper abdominal pain vs., 62
- periarthritis, 177, 177
- pericardial effusion, ascites vs., 155, 161, 161
- peripheral lymph nodes, 109
- peripheral veins, 193
- peripheral vessels, 191
- perirenal cysts, 292, 292
- perirenal masses, 292
  - abscesses, 292
  - hematoma, 292
  - perirenal cyst, 292, 292
  - peritoneal carcinomatosis, 157–158
    - ascites vs., 155
  - peritonitis, 83–84, 84, 158
    - Crohn disease, 84
    - differential diagnosis
      - – ascites, 155
      - – diffuse abdominal pain, 81
- phlegmasia cerulea dolens, 123
- CDS, 123
- differential diagnosis, 117
- phlegmons, gallbladder, 349
- photopic ultrasound imaging, 5
- "Phrygian cap" gallbladder, 337, 337
- plaque-like carcinoma, urinary bladder, 384, 385
- pleomorphic adenoma, salivary glands, 429
- pleura, 401, 403–407
  - abnormal findings, 403
    - – see also specific diseases/disorders
  - effusions, 405
    - – benign exudative effusion, 404, 404
    - – causes/types, 405–406
    - – chylous effusion, 406
    - – diagnostic algorithm, 407
    - – further investigation, 452
    - – hemorrhagic effusion, 405
    - – inflammatory effusion, 405
    - – malignant effusion, 406
    - – malignant exudative effusion, 404, 404, 405
    - – Meigs syndrome, 4340
    - – purulent effusion, 406
  - transudative effusion, 403, 404
    - – tumors, 439, 439, 447
      - – see also specific types
- pneumobilia
  - bile ducts, 330, 332
  - gallbladder, 349
  - liver, 254
  - postoperative ultrasound, 432, 433
- pneumonia, lung
  - parenchyma, 409, 409
- polyarthritis, bicipital tenosynovitis, 168
- polycystic kidney, 137, 273, 273–274
  - differential diagnosis, 126
- polycystic ovaries, 396, 397
- polypoid bladder tumors, 384, 385
- polyps, large intestine, 371
- popliteal artery, Doppler indices, 193, 193
- popliteal vein
  - duplication, 211, 212
  - thrombosis, 211, 210
- porcelain gallbladder, 344, 344–345
- porphyria, echogenic lesions, 253, 254
- portal hypertension, 158, 158–159
  - ascites vs., 155
  - CDS, 158
- portal vein, 189, 190
  - acute thrombosis
    - – mesenteric vascular occlusion, 85
  - portal venous system, 260, 261
    - chronic thrombosis, 260, 261
    - ectasia, 243
    - extended right intercostal scan, 23
    - hepatosplenomegaly, 148, 151
    - intrahepatic thrombosis, 247, 247
- portal venous system, 233, 257–261
  - flow changes/collaterals, 258, 259, 259
    - interpretation, 261
    - intraluminal changes, 260–261, 261
- posterior longitudinal scan
  - elbow, 41
  - knee, 43
  - malleolar region, 44
  - shoulder, 37
- posterior transverse scan
  - hip, 42
  - knee, 42
  - malleolar region, 44
  - shoulder, 38
- postoperative lesions, arteries, 195–196
- postoperative ultrasound, 431–436
  - abscesses, 435, 436
  - anastomoses, 433, 433
  - arterial perfusion disorders, 436
  - cholangiectasis, 433, 433
  - fluid accumulations, 434, 434
  - foreign bodies, 436, 436
  - implant materials, 431, 431
  - normal changes, 431–433
  - obstructed tubular systems, 434–435, 435
  - organ absence, 431, 431
  - organ transplants, 432, 432
  - pneumobilia, 432, 433
  - resections, 433, 433
  - scars, 431–432, 432
  - thoracic surgery, 432
  - venous perfusion disorders, 436
- postprocessing, signal processing, 5
- power Doppler ultrasound, 4
- pregnancy, edema, 118
  - differential diagnosis, 116
- premenopausal cysts, ovaries, 396
- preprocessing, signal processing, 5
- primary biliary sclerosis, further testing, 333
- primary hepatic carcinoma, 249, 249, 254
- primary sclerosing cholangitis, 145
- primary symptomatic cysts, therapeutic aspiration/drainage, 60, 61
- primary tumors
  - enlarged lymph nodes, 92
  - fever, 92

- principles (of ultrasound),  
  1–3  
– beam shape, 2  
– imaging artifacts, 8  
propagation (of ultrasound),  
  1, 3  
propagation velocity, 2  
prostate gland, 30  
– anatomy, 376, 377  
– carcinoma, 390–391, 391  
– – ureteral obstruction, 132  
prostate-specific antigen tests,  
  394  
prosthesis infection, arteries,  
  206, 206  
protein plug, pancreas, 306,  
  306  
protuberant intraluminal  
  atheromatous plaques, 201,  
  201  
pseudocysts  
– acute pancreatitis, 301, 302  
– pancreas *see* pancreas  
– therapeutic aspiration/  
  drainage, 58, 59, 59, 60, 61  
pseudodiverticula, urinary  
  bladder, 384, 384  
pseudoerosions (of bone), 33  
pseudoemembranous colitis,  
  368, 368  
pseudo-obstructions, 91, 91  
– differential diagnosis, 88  
pubic symphysis  
– female, 29  
– male, 30  
pulmonary abscesses, 409, 409  
pulmonary embolism, 67,  
  67–68  
– differential diagnosis  
  – fever, 92  
  – upper abdominal pain, 62  
pulmonary infarction, lung  
  parenchyma, 410, 411  
pulsatility index, 193  
pulsed Doppler ultrasound, 4  
– cervical vessels, 214, 215  
– – Doppler indices, 215  
purulent effusion, pleura, 406  
pus, urinary bladder, 386–387,  
  387  
pyelectasis, 380, 380  
pyelitis, kidney, 286, 286  
pyelonephritis, 268, 268  
– chronic *see* chronic  
  pyelonephritis  
pyonephrosis, 132–133, 133  
– differential diagnosis, 125  
– kidney, 286, 286
- Q**
- quadrate lobe, liver, 22

- R**
- rectal carcinoma  
– gastrointestinal tract, 441  
– microcalcification, 444  
reflection, 1, 3  
refraction, 3  
regenerative nodules, hepatic  
  cirrhosis, 246, 246  
regressive changes, tumors,  
  443–444  
renal adenoma, 277, 277  
renal amyloidosis, 137, 269,  
  269  
– differential diagnosis, 126  
renal artery, 188, 376  
– aneurysm, 200  
– anomalies, 194, 194  
– Doppler indices, 193, 193  
– embolism, 129–130, 130  
– – differential diagnosis, 126  
– right midabdominal  
  transverse scan, 25  
– stenosis, 291  
renal calyceal, 288, 288  
renal cell carcinoma, 279, 279,  
  287, 287  
– cystic, 275, 276  
– halo, 444, 445  
renal colic, 65, 65  
– differential diagnosis  
  – lower abdominal pain, 75  
  – upper abdominal pain, 62  
– evaluation, 388  
– renal pelvic stone, 65  
– ureteral stone, 65  
renal infarction, 73, 73, 281,  
  281  
renal insufficiency, 124–138  
– differential diagnosis,  
  125–126  
– heart failure *vs.*, 125  
– *see also* glomerulonephritis;  
  *specific diseases/disorders*  
renal lithiasis, 137  
– differential diagnosis, 125  
– renal colic, 65  
renal myeloma, 269, 269  
renal pelvis, 380–388  
– abnormal findings, 380  
– – *see also specific diseases/*  
  *disorders*  
– carcinoma, 287, 287  
renal sinus lipomatosis, 284,  
  285  
renal veins, 28, 376  
– right midabdominal  
  transverse scan, 25  
renal vein thrombosis, 74,  
  74–75, 268, 268  
– CDS, 74  
– upper abdominal pain *vs.*, 62
- resections, postoperative  
  ultrasound, 433, 433  
residual urine determination,  
  51, 51  
resolution (of ultrasound),  
  1–2  
– frequency, 1–2  
retroperitoneal fibrosis,  
  arteries, 205  
retroperitoneum,  
  documentation, 46  
reverberations, imaging  
  artifacts, 14, 14–15  
rheumatoid arthritis  
– elbow nodules, 172  
– pannus, 34  
– shoulder, 169  
Riedel thyroiditis, 179, 416  
– goiter, 184–185  
right common carotid artery,  
  216  
right external carotid artery,  
  216  
right flank scan, 19, 25  
right heart failure  
– differential diagnosis, 116  
– – ascites, 155, 160, 160  
– edema, 117  
right intercostal scan, 23  
– liver, 23, 231, 232, 232, 233  
right internal carotid artery,  
  216  
right longitudinal  
  paramedian scan, 24  
right midabdominal  
  transverse scan, 19, 25  
right subcostal oblique scan,  
  19, 22  
– liver, 22, 231  
right upper leg, blood vessels,  
  192  
right vertebral artery, 216  
rotator cuff  
– degenerative lesions, 165,  
  165, 166  
– distance values, 45  
– lateral longitudinal scan, 39  
– lateral transverse scan, 39  
– osteoarthritis, 170
- S**
- saccular aneurysms, 204  
salivary glands, 425–430  
– abnormal findings, 426  
– – *see also specific disease/*  
  *disorders*  
– abscesses, 427  
– adenoid cystic carcinoma,  
  429  
– – further testing, 430  
– anatomy, 425, 425

- anechoic changes, 427–428
- bacterial sialadenitis, 428, 428
- chronic sialadenitis, 428
- cystadenolymphoma (Warthin tumor), 429, 429
- cysts, 427
- hemangioma, 430
- hyperechoic changes, 430
- hypoechoic changes, 428–429
- lipoma, 430
- lymphangioma, 430
- lymphoma metastases, 429, 429
- mucoepidermoid carcinoma, 429
- normal findings, 425, 425
- oncocyтома, 429
- pleomorphic adenoma, 429
- sarcoidosis, 428
- scan planes, 425
- sialadenosis, 428, 428, 430
- sialolithiasis, 430, 430
- swelling
  - palpable masses vs., 100
  - parotitis, 103
  - tumors, 104
- viral sialadenitis, 427, 427
- *see also specific glands*
- saphenous incompetence, 209, 209
- sarcoidosis
  - liver, 237, 237
  - salivary glands, 428
- sarcoma, 97
  - fever vs., 93
- scan planes
  - abdominal sonography
    - *see abdominal sonography*
  - gastrointestinal tract, 352
  - genital organs, 375
  - liver examination, 231
  - salivary glands, 425
  - spleen, 313
  - stomach, 352
  - thorax, 400
  - thyroid gland, 412
  - ureter, 375
  - urinary bladder, 375
  - urogenital tract, 375
  - *see also specific scans*
- scars
  - kidney, 280, 280–281, 281
  - postoperative ultrasound, 431–432, 432
- scattering, 3
- sclerosing cholangitis
  - bile ducts, 324, 327, 327
  - ductal dilatation, 330, 330
  - further testing, 333
- sclerosis
  - aorta, 197, 197
  - arteries, 197
  - secondary biliary cirrhosis
    - bile ducts
  - secondary cysts, kidney, 274, 274
  - secondary osteoarthritis, shoulder, 170
- sector scanner, transducers, 5
- sediment, urinary bladder, 386–387, 387
- Seldinger technique, 58, 58–59, 59
- seminal vesicles, 30
  - anatomy, 376, 377
  - changes, 389, 389
- serous cystadenoma, ovaries, 397, 398
- serpentine aneurysm, 199
  - CDS, 199
- severe urinary stasis, 383, 383
- shock kidney, 136
  - differential diagnosis, 125
- shoulder, 36–41
  - ankylosing spondylitis, 169
  - anterior longitudinal scan, 36, 36
  - anterior transverse scan, 32, 37, 37
  - arthritis, 169, 169–170, 170
  - axillary longitudinal scan, 39
  - distance values, 45
  - lateral longitudinal scan, 38
  - posterior longitudinal scan, 37
  - posterior transverse scan, 38
  - rheumatoid arthritis, 169
  - secondary osteoarthritis, 170
  - *see also rotator cuff*
- shrunken (stony) gallbladder, 336, 336, 337, 338
- sialadenitis
  - bacterial, 428, 428
  - chronic, 428
  - viral, 427, 427
- sialadenosis, 428, 428, 430
- sialolithiasis, 430, 430
- side-lobe artifact, 9, 9, 10
- signal processing, 5
  - CDS, 7–8
- signs and symptoms, 62–187
  - *see also specific diseases/disorders*
- simple atherosclerotic plaques, 202, 202
- siphon gallbladder, 337
- slice-thickness artifact, 12, 12–13, 13
- sludge *see bile ducts*
- small intestine, 353, 354, 360–366
- abnormal findings, 360
  - - *see also specific diseases/disorders*
- circumscribed wall thickening, 365–366
  - - malignant tumors, 365, 365–366, 366
- functional disorders, 361–362
  - - diabetic autonomic neuropathy, 361, 361
- gastroenteritis, 361, 361
- sprue, 361, 361
- hematoma, 365, 365
- long segmental wall thickening, 363–365
  - acute febrile enterocolitis, 364, 364–365
  - - amyloidosis, 365
  - - Crohn's disease, 363, 363–364, 364, 364
  - - enterocolitis, 364, 364–365
  - - mesenteric vascular occlusion, 365
  - - small-bowel hematoma, 365, 365
- obstruction, 353, 353
- soft plaques, cervical vessels, 221, 221
- solitary parapelvic tumor, kidney, 284
- sound wave properties, 1
- spectral Doppler ultrasound, 4
- spectral waveform, common carotid artery, 216, 217
- spermatocele, testis, 394, 394
- spinal column, upper
  - abdominal longitudinal scan, 22, 29
- spleen, 313–321
  - abscesses, 95, 316, 319, 320
  - anatomy, 313, 313
  - calcification, 319, 319, 320
  - cysts, 315, 315–316, 319
  - diffuse changes, 313, 314–315
  - documentation, 46
  - fine-needle aspiration biopsy (FNAB), 56
  - focal changes, 313, 314, 315–318, 318–319
  - further testing, 319–321
  - hemangioma, 318, 318, 320
  - infarction, 74, 317, 317, 320, 321
    - - upper abdominal pain vs., 62
  - lymphoma, 316, 316–317, 320

- metastases, 318, 318, 320
- normal, 313, 314
- scan planes, 313
  - high lateral intercostal scan (high left flank scan), 26
  - left flank scan, 26
  - left subcostal oblique scan, 27
  - small, 315, 319
  - splenoma, 318, 318, 320
  - trauma, 317, 317–318, 320
- splenic artery, 189
  - non-Hodgkins lymphoma, 200
- splenic vein
  - thrombosis, hepatosplenomegaly, 148, 151
  - upper abdominal longitudinal scan, 22
- splenoma, 318, 318, 320
- splenomegaly, 314, 314
  - further testing, 319
- spot-like pattern, tumor vascularity, 446, 446
- sprue, 361, 361
- squamous cell carcinoma, thyroid gland, 421
- staghorn calculus, 288, 288
- stenosis, 198
  - carotid artery, 221
  - cervical vessels, 222, 222–223, 223
  - iliac artery, 198
  - internal carotid artery, 215
  - superior mesenteric artery, 85
- stents
  - bile duct compression, 144
  - carotid artery, 223, 223, 224
- sternoclavicular arthritis, 170–171, 171
- stomach, 352, 354, 355–360
  - abnormal findings, 355
    - *see also specific diseases/disorders*
  - circumscribed wall thickening, 357–359
    - acquired pyloric stenosis, 357, 357
    - benign tumors, 357–358
    - congenital hypertrophic pyloric stenosis, 357
    - gastric carcinoma, 358, 358
    - gastric ulcer, 357
    - malignant gastric lymphoma, 359
    - malignant tumors, 358
    - mesenchymal tumors, 359
    - ulcerated carcinoma, 357, 358
    - varices, 357
  - diffuse wall thickening, 355, 355–356
    - inflammatory, 356, 356
    - neoplasms, 356, 356
    - documentation, 47
    - evaluation, 359–360
      - further testing, 359–360
      - luminal changes, 359
      - normal findings, 353
      - scan planes, 352
        - *see also entries under gastric stones*
      - biliary obstruction, 142
      - urinary bladder, 387
        - *see also gallstones*
    - stony gallbladder, 337, 349, 349
    - subacute granulomatous thyroditis, goiter, 184
    - subdeltoid bursitis, 166, 167
    - sublingual gland, 426
    - submandibular gland, 426
    - subphrenic abscess, 71–72, 72
    - upper abdominal pain vs., 62
    - superior mesenteric artery, 28, 188, 189
      - Doppler indices, 193, 193
      - stenosis, 85
      - upper abdominal longitudinal scan, 29
    - superior mesenteric vein, 29
    - suppurative thyroditis, 103
      - palpable masses vs., 100
    - suprapatellar longitudinal scan, knee, 43
    - suprapatellar transverse scan, knee, 43
    - suprapubic bladder catheter, 60
    - synovial membrane, arthrosonography, 32
    - synovitis, 33
      - arthritis, 35
      - Doppler spectrum, 35
      - hip, 174
  - T**
  - techniques (of ultrasound), 3–6
    - *see also specific techniques*
  - tendons, arthrosonography, 32
  - tendovaginitis, 35
  - tenosynovitis, 33
    - malleolar region, 177, 178
  - testicular arteries, 188
  - testicular torsion, 80–81, 394
    - lower abdominal pain vs., 75
  - testis
    - anatomy, 377, 378
    - epididymitis, 393, 394, 394
    - hydrocele, 393, 393
  - spermatocele, 394, 394
  - tumors, 393, 393
  - varicocele, 393, 393
  - therapeutic aspiration and drainage, 58–61
    - alcohol instillation, 60
    - contraindications, 60
    - indications, 59–60
    - lesions, 59–60
    - materials, 58, 58
    - percutaneous nephrostomy, 60–61
    - procedure, 58, 58–59, 59
    - suprapubic bladder catheter, 60
  - thoracic sonography, pulmonary embolism, 68
  - thoracic surgery, postoperative ultrasound, 432
  - thorax, 400–411
    - anatomy, 400, 400
    - lesion evaluation, 401
    - normal findings, 400
    - scan planes, 400
  - 3D sonography, digital image processing, 5–6
  - thrombosis
    - cervical vessels, 229, 229–230, 230
    - common femoral vein, 121
    - femoral vein, 210
    - intraluminal changes, 210, 210
    - jugular vein, 229, 229, 230
    - luminal changes vs., 209
    - popliteal vein, 121, 210
    - tumors, 441, 441
    - vena cava, 211
  - thyroid gland, 412–424
    - abscesses, 419–420, 420
    - adenoma *see adenoma*
    - adenomatous hyperplasia, 418, 418–419
    - adenomatous nodules, 422
    - anatomy, 412, 412, 413
    - calcifications, 422, 423
    - circumscribed changes, 414, 417–424
    - anechoic changes, 417–418
    - hyperechoic changes, 418–421, 422–423
    - isoechoic changes, 418–421
      - *see also specific diseases/disorders*
    - colloid nodules, 419, 420
    - cystic transformation (pseudocysts), 418, 418
    - diffuse changes, 414–417
      - hyperechoic changes, 416–417

**thyroiditis**

- - hypoechoic changes, 414–416
  - - *see also specific diseases/disorders*
  - diffuse colloid goiter, 416, 416
  - - further testing, 423
  - documentation, 46
  - evaluation, 423
  - fine-needle aspiration biopsy (FNAB), 57
  - further testing, 423–424
  - goiter *see* goiter; goitrous nodule
  - hyaline connective tissue, 419
  - lymphoma, 416
  - malignant tumors, 420, 421
  - nodular goiter
    - - further testing, 424
    - - regressive changes, 422, 422
    - nodules
      - - differential diagnosis, 423
      - - further testing, 424
    - normal findings, 412, 413
    - oncocyтома, 420, 420
    - regressive fibrotic changes, 416–417, 417
    - scan planes, 412
    - true cysts, 417
    - tumors, 185–186, 186
      - - differential diagnosis, 179
    - - further investigation, 452
  - thyroiditis
    - acute nonsuppurative
      - see* acute nonsuppurative thyroiditis
    - acute suppurative *see* acute suppurative thyroiditis
  - time gain compensation (TGC), 5
  - tissue harmonic imaging (THI), 5
  - toes, 41
  - articular synovitis, 172–173
  - topography, 20–31
    - bile ducts, 21, 21
    - gallbladder, 20, 20
    - pancreas, 21, 21
  - tortuosity, aorta, 197
  - toxic cirrhosis of the liver, 140, 140
  - differential diagnosis, 139
  - toxic fatty liver, 238
  - toxic megacolon, paralytic ileus, 83
  - transducers, 4–5
  - transesophageal echo-cardiography (TEE)
  - dissecting aortic aneurysm, 199
  - mitral valve endocarditis, 98
  - transmitted power, signal processing, 5
  - transrectal ultrasound (TRUS), 394
  - transsudative effusion, pleura, 403, 404
  - transthoracic echocardiography (TTE), 98
  - transvaginal sonography, 80
  - transverse scans
    - abdominal sonography, 16, 17
    - cervical vessels, 220
    - external carotid artery, 220
    - internal carotid artery, 220
    - tendovaginitis, 35
  - trauma
    - arteries, 195–196
    - gallbladder wall changes, 340
    - spleen, 317, 317–318, 320
  - tributary compression, portal venous system, 258, 258
  - tributary dilation, portal venous system, 258, 258
  - tricuspid valve insufficiency, 209
  - true cysts, thyroid gland, 417
  - tubal rupture, 79, 79–80
  - lower abdominal pain vs., 75
  - tuberculosis, kidney, 275
  - tumors, 437–452
    - adrenal glands, 292
    - appearance, 443–445
    - echogenicity, 443, 443
    - halos, 444–445
    - regressive changes, 443–444
    - shape, 443
    - ascites, 439
    - benign
      - small intestine wall thickening, 365
      - stomach wall thickening, 357–358
    - bile duct compression, 144
    - calcification, 443
    - clinical manifestations, 437
    - *see also specific signs/symptoms*
    - constipation, 440–441
    - diarrhea, 440–441
    - displacement, 449
    - evaluation, 449–450
    - fever, 438
    - fixation, 449
    - fluid accumulations, 447
      - ascites, 447, 448, 448
    - functional impairment, 447
  - further testing, 450–452
  - infiltration, 449
    - - chest wall, 402, 403
    - - veins, 210, 210
  - laboratory tests, 442
  - macrocalcification, 443, 444
  - malignant
    - small intestine wall thickening, 365, 365–366, 366
    - - stomach wall thickening, 358
    - - thyroid gland *see* thyroid gland
  - mechanical bowel obstruction, 82, 82
  - microcalcification, 443
  - night sweats, 438
  - organ changes, 447, 447
  - pain, 438
  - pleural effusions, 439, 439
  - salivary gland swelling, 104
  - sonographic criteria, 442, 442–449
    - - *see also specific criteria*
  - testis, 393, 393
  - thrombosis, 441, 441
  - vascularity, 445–446, 446
- twinkling artifact, CDS, 8

**U**

- ulcerative carcinoma
  - large intestine, 370, 371
  - stomach, 357, 358
- ulcerative colitis, 89
  - differential diagnosis, 88, 373
- large intestine wall thickening, 367, 367–368
- ulcers, perforated
  - see* perforated ulcer
- ultrasound-guided therapeutic intervention, liver, 256
- unilateral renal agenesis, 264
- upper abdominal longitudinal scan, 19, 22, 29
- aorta, 22, 29
- celiac trunk, 29, 189
- gallbladder, 22
- liver, 22, 29, 189
- pancreas, 22, 29
- spinal column, 22, 29
- splenic vein, 22
- vena cava, 22
- upper abdominal pain, 62–75
  - differential diagnosis, 62–63
  - *see also specific diseases/disorders*

upper abdominal transverse scan, 19  
 - celiac trunk, 189  
 - liver, 231, 232, 233  
 ureter, 376, 379, 380–388  
 - abnormal findings, 380  
 - - *see also specific diseases/disorders*  
 - anatomy, 375, 376  
 - left midabdominal transverse scan, 27  
 - obstruction, 131–132, 132  
 - - differential diagnosis, 125  
 - postoperative obstruction, 435, 435  
 - scanning protocols, 379  
 - scan planes, 375  
 - stones, 388  
 ureteral stone, renal colic, 65  
 ureterocele, urinary bladder, 386, 386  
 urethra  
 - female, 29  
 - male, 30  
 - obstruction, 138  
 - - differential diagnosis, 126  
 urinary bladder, 380–388  
 - abnormal findings, 380  
 - - *see also specific diseases/disorders*  
 - anatomy, 375, 376, 376  
 - carcinoma staging, 386  
 - evaluation, 388  
 - female, 29  
 - further testing, 388  
 - intraluminal findings, 386, 386–388, 387, 388  
 - lower abdominal longitudinal scan, 31  
 - lower abdominal transverse scan, 30  
 - male, 30  
 - scanning protocols, 379  
 - scan planes, 375  
 - slice-thickness artifact, 13  
 - wall changes, 384–386  
 - - diverticula, 384, 384  
 - - plaque-like carcinoma, 384, 385  
 - - polypoid bladder tumors, 384, 385  
 - - pseudodiverticula, 384, 384  
 - - thickening, 384, 385

urinary bladder tamponade, 134, 134–135  
 - differential diagnosis, 125  
 urinary retention, 78, 78  
 - lower abdominal pain vs., 75  
 urinary stasis, 382, 383  
 urinary stone colic, 380, 381, 382  
 urogenital tract, 375–399  
 - anatomy, 375  
 - documentation, 47  
 - scanning protocols, 379  
 - scan planes, 375  
 - - *see also genital organs; specific organs*  
 uterus, 29  
 - anatomy, 376, 377  
 - carcinoma, 395–396  
 - cervical carcinoma, 396, 396  
 - endometrial carcinoma, 395, 396  
 - endometriosis, 398, 398–399  
 - endometriosis externa, 399  
 - foreign bodies, 396, 396  
 - lower abdominal longitudinal scan, 31  
 - lower abdominal scan, 31  
 - lower abdominal transverse scan, 30  
 - myoma, 395, 395

**V**

vagina, 29  
 - anatomy, 377  
 - lower abdominal longitudinal scan, 31  
 - lower abdominal scan, 378

varices, stomach wall thickening, 357

varicocele, testis, 393, 393

varicose veins, 121–122, 122  
 - differential diagnosis, 117

vascular calcification, kidney, 283, 288, 288

vascularity  
 - knee arthritis, 174  
 - liver, 255  
 - tumors *see tumors*

vascular occlusive disease, kidney, 270, 270

veins, 188–213, 208–213  
 - anomalies, 208, 211

- collapse, 209  
 - compression, 211  
 - computed tomography, 213  
 - congestion, 208, 208  
 - interpretation, 212–213  
 - intraluminal changes, 208, 210  
 - luminal changes, 208, 208, 208–209, 209  
 - testing, 212–213  
 - thrombosis, 209  
 - tumor invasion, 210, 210  
 - - *see also specific veins*

velocity waveforms, 193

vena cava, 193  
 - congestion, 208  
 - duplication, 211, 212  
 - extended right intercostal scan, 23  
 - right longitudinal paramedian scan, 24  
 - right midabdominal transverse scan, 25  
 - thrombosis, 211  
 - upper abdominal longitudinal scan, 22

vena cava syndrome, 122, 122–123, 123

- differential diagnosis, 117

venography, 212

venous confluence, 189

vertebral artery, 218, 218, 219

vipoma, gastrointestinal tract, 441

viral sialadenitis, salivary glands, 427, 427

**W**

wall filter, CDS, 7

wall thickening, arteries, 202, 202

weight loss, tumors, 437–438

wheel pattern, tumor

  vascularity, 445, 446

wrist, distance values, 45

written documentation, 46

**X**

xanthogranulomatous cholecystitis, 344, 344

xanthogranulomatous pyelonephritis, 287