

Index

Note: Page numbers set **bold** or *italic* indicate headings or figures, respectively.

1

2-1-2 cycle (rise/plateau/fall)
tonebursts 30

3

3D constructive interference in steady state (CISS) images 70
3D magnetization-prepared rapid gradient-echo sequence 70
3D magnetization-prepared rapid gradient-echo sequence (3D MP-RAGE sequence) 70

A

Accelerated aging 180
Acoustic change complex (ACC) 333, 333
Acoustic energy, transduction 287
Acoustic immittance 28
Acoustic neuroma 280
Acoustic radiations 118
Acoustic reflex 255
– acoustic reflex decay 259
– auditory disorders, differential diagnosis of 258
– clinical applications 258
– detection of middle ear disorder 258
– hearing thresholds, estimation of 258
– in newborns 259
– pathway 255
– probe and stimulus ear combination 257
– profile in different auditory pathologies 259
– threshold 257
Acoustic reflex decay 29, 259
Acoustic reflex test 10, 28
Acoustic reflex threshold (ART) 28, 34, 257
Acoustic reflex threshold (ART) stimuli 14
Acoustic Schwannomas 76
Acoustic stimuli, in diagnostic audiology 9
– listening conditions for 9, 10
– modulated tones 13
– mono 10
– noise 13
– narrowband 14
– speech-shaped 14
– white 2, 14
– properties of 11
– pure tone 12
– speech stimuli 3, 14, 16
– complex speech stimuli for auditory processing disorders testing 18
– consonant sounds 14
– formants 14
– monitored live voice (MLV) 16
– speech-in-noise testing 16
– synthesized speech sounds 16
– types of 16
– vowels 14
– stereo 10

– tonal stimuli 12, 13
– transient stimuli 18
– chirp stimulus 6, 18
– tonebursts 4, 18
– types of 12
Acoustics-audiometric test 23
Acquired APD 239
Acquired cholesteatomas 38
Acquired infections 93
Action potential (AP)
– AC voltage 289
– amplitude 289
– electrophysiological index 289
– latency 289
– salient features 289
– via ECochG 289
– whole nerve 289
Acute otitis externa 35
Acute suppurative otitis media (AOM) 37
Adaptation test (ADT) 30
Addendum I 86
Adenoid hypertrophy 37
Adult Auditory Performance Scale (AAPS) 231
Advancing age 336
Adverse drug reactions (ADRs) 82
Adverse events, *see* Adverse drug reactions (ADRs)
Advertising dietary supplements 85
Age-related hearing loss (ARHL) 40, 52
Aging 336
Aidable hearing loss, versus unaidable hearing loss 358
Air conduction 26
Air conduction (AC) presentations 311
Air-bone gap 39, 118
Air-conduction interaural attenuation 126
Air-conduction stimulation 10
Alcohol dependence 336
Alexander Graham Bell Association for Deaf and Hard of Hearing 387
Alport syndrome 53, 57
Alzheimer's disease 6, 182
Ambient noise 23
Amblyaudia 210
American Academy of Otolaryngology-Head and Neck Surgery (AAO-HNS) red flags 62
American Academy of Otolaryngology-Head and Neck Surgery (AAO-HNS) 100
American Medical Association (AMA) 100
American National Standards Institute (ANSI) 23, 23, 24
American Speech-Language-Hearing Association (ASHA) 106, 228
Amplification factor 292
Amplifier 104
Amplitude (AM) 13
Amptify 239–240
Analysis window 313
Analytic scoring 163
Aneuploidies 55
Angel Sound 239
Anotia/microtia 45

Anti-motion sickness 44
Aphasia syndromes 182
Aplasia 45
Appointment preparation 378
Arachnoid cysts 77
Articulation 150
Ascending method 113
Assessment of treatment response 61
Asymmetrical hearing loss 313
Atopic dermatitis 94
Attention deficit disorder (ADD) 209
Attention deficit/hyperactivity disorder (ADD/ADHD) 180, 181
Attention deficit/hyperactivity disorder (ADHD) 207
Attention-deficit/hyperactivity disorder (ADHD) 336
Attenuator 104
Audacity 11
Audibility index and dots audiogram 464
Audiogram 16, 106
Audiologic diagnostic testing 377
Audiologic evaluation of special populations
– children with intellectual/physical challenges 179
– developmental disabilities 179
– major and mild neurocognitive disorder 182
– visual impairment 183
– cognitive status 171
– considerations 171
– cross-check principle 171
– infants and young children 172, 173
– auditory neuropathy spectrum disorders (ANS) 178
– physiological tests 177
– speech thresholds and word intelligibility 177
– test environment 172
– test stimuli 174
– 2 to 5 years developmental age 176
– 0 to 6 months developmental age 174
– 6 to 24 months developmental age 175
– interprofessional practice and audiology 172
– older adults 178
– considerations in diagnostic testing 178
– patients from diverse cultural backgrounds 171
– pseudohypoacusis 183
Audiologic rehabilitation and amplification 153
Audiologist, role of 87
Audiology
– defined 2
– scope of practice 2
Audiology Practice Standards Organization (APSO) 5
Audiology sound booth 26
Audiometer 27, 101
– automatic/microprocessor audiometers 102
– components 103
– amplifier 104
– attenuator 104
– calibration of 105
– masking level controller 105
– power (on-off) switch 103
– signal router switch 104
– signal selector switch 105
– tone interrupter switch 104
– transducers 105
– diagnostic audiometers 14, 102
– high frequency audiometers 103
– standard pure tone 102
– tablet/smart device audiometers 103
– types 102
Audiometric symbols 106
Audiometry 13–14, 16, 18
Auditory (eustachian) tube 63
Auditory and vestibular disorders, radiology and imaging of 61
Auditory and vestibular lesions 71, 72
– bony labyrinth lesions 76
– central auditory and vestibular pathways 77
– CPA 77
– IAC 76
– membranous and bony labyrinth 73
Auditory and vestibular systems, disorders of 33
– congenital disorders 45
– inner ear and internal auditory canal, disorders of 39
– age-related hearing loss 40
– autoimmune inner ear disease (AIED) 42
– benign paroxysmal positional vertigo 41
– labyrinthitis 42
– IAS 41
– Ménière's disease 41
– NIHL 39
– otologic migraine 41
– ototoxicity 40
– perilymph fistula (PLF) 41
– SNHL 39
– SSCD 43
– SSNHL 39
– tumors of internal auditory canal 43
– vascular compression syndrome 43
– vertebrobasilar insufficiency (VBI) 43
– vestibular neuronitis 41
– otologic examination 33
– dizziness 34
– hearing loss 34
– otalgia 33
– otorrhea 34
– patient's medical history 33
– physical and visual examination of pinna and ear canal 33
– tinnitus 34
– trauma 35
– vertigo 34
– pinna and ear canal, disorders of 35
– acute otitis externa 35
– cholesteatoma of ear canal 36

- ear itch, dermatitis, chronic otitis externa 35
 - exostoses 36
 - keratosis obturans 36
 - malignant otitis externa 36
 - myringitis 37
 - osteomas 36
 - otomycosis 36
 - perichondritis 37
 - referred otalgia 36
 - tympanic membrane, middle ear, and mastoid process
 - cholesteatoma 38
 - eustachian tube dysfunction 37
 - myringosclerosis 37
 - neoplasms of the middle ear 39
 - ossicular chain discontinuity 39
 - otitis media 37
 - otosclerosis 38
 - tympanic membrane perforations 37
 - tympanosclerosis 37
 - Auditory behavior index (ABI) 172–173
 - Auditory brainstem response (ABR) 9–11, 212
 - Auditory brainstem response (ABR) testing 41, 272
 - Auditory brainstem response (ABR) waveform, threshold estimates 378
 - Auditory brainstem response (ABR) waveforms 287, 307
 - absolute amplitude 319
 - applications 313
 - body temperature 320
 - clinical normative values 320
 - clinical popularity 287
 - description 307
 - gender differences 320
 - in clinical audiology 356
 - interpretation 404
 - monitoring brainstem functions by recording 407
 - objective measures 307
 - origins 308
 - patient age 319
 - patient factors 319
 - pharmacological agents 320
 - popularity 313
 - principles 308
 - recording directly 404
 - recording electrodes 405
 - screening 313, 314
 - stimulus frequency 308
 - stimulus frequency and intensity 307
 - stimulus intensity 307, 309, 310
 - stimulus parameters 308
 - stimulus polarity 310
 - stimulus rate 310
 - vs. ASSR 351
 - Auditory central nervous system, and auditory processing disorders 357
 - Auditory Continuous Performance Test (ACPT) 219
 - Auditory disorders, differential diagnosis of 258
 - Auditory dys-synchrony 211
 - Auditory evoked potential (AEP), testing 2
 - Auditory evoked potentials (AEP) 23, 35
 - in cochlear implant candidates with ANSD 359
 - investigations 347
 - measurement 348
 - mixed modulation 349
 - natural sleep 352
 - neurophysiological processes 358
 - patient's state 351
 - physiology 348
 - presentation 349
 - principles 348
 - repeating sequence gated modulation 349
 - sex factors 351–352
 - stimulus modulation
 - advantages 349
 - disadvantages 349
 - types 349
 - stimulus parameters 348
 - test time 351
 - threshold estimation 353, 379
 - variations in accuracy of threshold estimation 360
 - vs. ABR 351
 - Auditory steady-state response (ASSR) testing 10
 - Auditory steady-state responses (ASSRs) 177
 - Auditory training (AT) 239
 - Auditory-verbal therapy 6
 - Aural specula 11, 91
 - Authentic assessment 229
 - Authentic subjective assessment 231
 - Autism spectrum disorders (ASD) 180, 181
 - Autistic disorder 336
 - Autoimmune inner ear disease (AIED) 42
 - Automated audiometric system 456
 - Automated auditory brainstem response (AABR), screening process and parameters 368
 - Automatic/microprocessor audiometers 102
 - Autosomal dominant nonsyndromic hearing loss (ADNSHL) 51
 - Autosomal recessive nonsyndromic hearing loss (ARNSHL) 50
 - Average absorbance tympanogram 252
 - AzBio Sentence Lists 160
- ## B
- Bamford-Kowal-Bench sentence lists 177
 - Bamford-Kowal-Bench SIN (BKB-SIN) test 16
 - Bamford-Kowal-Bench Speech in Noise (BKB SIN) tests 219
 - Bandpass filter 292
 - Bandwidth 9
 - Basal cell carcinoma 97
 - Beck Depression Inventory (BDI) 195
 - Behavioral observation audiometry (BOA) 174–175
 - Benign paroxysmal positional vertigo (BPPV) 41, 458
 - Bilateral stimuli 9
 - Binaural fusion 216
 - Binaural integration test 9
 - Binaural interference 238
 - Binaural processing 236
 - Binaural separation test 9
 - Bing test 116
 - Bioavailability (BA) 83
 - Biologic calibration 25
 - Biological method of calibrating effective masking levels 130
 - Biostatistics 448
 - Bithermal caloric testing 429
 - Bluetooth technology 240
 - Blunt force trauma 96
 - Bone conduction devices 20
 - Bone oscillator 20, 27
 - Bone oscillators 105
 - bone vibrator types 117
 - Bone-conduction interaural attenuation 127
 - Bone-conduction threshold estimation 356
 - Bony labyrinth lesions 76
 - Brain injuries 182
 - Branchiootorenal (BOR) spectrum disorder 53
 - Brief narrowband stimuli 309
 - Broadband and white (or thermal) noise 128
 - Broadband stimuli with frequency range 308
 - Broadband stimulus 311
 - Buffalo Model Auditory Training Programs 239
 - Bullous myringitis 37
- ## C
- Calibration 25
 - biologic calibration 25
 - electroacoustic calibration 25
 - for ENG/VNG 30
 - of audiometers 105
 - of tympanometer 28
 - otoacoustic emissions 279
 - California Consonant Test (CCT) 157
 - Caloric testing 30
 - Candidate gene 52
 - Cannabidiol (CBD) 87
 - Carboplatin 40
 - CARE Project 387
 - Carhart's notch 118
 - Carrier phrase 165
 - CDC National EHDH Program 366
 - Central auditory processing disorder 44
 - Central auditory processing disorders in adults 30, 227, 234
 - behavioral protocol for measuring deficits 229
 - audiologic assessment 232
 - authentic subjective assessment 231
 - behavioral suprathreshold auditory processing test battery 233, 234
 - case history 230
 - considerations 230
 - billing and coding considerations 238
 - case studies 239
 - listening effort and fatigue 238
 - management of 238
 - peripheral hearing loss in aging population 237
 - prevalence of functional hearing difficulties 229
 - Central auditory processing disorders in children

- assessment 214
 - other factors to consider 215
 - peripheral hearing loss 214
 - case history 214, 215
 - comorbidity of disorders 223
 - controversies 223
 - dichotic stimuli 30, 219
 - DSM-5 223
 - electrophysiologic assessment of 221
 - interpreting test results 222
 - language testing 221–222
 - discrimination 221
 - expressive language 222
 - phonology 221
 - pragmatics 222
 - prosody 222
 - receptive language 221
 - localization and lateralization 218
 - low-redundancy monaural speech 218
 - masking level differences 220
 - multidisciplinary approach 223
 - pattern recognition testing 218
 - professional organization perspectives 223
 - questionnaires 213
 - UCAPI 214
 - sensitized speech tests 215
 - temporal processes 217
 - test battery approach to 216
 - Central masking 125
 - Cerebellopontine angle (CPA) 29, 63
 - Cerebellopontine angle from surgical manipulations 405, 407
 - Cerebellopontine angle, tumors of 43
 - Cerebral palsy 179
 - Cerumen 111
 - management 97
 - Cerumen (earwax) 12, 92, 93
 - Ceruminoma 97
 - Cervical VEMP (cVEMP) 30
 - Cervical vestibular evoked myogenic potentials (cVEMPs) 10, 200, 432
 - Chain termination method 55
 - Channel separation 216
 - Channels of stimulation 10
 - CHARGE syndrome 46, 52
 - Checklist for Autism in Toddlers (CHAT) 180
 - Checklist of attention and hyperactivity 213
 - Childhood-onset fluency disorder 208
 - Chirp stimulation 349
 - Chirp stimulus 6, 18
 - Chirp-evoked ASSRs 355
 - threshold estimation 355
 - Chloroquine 40
 - Cholesteatoma 37, 38, 94
 - Cholesteatoma labyrinthine fistula 75
 - Cholesteatoma of ear canal 36
 - Cholesteatomas 6
 - Chromosomal microarray (CMA) 53, 55
 - Chromosome analysis 55
 - Chronic labyrinthitis 75
 - Chronic otitis externa 35
 - Chronic otitis media 38
 - CID Auditory Test W-22 156
 - CID Everyday Sentences 158
 - Cisplatin 40
 - City University of New York (CUNY) Sentences 158
 - Click stimulus 3–4, 18
 - Clinical decision-making 4
 - Clinical masking 18, 23, 124
 - application of 131
 - calibrating masking signals 20, 129
 - biological method 130
 - case studies 25, 143
 - considerations in 126
 - air-conduction interaural attenuation 126
 - bone-conduction interaural attenuation 127
 - interaural attenuation 126
 - occlusion effect 127
 - dilemma 23, 142
 - general principles 134
 - overmasking 135
 - plateau 134
 - pure-tone air-conduction testing 132, 136
 - pure-tone bone-conduction testing 132, 137
 - specific procedures 135
 - establishing starting level 135
 - speech recognition threshold testing 133, 139
 - types of clinical masking noises 18, 128
 - undermasking 21, 134
 - with special populations 143
 - word recognition testing 134, 141
 - Clinical trials 82
 - Clinical Video Telehealth (CVT) 455
 - remote diagnostics 456
 - Closed-set tests 162
 - Cochlear and auditory nerve function during surgery 287
 - Cochlear anomalies 45
 - Cochlear aplasia 73
 - Cochlear cleft 63
 - Cochlear dysfunction 192
 - Cochlear hearing loss 315
 - Cochlear hypoplasia 73
 - Cochlear hypoplasias (CH) 45
 - Cochlear implants 1, 16
 - patient management 358
 - Cochlear microphonic (CM) 287
 - clinical tool 288
 - salient features 288
 - transduction processes 288
 - Cochlear nerve anomalies (deficiency) 46
 - Cochlear nerve deficiency (CND) 46
 - Cochlear nucleus 64
 - recording the response 406, 408
 - Cochlear summing potential
 - complexity 288
 - salient features 288
 - Cochlear synaptopathy 230
 - CochSim 11
 - Cognitive behavior therapy (CBT) 189
 - Common cavity 73
 - Communication disorder 207
 - Communication process 6
 - Community theory 448
 - Comorbidity of disorders 223
 - Comparative genomic hybridization (CGH) 55
 - Compensated tympanogram 246
 - Competing Sentences (CS) test 9
 - Complete labyrinthine aplasia 73
 - Complex speech stimuli for auditory processing disorders testing 18
 - Compound action potentials (CAPs), recorded from exposed auditory nerve 405
 - Comprehension, defined 232
 - Comprehensive audiologic assessment (CPT 92557) 466
 - Comprehensive audiological assessment 1
 - Computed tomography (CT) imaging 64
 - Computer-Assisted Speech Perception Assessment Test (CASPA) 156
 - Computerized detection algorithm 314
 - Computerized dynamic platform posturography 439
 - advantages 442
 - disadvantages 442
 - interpretation 441
 - Computerized dynamic posturography (CDP) 3, 30, 30
 - Condensation 99
 - Condensation polarity 11
 - Conditioned orientation reflex (COR) audiometry 175
 - Conditioned play audiometry 380
 - Conditioned play audiometry (CPA) 27, 176
 - Conductive and sensorineural impairment 214
 - Conductive hearing loss (CHL) 18, 27, 107, 108
 - Congenital abnormalities 93
 - Congenital aural atresia and anotia/microtia 45
 - Congenital cholesteatoma 38
 - Congenital disorders 45
 - cochlear anomalies 45
 - cochlear nerve anomalies (deficiency) 46
 - congenital aural atresia and anotia/microtia 45
 - ossicular chain anomalies 45
 - Congenital malformations 73
 - Connected Speech Test (CST) 159
 - Consonant sounds 14
 - Consonant-nucleus-consonant (CNC) 156
 - Contralateral acoustic reflex pathway 34, 258
 - Contralateral condition 10
 - Contralateral pathways 216
 - Contralateral recording 319
 - Contralateral suppression 228
 - Controlled Substance Act (CSA) 87
 - Conversion deafness 183
 - Cook Children's Health Care System 396
 - Cook Children's Health Care System Newborn, Hearing Screening Protocol (NICU) 392
 - Cookbook approach 210, 237
 - Copy number variants (CNVs) 55
 - Correction factor (CF) 130
 - Cortical auditory evoked potentials (CAEPs) 178
 - and middle late responses 325
 - age 329
 - and cortical auditory evoked potentials 325
 - brainstem lesions 329
 - clinical uses 328
 - neurodiagnosis 328
 - postauricular muscle reflex 329
 - threshold estimation 328
 - late latency response 325, 329, 330
 - applications 331
 - auditory training-related changes 332
 - fitting with hearing aid 331
 - interpretation 334
 - obligatory responses 331
 - stimulus parameters 330
 - threshold estimation 331
 - COVID-19 pandemic 6
 - CPA 77
 - Cranial motor nerves
 - anesthesia 413
 - lower 412
 - monitoring techniques 408, 412
 - Cross-check principle 227
 - Crosscheck principle 356
 - Crossover 123
 - Crossover hearing 9
 - Crossover threshold 136
 - Current Good Manufacturing Practice (CGMP) 85
 - Current Procedural Terminology (CPT) 238
 - Cyst 12, 94
- ## D
- Data management 387
 - Deaf Wannabee 183
 - Deafness-Infertility Syndrome (DIS) 53
 - Decibels (dB) 11, 101, 124
 - Deep brain stimulation
 - electrode implantations for 416
 - risks involved 417
 - Degree of hearing loss 109
 - Dementia 335
 - Dermatitis 35
 - Descending method 113
 - Detection methods and analysis 350
 - Developmental APD 240
 - Developmental disabilities 179
 - Developmental learning disability 340
 - Developmental sequence 52
 - Diabetes mellitus 95
 - Diagnostic audiology
 - and public health 6
 - communication of diagnostic results 6
 - effectiveness of 3
 - clinical decision-making 4
 - evidence-based practice 4
 - through telepractice 6
 - via telemedicine 455
 - Diagnostic audiometer 27
 - Diagnostic audiometers 14, 102
 - Diagnostic tests in audiology 2, 3
 - Dichotic Digit (DD) test 9
 - Dichotic listening 236
 - Dichotic stimulation 9
 - Dichotic stimuli 30, 219
 - Dietary supplement, defined 84
 - Diffusion-weighted imaging (DWI) 71
 - Digitally modulated (DM) systems 239
 - Diotic stimulation 9
 - Direct acoustic cochlear implant (DACI) 359
 - Direct service responsibilities 367
 - Discrimination 150, 221
 - Distinctive Feature Discrimination Test 157
 - Distortion product OAEs (DPOAEs) 29

- screening collection 368
- Distortion product otoacoustic emissions (DPOAEs) 27, 36–37, 192, 271, 280
- applications in clinical practice 276
- generation 271
- interpretation 275
- recording techniques 274
- stimuli 272
- Distortion-product otoacoustic emissions (DPOAEs) 240
- Distortional/compressional bone conduction 115
- Dix-Hallpike maneuver test 30
- Dix-Hallpike positioning tests 428, 429
- Dizziness 34
- Doerfler-Stewart test 186
- Down syndrome 93, 179
- Downstream effects 52
- DPOAEs 267
- Drug schedules 86
- Duration Pattern Test (DPT) 235
- Dynamic auditory localization 218
- Dynamic range 155
- Dynamic visual acuity tests 435
- advantages 435
- disadvantages 435
- Dysfunctional three-dimensional auditory space 218

E

- Ear and temporal bone traumas 35
- Ear canal examination 91
- Ear canal volume 247
- Ear infection 36
- Ear itch 35
- Earache 33
- Early hearing detection and intervention (EHDI) system 366
- audiologist, role of 367
- collaborative relationships 367
- educational outreach efforts 367
- Early Speech Perception Test 177
- Earphone, placement 112
- Earphones 16, 105
- Earwax (cerumen) 12, 92, 93
- Eczema 94
- Educational audiology 1
- Effective masking 124
- EHDI Child and Family Outcomes Model 384, 385, 388
- EHDI-Pediatric Audiology Links to Services (EHDI-PALS) 373
- Elasticity 99
- Elderspeak 178
- Electrical artifact 292
- Electrical ASSR (EASSR) 359
- Electrical auditory brainstem response (EABR) threshold estimation 359
- Electrical compound action potential (ECAP) 359
- Electrical interference 311
- Electroacoustic calibration 25
- Electrocochleography
- administration 289, 291
- clinical applications 297
- interpretation 295, 296
- Ménière's patient 300
- preparation 294
- to monitor auditory function 407
- Electrode array 291
- Electrode montage 325

- neurodiagnostic assessment using two-channel system 318
- response analysis 318
- Electrodes 325
- biocompatibility 325
- conductivity 325
- montage 325
- Electroencephalogram (EEG) 29
- Electromagnetic radiation 294
- Electronystagmography (ENG) 30, 30
- Electrophysiology 29
- Endolymphatic hydrops 297
- Energetic masking 18
- Enlarged vestibular aqueduct syndrome (EVAS) 41, 74
- Environmental and occupational health 449
- Enzyme activity testing 57
- Epley maneuver 41
- Equivalent ear canal volume (EECV) 247
- Equivalent masking (EM) level 129
- Eustachian tube dysfunction 37
- Eustachian tube function test 249
- Event-related potential (ERP) 325, 334
- clinical application 335
- source 334
- waveform and recording 334
- Evidence-based approaches, public health 448
- Evidence-based practice (EBP) 4, 4
- Evoked OAEs 270, 280
- Evoked potentials 13–14, 16, 18
- Evoked tinnitus 195
- Exaggerated hearing loss 359
- Exostoses 6, 36
- Exostosis 13, 94
- Expressive language 222
- Extratympanic recording techniques 289, 290
- Eye movement and vestibular assessment 421
- Eyeblink artifacts 327

F

- F-test 350
- Facial nerve 63
- Facial nerve disorders 77
- False hearing loss 359
- False/exaggerated hearing loss 281
- Familial mutation 55
- Familiarity of stimulus 164
- Familiarization method 114
- Family support and partnership, hearing loss 383, 386
- adult deaf or hard of hearing mentors 385
- EHDI Child and Family Outcomes Model 384, 385
- information 385
- organizations 387
- parent-to-parent support 385
- policy 386
- professional perspective 384
- professional to parent 385
- Fat suppression T1-weighted images 69
- Fatigue 238
- Feather Squadron 237
- Federal Trade Commission (FTC) 85
- Frequency-Specific Hearing (FRESH) Assessment Noise 129

- Filtered speech 18
- Filtered word tests 219
- Filtering 312
- Fissula ante fenestram 63
- Fletcher and Steinberg's Nonsense Syllable Test 157
- Flocculonodular lobe 64
- Fluctuating hearing loss 41
- Food and Drug Administration (FDA) 62
- Foreign bodies 13, 94
- Forensic audiology 1
- Formants 14
- Forward pressure level (FPL) 13, 280
- Framework for Understanding Effortful Listening (FUEL) 238
- Frequency (FM) 13
- Frequency domain 11
- Frequency modulated (FM) stimuli 27
- Frequency Pattern Test (FPT) 235
- Frequency range for human hearing 100
- Frequency, defined 100
- Frequency-modulated (FM) warble tone 114
- Frequency-modulated tones 2
- FREQUENCY-Specific Hearing assessment (FRESH) noise 2, 14
- Frequency-specific stimuli 10
- Frequency-specific stimulus 309
- Functional disorders of auditory communication 218
- Functional hearing difficulties 238
- Fungal otitis externa 36

G

- Gadolinium-enhanced T1-weighted images 69
- Gans maneuver 41
- Gaps-in-Noise (GIN) test 218, 235
- Gastroesophageal reflux disease 37
- Gaze test 426
- Gaze-evoked tinnitus 28
- Gene therapy 39
- General education development (GED) test 240
- Generalized Anxiety Disorder (GAD-7) 195
- Genetic testing methods 55
- chromosomal microarray (CMA) 55
- chromosome analysis 55
- metabolic testing 57
- mitochondrial testing 57
- multigene panels 56
- next-generation sequencing (NGS) 56
- single gene sequencing 55
- whole exome sequencing (WES) 56
- whole genome sequencing (WGS) 56
- Genetics of hearing loss
- benefits and limitations of testing 57
- attitudes and opinions 57
- determining etiology 57
- familial implications 57
- psychosocial impact 58
- etiology of 49
- genetic testing methods 55
- chromosomal microarray (CMA) 55
- chromosome analysis 55
- metabolic testing 57

- mitochondrial testing 57
- multigene panels 56
- next-generation sequencing (NGS) 56
- single gene sequencing 55
- whole exome sequencing (WES) 56
- whole genome sequencing (WGS) 56
- interpreting family histories 53
- autosomal dominant 9, 53
- autosomal recessive disorders 9, 54
- mitochondrial 55
- multifactorial disorders 55
- multiple or unknown inheritance patterns 55
- X-linked disorders 9, 54
- nonsyndromic hearing loss 49, 51
- autosomal dominant 51
- autosomal recessive 50
- mitochondrial 52
- multifactorial 52
- nomenclature 49
- X-linked forms of 51
- phenotypic heterogeneity 49
- syndromic hearing loss 52
- Geräuschüberempfindlichkeit (GÜF) 198
- Giemsa dye 55
- Gilliam Autism Rating Scale (GARS) 180
- GJB2-associated hearing loss 50–51
- Global health 452
- Glomus jugular tumor 249
- Glue ear 37
- Good Manufacturing Practice (GMP) 85
- Gradient of tympanogram 248

H

- Hands & Voices 387
- Headphones 26
- Headshake test 427
- Health belief model (HBM) 448
- Health care systems 449
- Health equity 451
- Hearing aid fitting/verification 331
- Hearing aid services 1
- Hearing aids, patient management 358
- Hearing and Tinnitus Survey (THS) 190
- Hearing difficulty (HD) 228
- Hearing Handicap Inventory for Adults (HHIA) 231
- Hearing Handicap Inventory for the Elderly (HHIE) 231
- Hearing Handicap Inventory for the Elderly-Screening Version (HHIE-S) 178
- Hearing in Noise Test (HINT) 16, 159, 235
- Hearing level (HL) 101
- Hearing level (HL) 11
- Hearing loss 34, 158
- aidable versus unaidable 358
- amplification 382
- asymmetrical 313
- behavioral diagnostic evaluation 380
- building rapport and making observations 380
- cCMV infection 381
- clinical applications in adults 359
- cochlear 315

- cognitive impairment and dementia 360
 - coma 360
 - communication 382
 - counseling considerations 379
 - degree of 109, 463
 - diagnostic follow-up 381
 - dietary supplements for 84
 - early intervention 382
 - education 383
 - etiologies 381
 - false and exaggerated 359
 - family support and partnership 383, 386
 - genetic conditions 382
 - hidden 287
 - noise-induced hearing loss 360
 - percentage of 463
 - physiologic threshold 359
 - types 106, 107
 - conductive hearing loss 18, 107
 - mixed hearing loss 17, 108
 - normal findings 17, 107
 - sensorineural hearing loss 18, 108
 - Hearing loss, genetics of
 - benefits and limitations of testing 57
 - attitudes and opinions 57
 - determining etiology 57
 - familial implications 57
 - psychosocial impact 58
 - etiology of 49
 - genetic testing methods 55
 - chromosomal microarray (CMA) 55
 - chromosome analysis 55
 - metabolic testing 57
 - mitochondrial testing 57
 - multigene panels 56
 - next-generation sequencing (NGS) 56
 - single gene sequencing 55
 - whole exome sequencing (WES) 56
 - whole genome sequencing (WGS) 56
 - interpreting family histories 53
 - autosomal dominant 9, 53
 - autosomal recessive disorders 9, 54
 - mitochondrial 55
 - multifactorial disorders 55
 - multiple or unknown inheritance patterns 55
 - X-linked disorders 9, 54
 - nonsyndromic hearing loss 49, 51
 - autosomal dominant 51
 - autosomal recessive 50
 - mitochondrial 52
 - multifactorial 52
 - nomenclature 49
 - X-linked forms of 51
 - phenotypic heterogeneity 49
 - syndromic hearing loss 52
 - Hearing screening 27, 119, 119
 - Hearing threshold level (HTL) 101
 - Hearing thresholds, estimation of 258
 - Hematoma 95
 - Hemifacial spasm 415, 416
 - Hemispheric dominance for language 216
 - Hertz (Hz) 11, 99
 - Hidden hearing loss (HHL) 44, 228, 287
 - High frequency audiometers 103
 - High-resolution computed tomography (HRCT) 65
 - basics 65
 - interpretation of 67
 - strengths and limitations of 71
 - temporal bone landmarks on 9–10, 65
 - Hospital Anxiety and Depression Scale (HADS) 195
 - Hounsfield units (HUs) 65
 - Hughson-Westlake method 114
 - Human ear, frequency and intensity function of 14, 101
 - Human equilibrium 419
 - Hydromechanical movements 11
 - Hyperactive-impulsive presentation 180
 - Hyperacusis 44, 218
 - assessment 195
 - defined 189
 - diagnosis of 199
 - history 197
 - in-depth interview 200
 - instructions 198
 - loudness discomfort levels (LDLs) 198
 - diagnosis 199
 - stimulus for 198
 - test procedure 198
 - presentation levels 199
 - questionnaire 199
 - self-report questionnaires 197
 - severe 200
 - special cases of 29, 200
 - Hyperacusis Questionnaire (HQ) 197
 - Hypoplasia 45–46
- I**
- ICA 76
 - Image-guided treatment 61
 - Immittance 13–14, 16, 18
 - Inborn errors metabolism (IEM) 57
 - Incomplete partition of the cochlea 74
 - Incomplete partition type I (IP-I) 45
 - Independent amplitude frequency modulation (IAFM) stimuli 360
 - Industrial audiometers 27
 - Inertial bone conduction 115
 - Inferior colliculus 64
 - Inferior olive 64
 - Information bias 5
 - Information delivery, content 462
 - Information retention 461
 - and recall 462
 - decreased 461
 - emotional state 461
 - Information transfer
 - person-centered care, audiologic practice from bio-psycho-social perspective 460
 - diagnostic appointment and consultation 461
 - information retention 461
 - patient's perspective 463
 - Informational masking 18
 - Initial preventive physical examination (IPPE) 178
 - Inner ear and internal auditory canal, disorders of 39
 - Insert earphones 26
 - Insomnia Severity Index (ISI) 195
 - Instrumentation
 - acoustic immittance 28
 - acoustic reflex decay 29
 - acoustic reflex tests 28
 - acoustic reflex threshold 28
 - audiology sound booth 26
 - audiometer 27
 - bone oscillator 27
 - diagnostic audiometer 27
 - electrophysiology 29
 - headphones 26
 - industrial audiometers 27
 - insert earphones 26
 - loudspeaker 27
 - otoacoustic emissions 29
 - otoscope 26
 - outer ear examination 89
 - aural specula 11, 91
 - headlight 89
 - operating microscope 90
 - otoscopes 89
 - surgical loupes 11, 90
 - video otoscope 11, 89
 - screening audiometers 27
 - standards 23
 - ANSI 23
 - ISO 23
 - transducers 26
 - tuning forks 25
 - tympanometry 28
 - Intellectual disability 179
 - Intelligibility 150
 - Inter-octave test frequencies 112
 - Interaural attenuation 118, 126, 127, 134
 - Interaural wave V latency difference 319
 - Internal auditory canal (IAC) 33, 63, 76, 76
 - Internal auditory canal, tumors of 43
 - International Electrotechnical Commission (IEC) 23
 - International health 452
 - International Organization for Standardization (ISO) 23, 24
 - International Speech Test Signal (ISTS) 16
 - Interpersonal theory 448
 - Interprofessional collaboration 2
 - Interprofessional practice (IPP) model 228
 - Interstimulus interval (ISI) 327
 - Intralabyrinthine schwannomas 75
 - Intraoperative neurophysiologic monitoring (IONM)
 - ABR 402
 - amplifiers 403
 - benefits 414
 - electrode montage 403
 - electrophysiologic methods 399
 - electrophysiologic recordings 401
 - filtering 403
 - history 400
 - operations 415
 - optimal stimulation 403
 - postoperative permanent neural deficits 399
 - preoperative and postoperative tests 414
 - principles 401
 - quality control 403
 - recordable neuroelectric potentials 399
 - recording electrodes 403
 - recording sensory evoked potentials 402
 - replication of records 403
 - research in operating room 401
 - sensory systems 402
 - societies and certifications 401
 - surgical operations 399
 - use of 414
 - vestibular nerve 415
 - Intrapersonal theory 448
 - Inventory of Hyperacusis Symptoms (IHS) 28, 198
 - ION, use of 414
 - Ipsilateral acoustic reflex pathways 34, 258, 260
 - Ipsilateral condition 10
- J**
- Jerger system 28
 - Jerger's Distorted Speech test 215
 - Joint Committee on Infant Hearing (JCIH) 177, 365
- K**
- Kartagener's syndrome 37
 - Karyotype 55
 - Katz's SSW test 215
 - Kent State University (KSU) Speech Discrimination Test 158
 - Keratosis obturans 36, 95
- L**
- Labyrinthitis 42, 74
 - LADMET 83
 - Lange-Nielsen syndrome 57
 - Language testing 221–222
 - discrimination 221
 - expressive language 222
 - phonology 221
 - pragmatics 222
 - prosody 222
 - receptive language 221
 - Large acoustic neuroma 9
 - Large vestibular aqueduct syndrome (LVAS) 41
 - Late latency response (LLR), cortical auditory evoked potentials 325, 329, 330
 - applications 331
 - auditory training-related changes 332
 - fitting with hearing aid 331
 - interpretation 334
 - obligatory responses 331
 - stimulus parameters 330
 - threshold estimation 331
 - Latency of the response 112
 - Lateral cuneate nucleus 64
 - Lateral lemniscus 64
 - Lateralization 218
 - Left ear advantage (LEA) 236
 - Level of evidence hierarchy 5
 - Lexical neighborhood 164
 - Lexical Neighborhood Test 177
 - Lexical Neighborhood Test (LNT) 156
 - Listening difficulties 209
 - Listening effort 238
 - Listening in Spatialized Noise test (LISN) 219
 - Listening in Spatialized Noise-Sentences (LiSN-S) test 236

Localization 218
 Lombard reflex 186
 Longitudinal testing 220
 Loudness discomfort level (LDL) 198
 – diagnosis 199
 – stimulus for 198
 – test procedure 198
 Loudspeakers 27, 105
 Low-pass filtered speech 227
 Low-pass filtered speech recognition testing 235
 Low-pass filtered word tests 219
 Low-redundancy monaural speech 218
 Lower cranial motor nerves 412

M

Magnetic resonance imaging (MRI) 29, 67, 69
 – 3D constructive interference in steady state (CISS) images 70
 – 3D magnetization-prepared rapid gradient-echo sequence 70
 – approaches 68
 – basics 67
 – diffusion-weighted imaging 71
 – fat suppression T1-weighted images 69
 – frequency-encoding 67
 – functional MRI 71
 – gadolinium-enhanced T1-weighted images 69
 – interpretation of 68
 – perfusion-weighted imaging 70
 – phase encoding 67
 – protocols 67
 – strengths and limitations of 71
 – T1 relaxation time 67
 – T2 relaxation time 67
 – T2-weighted brain images 69
 – T2-weighted gradient-echo or fast spin-echo images 69
 – T2-weighted images of the brainstem and auditory cortex 70
 – temporal bone landmarks on 68
 – unenhanced T1-weighted images 68
 Major and mild neurocognitive disorder 182
 Mal de Débarquement syndrome (MdDS) 44
 Malignant (necrotizing) otitis externa 95
 Malignant otitis externa 36
 Maryland CNC Test 156
 Masking
 – central 125
 – clinical masking 124
 – defined 123
 – need for 18, 125
 – vs. effective masking 124
 Masking level controller 105
 Masking level difference (MLD) 236
 Masking level differences (MLD) 220
 Masking level differences (MLDs) 212
 Massively parallel sequencing 56
 Mastoid air cells 63
 Mean summing potential (SP) amplitudes 297, 301
 Mechanical couplers 27
 Medial longitudinal fasciculus 64
 Medical Home 375
 Medical Home and Ongoing Periodic Early Childhood Hearing Screening 375
 Ménière's disease 7, 41, 75, 297
 Metabolic testing 57
 Michel's deformity 73
 Microscopes 90
 Mid-frequency hearing loss 51
 Middle ear disorder, detection of 258
 Middle ear measures 30
 – acoustic reflex 255
 – acoustic reflex decay 34, 259
 – auditory disorders, differential diagnosis of 258
 – clinical applications 258
 – detection of middle ear disorder 258
 – hearing thresholds, estimation of 258
 – in newborns 259
 – pathway 255
 – probe and stimulus ear combination 257
 – profile in different auditory pathologies 259
 – threshold 257
 – admittance in clinical tympanometry 246
 – case studies 35, 259
 – eustachian tube function test 249
 – immittance test 245
 – multifrequency and multicomponent tympanometry 249
 – resonance frequency measurement 251
 – total impedance calculation 245
 – tympanogram
 – and its derivatives 246, 247
 – clinical classification of 248
 – signature 249
 – width measurement 31
 – wideband immittance measurement 33–34, 252
 – absorbance at tympanometry peak pressure and ambient pressure 252
 – average absorbance tympanogram 33, 252
 – middle ear disorders 253
 – normative values 253
 Middle ear muscle reflexes (MEMRs) 212
 Middle latency responses (MLRs)
 – age 329
 – and cortical auditory evoked potentials 325
 – brainstem lesions 329
 – clinical uses 328
 – neurodiagnosis 328
 – postauricular muscle reflex 329
 – threshold estimation 328
 Mini-Mental State Examination (MMSE) 230
 Mini-Social Phobia Inventory (Mini-SPIN) 195
 Minimal masking level (MML) 193
 Minimum contralateral interference level (MCIL) 185
 Minimum effective masking 134
 Minimum effective masking level 134
 Minimum EM level method (MEML) 131
 Minimum masking level 134
 Minimum response level 172

Mismatch negativity (MMN) 195, 336, 337
 – clinical application 338
 – aging 338
 – childhood disorders 338
 – coma 338
 – neurological disorders 338
 – schizophrenia 338
 – oddball paradigm 337
 – source 336
 – theories 337
 – waveform 337
 Mitochondrial nonsyndromic hearing loss 52
 Mitochondrial testing 57
 Mixed hearing loss 17, 27, 108
 Modified Rhyme Hearing Test 157
 Modulated tones 13
 Modulation 13
 Monaural measures of degraded speech recognition 235
 Mondini malformation 45
 Monitored live voice (MLV) 16, 165
 Monosyllabic word tests 155
 Montreal Cognitive Assessment (MoCA) 230
 Motion sickness 44
 Motor control test (MCT) 30, 440
 Mucosalization 37
 Multi-speaker-access-technology (MSAT) 239
 Multicomponent tympanometry 249
 Multidisciplinary approach, (C) APD 223
 Multifrequency tympanometry 249
 Multigene panels 56
 Multiple Choice Discrimination Test 157
 Multisyllabic Lexical Neighborhood Test (MLNT) 156
 Multitalker babble 16
 Myringitis 37
 Myringosclerosis 37

N

N400 339, 339, 339
 – in clinical assessment 340
 Narrowband (NB) chirp 309
 Narrowband noise (NBN) 2, 14, 128, 129
 Narrowband stimuli 308, 311
 Nasopharyngoscopy 37
 National health care expenditures 451
 National Institute for Children's Health Quality (NICHQ) Initiative, for audiologists 375, 376
 National Institutes of Health (NIH) 365
 NCHAM Newborn Hearing Screening Training Curriculum Scripts 394
 Negative Bing 116
 Negative polarity 11
 Neonatal hearing screening
 – equipment and parameters 368
 – follow-up, and diagnosis 365
 – history 365
 – JCIH risk factors
 – follow-up and monitoring 369
 – for infants with and without 369, 371, 372
 – loss to follow-up/loss to documentation/loss to treatment 374
 – loss to follow-up/loss to documentation/loss to treatment 373
 – methods 368
 – program management 368
 – protocols 369
 – training protocols 372
 Neoplasms 97
 Neoplasms of inner ear 39
 Neoplasms of middle ear 39
 Neural generators 404
 Neural substrates of language 340
 Neurodiagnostic ABR 313
 Neurodiagnostic auditory brainstem response 317
 Neurovascular compression syndrome 77
 Neurovascular conflicts 77
 Newborn hearing screening 313
 – AABR 314
 – ASSR 353
 – amplification strategies 354
 – behavioral hearing threshold 355
 – diagnosis 354
 – objective estimation of auditory thresholds 354
 – recordable thresholds 354
 – school-age children 353
 Next-generation sequencing (NGS) 56
 Noise detection threshold (NDT) 186
 Noise interference level (NIL) 186
 Noise stimuli 13, 14
 – narrowband 14
 – speech-shaped 14
 – white 2, 14
 Noise-induced hearing loss (NIHL) 7, 27, 39, 39
 Nonconductive hearing loss 213
 Nonsense syllable tests 157
 Nonsyndromic hearing loss 49, 51
 – autosomal dominant 51
 – autosomal recessive 50
 – mitochondrial 52
 – multifactorial 52
 – nomenclature 49
 – X-linked forms of 51
 Nontest ear (NTE) 123
 Nontest ear (NTE) 123
 Northwestern University Auditory Test No. 6 (NU-6) 156, 235
 Nucleus prepositus hypoglossi 64
 Nutraceutical product 84
 Nutraceuticals
 – advertising dietary supplements 85
 – at-risk groups 86
 – costs 86
 – dietary supplements for hearing loss, tinnitus, or vertigo 84
 – GMP for supplements 85
 – OTC tinnitus
 – products 85
 – relief products 85
 – research 86
 – side effects of 85

O

OAE, screening process and parameters 368
 OAEs 177
 Objective auditory procedures 192
 Obsessive Compulsive Inventory-Revised (OCI-R) 195

- Occlusion effect 118, 127, 128, 135
 - Ocular VEMP (oVEMP) 30
 - Ocular vestibular evoked myogenic potential (oVEMP) test 10
 - Ocular vestibular evoked myogenic potentials 433, 434
 - Oculomotor nuclei 64
 - Offsets of sound 11
 - One-size-fits-all approach 109
 - Onsets of sound 11
 - Open-set tests 162
 - Optic nerve monitoring 413
 - Optokinetic test 426, 428
 - Oral-facial-digital syndrome type 1 (OFD1) 54
 - Osseotympanic bone conduction 115
 - Ossicular chain 63
 - Ossicular chain anomalies 45
 - Ossicular chain discontinuity 39
 - Ossiculoplasty 39
 - Osteomas 6, 13, 36, 94
 - Otalgia 33, 36
 - Otitis externa 96
 - Otitis media 4, 37
 - AOM 37
 - chronic otitis media 38
 - serous otitis media 38
 - Otitis media with effusion (OME) 254
 - Otoacoustic emission (OAE) 2, 13–14, 16, 18, 23, 29, 41, 211, 228, 265
 - Otoacoustic emissions (OAE)
 - applications 265
 - calibration 279
 - characteristics of 266
 - detection 265
 - DPOAE 271
 - expected outcomes for various pathologies 37, 280
 - history of 265
 - interpretation 265
 - measurement 265
 - SFOAEs 277
 - SOAEs 277
 - TEOAE 267
 - types of 266
 - Otologic examination 33
 - dizziness 34
 - hearing loss 34
 - otalgia 33
 - otorrhea 34
 - patient's medical history 33
 - physical and visual examination of pinna and ear canal 33
 - tinnitus 34
 - trauma 35
 - vertigo 34
 - Otologic migraine 41
 - Otomycosis 14, 36, 96
 - Otorrhea 34
 - Otosclerosis 38, 118
 - Otoscopes 12, 26, 89
 - Otoscopy inspection 109
 - Otoscopy 37, 111
 - Otospongiosis 38
 - Ototoxicity 40
 - Ototoxins 103
 - Outer ear examination
 - cerumen management 97
 - ear canal examination 91
 - instrumentation 89
 - aural specula 11, 91
 - headlight 89
 - operating microscope 90
 - otoscopes 89
 - surgical loupes 11, 89–90
 - video otoscope 11
 - pathologies and other abnormal findings 93
 - acquired infections 93
 - congenital abnormalities 93
 - neoplasms 97
 - Outer hair cells (OHC) 265–266
 - Oval window 62
 - Over-the-Counter (OTC) tinnitus
 - products 85
 - relief products 85
- ## P
- PAL PB-50 word lists 156
 - Panic Disorder Severity Scale-Self Report (PDSS-SR) 195
 - Parent to Parent USA (P2 P USA) 387
 - Parkinson's diseases 84
 - Patient Health Questionnaire (PHQ-9) 195
 - Patient-centered practice 6
 - Patient-reported outcome measures (PROMs) 3, 231
 - Pediatric audiology 1
 - Pediatric Early Childhood Hearing Screening 377
 - Pediatric Speech Intelligibility (PSI) test 219
 - Pendred syndrome 57
 - Penetrance 53
 - Penn State Worry Questionnaire-Abbreviated version (PSWQ-A) 195
 - Perforation/rupture of tympanic membrane 14, 96
 - Performance-intensity (PI) function 150
 - Perfusion-weighted imaging 70
 - Perichondritis 37
 - Perilymph fistula (PLF) 41
 - Peripheral hearing loss 214
 - in aging population 237
 - Pharmaceuticals 81, 84
 - adverse drug reactions (ADRs) 82
 - audiometric testing protocols 84
 - categories, cause hearing loss 83
 - clinical research access 82
 - clinical trials 82
 - premarket approval regulation 81
 - research status 84
 - routes of drug administration 83, 84
 - terms 82
 - Pharmacodynamics (PD) 82
 - Pharmacogenomics (PD) 83
 - Pharmacokinetics (PK) 83
 - Phase coherence 350
 - Phonetic/phonemic balancing 165
 - Phonology 221
 - Physiological tests 186
 - Picture archiving and communication system (PACS) 67
 - Pierre Robin syndrome 52
 - Pinna and ear canal
 - disorders of 35
 - acute otitis externa 35
 - cholesteatoma of ear canal 36
 - ear itch, dermatitis, chronic otitis externa 35
 - exostoses 36
 - keratosis obturans 36
 - malignant otitis externa 36
 - myringitis 37
 - osteomas 36
 - otomycosis 36
 - perichondritis 37
 - referred otalgia 36
 - physical and visual examination of 35
 - Pitch 100
 - Plateau method 123, 134, 137, 139
 - Platinum-based chemotherapy 40
 - Play audiometry reinforcement using a flashlight (PARF) 176
 - Pleiotropy 52
 - 7-point Likert scale 231
 - Polarity 9
 - negative 11
 - positive 11
 - rarefaction 11
 - Politics, public health 451
 - Poor speech recognition performance 26, 151
 - Portable Automated Rapid Testing (PART) 237
 - Positional nystagmus tests 429, 431
 - Positive Bing 116
 - Positive polarity 11
 - Postauricular muscle reflex (PMR) 329
 - Posterior fossa hemorrhage 77
 - Postheadshake nystagmus 427
 - Postoperative labyrinth obliteration 75
 - Pragmatics 222
 - Preamplification 292
 - Presbycusis 40, 52
 - Pressure-equalization (PE) tubes 266
 - Prestimulus recording 327
 - Prestin 265
 - PRESTO (Perceptually Robust English Sentence Test Open-set) 158
 - Prevention and advocacy 1
 - Prognosis estimation 61
 - Prosody 222
 - Pruritus 36
 - Prussak space 62
 - Pseudo-sensorineural hearing loss 118
 - Pseudohypoacusis 114, 183
 - informal observations and basic audiologic evaluation 184
 - tests and procedures for 185, 185
 - Public health in audiology
 - core competencies 447
 - epidemiological triad 449
 - evidence-based approaches 448
 - health behavior and education 447
 - historical perspective 445
 - needs assessment 447
 - planning and management 447
 - policy and leadership 449
 - politics 451
 - reimbursement 450
 - Publication bias 5
 - Pulsed tones 13
 - Pure tone air conduction 109
 - case history 109
 - ear selection 111
 - earphone placement 112
 - examination of the ear 111
 - false negative and false positive responses 114
 - infection control 110
 - instructions to the patient 111
 - listener position 111
 - masking 112
 - presentation order 112
 - response strategy 112
 - stimulus type 112
 - test environment 110
 - test frequencies 112
 - threshold procedure 113
 - pure tone bone conduction (B/C) audiometry 115
 - Pure tone bone conduction (B/C) audiometry 115
 - and pseudo-sensorineural hearing loss 118
 - audiometric shape 119
 - force on mastoid surface area 18, 117
 - limitations of 118
 - acoustic radiations 118
 - interaural attenuation 118
 - maximum intensity limits 118
 - occlusion effect 118
 - vibrotactile response 118
 - modes of bone conduction 115
 - distortional/compressional bone conduction 115
 - inertial bone conduction 115
 - osseotympanic bone conduction 115
 - testing procedures 117
 - tuning fork tests 115
 - vibrator/oscillator placement 116
 - Pure tone sinusoids 99
 - Pure tone test 190
 - Pure tone tests
 - air and bone conduction procedures 109
 - audiogram and audiometric symbols 106
 - equipment 101
 - findings 118
 - frequency 14, 99
 - hearing loss types 106
 - hearing screening 119
 - human ear, frequency and intensity function of 14, 101
 - intensity 101
 - physical description 99
 - pure tone air conduction 109
 - case history 109
 - ear selection 111
 - earphone placement 112
 - examination of the ear 111
 - false negative and false positive responses 114
 - infection control 110
 - instructions to the patient 111
 - listener position 111
 - masking 112
 - presentation order 112
 - response strategy 112
 - stimulus type 112
 - test environment 110
 - test frequencies 112
 - threshold procedure 113
 - pure tone bone conduction (B/C) audiometry 115
 - Pure tones 1, 12, 14
 - Pure-tone air-conduction testing 21, 23, 132, 136
 - Pure-tone audiometry 232
 - Pure-tone bone-conduction testing 23, 132, 137
 - Pure-tone tests 185
 - Pyramidal eminence 63

Q

- Quick Speech in Noise (Quick SIN) 219
- Quick Speech-in-Noise (QuickSIN)
 - test 159, 235
- QuickSIN (Quick SIN test) 16
- Quinine 40

R

- Radioear B-71 18, 117
- Random Gap Detection Test-Standard (RGDT) 217
- Randomized controlled trials (RCTs) 5
- Rarefaction polarity 11
- Receptive language 221
- Recording auditory evoked potentials 325
 - hearing loss, effect of 405, 406
- Recording techniques
 - and stimulus parameters 314, 316, 316, 318
 - electrodes 311
 - Gold-foil TIProbe 289, 290
 - needle electrodes 290
 - parameter selection 291
 - patient instructions 294
 - response analysis 316
 - selection 294
 - time base 292
 - transtympanic versus extratympanic 289, 290
- Reduced recognition of speech in noise 233
- Reference equivalent threshold sound pressure level (RETSPL) 101
- Referred otalgia 36
- Rehabilitation programs 34
- Reissner's membrane 115
- Reliability 4
- Repetition rate, and interstimulus interval (ISI) 327
- Report writing and interpretation 442
- Research and education 2
- Residual inhibition 27, 193
- Resonance frequency, measurement 251, 252
- Resonant frequency (RF) 245
- Response analyses 313
- Retrocochlear disorders 43
- Retrocochlear pathways 108
- Revised Speech Perception in Noise (R-SPIN) test 233
- Rhyming Minimal Contrasts 157
- Right ear advantage (REA) 236
- Rinne test 116
- Roll test 41
- Roll-over index (RI) 151
- Roll-over, defined 152
- Rotary chair test 30, 31, 436
- Rotational chair testing
 - advantages 439
 - disadvantages 439
- Round window 62
- Round window niche 62
- Routes of drug administration 83, 84
- Rudimentary otocyst 45

S

- Saccade test 425, 426
- Sanger sequencing 55–56

- Saudi Standards, Metrology, and Quality Organization (SASO) 23
- Schizophrenia 335
- Scope of practice 2, 86
- Scoring methods 163
 - accuracy 163
 - synthetic vs. analytic 163
- Screening audiometers 27
- Screening vs. diagnostic tests 2
- Scutum 62
- Self-Administered Gerocognitive Exam (SAGE) 230
- Semicircular canal dehiscence (SCD) 76
- Semont maneuver 41
- Sensation level 101
- Sensitivity 3
- Sensitized speech tests 215
- Sensorineural hearing loss (SNHL) 18, 27, 39, 108, 127
- Sensory organization test (SOT) 30, 440, 441
- Sentence recognition 150
- Sentence tests 157
- Sequence, defined 52
- Serous otitis media 38
- Short Health Anxiety Inventory (SHA1) 195
- Short-latency AEPs 293
- Side effects., see Adverse drug reactions (ADRs)
- Signal router switch 104
- Signal selector switch 105
- Signal-noise ratio 29
- Signal-to-noise ratio (SNR) 10, 17, 233
- Signature tympanograms 249
- Single gene sequencing 55
- Sinusoidal harmonic acceleration test 436, 438
- Skew test 16
- Skull base tumors
 - cranial nerves preservation 411
 - recording electrodes 411–412
- Sleep patterns of newborns
 - 0–3 months 378
 - 3 to 6 months 379
 - 3 to 24 months 380
- Small hematoma 13
- Smooth pursuit test 425
- SNHL 45
- Snowballing effect 52
- SNR 269, 275
- Social cognitive theory (SCT) 448
- Sound level meters (SLMs) 23, 25
- Sound pressure level (dB SPL) 101
- Sound pressure level (SPL) 11, 27, 30, 246
- Sound-proof 110
- Spatial hearing 236
- Spatial processing pattern (SPP) score 236
- Specific language impairment/specific reading disability (SLI/SRD) groups 217
- Specific learning disorders 207
- Specificity 4
- Spectral splatter 11
- Speech audiometry 152, 190
 - calibrated instrumentation 153
 - communication handicap 25, 150
 - defined 149
 - differential diagnosis 151
 - audiologic rehabilitation and amplification 153
 - interaural differences 151
 - historical background 149
 - in children 161
 - methodologic variability and test sensitivity 167
 - purposes for 150
 - speech in noise testing 158
 - terminology 150
 - test administration variables 162
 - alternative forms 164
 - response format 162
 - scoring methods 163
 - time 164
 - test materials 155
 - meaningful monosyllabic word tests 155
 - meaningful monosyllabic word tests 155
 - nonsense syllable tests 157
 - sentence tests 157
 - traditional measurements in 153
 - speech thresholds 153
 - suprathreshold word recognition 155
- Speech awareness threshold (SAT) 177
- Speech detection threshold (SDT) 153, 155
- Speech discrimination 150
- Speech perception 149–150, 167–168
 - assessment of 164
 - carrier phrase 165
 - number of test items 26, 166
 - partial- versus full-list test presentation 166
 - phonetic/phonemic balancing 165
 - presentation format of test materials 165
 - presentation levels 166
 - stimulus familiarity and lexical considerations 164
- Speech Perception in Noise (SPIN) Test 159
- Speech recognition scores 464
- Speech recognition threshold (SRT) 23, 131, 133, 139, 151, 153, 153, 154, 236
 - ASHA (1988) test procedure 153
 - clinical applicability 154
- Speech recognition threshold (SRT) testing 381
- Speech sound disorder 208
- Speech spectrum noise (SSN) 218
- Speech stenger tests 185
- Speech stimuli 3, 14, 16
 - complex speech stimuli for auditory processing disorders testing 18
 - consonant sounds 14
 - formants 14
 - monitored live voice (MLV) 16
 - speech-in-noise testing 16
 - synthesized speech sounds 16
 - types of 16
 - vowels 14
- Speech thresholds 153
- Speech with Alternating Masking index 215
- Speech, Spatial and Qualities of Hearing Scale (SSQ) 231
- Speech-in-noise (SIN) recognition performance 235
- Speech-in-noise (SIN) test 9–10, 16, 44, 129, 131, 218, 233, 240, 465
- Speech-in-noise (SNR) 26, 158, 160

- clinical application 160
- noise, hearing loss, and understanding speech 158
- Speech-shaped noise 2, 14
- Spondee threshold (ST) 26, 155, 218
- Spontaneous nystagmus 424
- Spontaneous OAEs (SOAEs) 192
- Spontaneous otoacoustic emissions (SOAEs) 37, 265, 277
- Squamous cell carcinoma 97
- SSNHL 46
- Staggered Spondaic Word (SSW) test 18, 237
- Staggered Spondee Word (SSW) test 210
- Stapedial reflex 255
- Static admittance 247
- Stem cell therapy 39
- Stenger phenomenon 185
- Step velocity test 438
- Stimuli 292
- Stimulus calibration 11
- Stimulus familiarity 164
- Stimulus frequency otoacoustic emissions (SFOAEs) 37, 277
- Stimulus polarity (SP) 293
- Stimulus repetitions 292
- Stimulus transduction 311
- Stimulus type 112
- Store and forward telehealth 456
- Store and Forward Telehealth (SFT) 455
- STRC gene 53
- Subjective calibration 25
- Sudden sensorineural hearing loss (SSNHL) 39
- Superior canal dehiscence syndrome 118
- Superior canal dehiscence syndrome (SCDS) 118
- Superior semicircular canal dehiscence (SSCD) 43
- Superior semicircular canal dehiscence (SSCD) syndrome 38
- Supra-aural headphones 26
- Suprathreshold auditory deficits (SADs) 228
- Suprathreshold word recognition 155
 - dynamic range 155
 - test procedure 26, 155
- Surface competency zone 172
- Swimmer's ear 96
- Syndrome, defined 52
- Syndromic hearing loss 52
- Synthesized speech sounds 16
- Synthetic scoring 163
- Synthetic Sentence Identification (SSI) test 234
- Synthetic Sentence Index (SSI) 158

T

- T2-weighted brain images 69
- T2-weighted gradient-echo or fast spin-echo images 69
- T2-weighted images of the brainstem and auditory cortex 70
- Tablet/smart device audiometers 103
- Tangible reinforcement operant conditioning audiometry (TROCA) 177
- Teach-back techniques 6
- Team-based approach 6

- Tele-audiometry 103
 Teleaudiology, support staff for 457
 Telepractice 6
 Televestibular screening, diagnosis, and treatment 458
 Temporal (time) domain 11
 Temporal bone
 – auditory (eustachian) tube 63
 – fissula ante fenestram 63
 – HRCT, landmarks on 9–10, 65
 – mastoid air cells 63
 – MRI, landmarks on 68
 – ossicular chain 63
 – oval window 62
 – overview 62
 – Prussak space 62
 – pyramidal eminence 63
 – round window 62
 – round window niche 62
 – scutum 62
 – structures and landmarks of 63
 Temporal bone traumas 35, 76
 Temporal processes 217
 Temporal processing, reduced 235
 Temporary threshold shift (TTS) 276
 Tesla (T) 68
 Test battery approach 377
 Test ear (TE) 123
 Third window disorder 20
 Third window effect 118
 Three Interval Forced Choice Test of Speech Pattern Contrast Perception (THRIFT) 157
 Threshold auditory brainstem response 314
 Threshold, defined 114
 Time compression 235
 Time-compressed speech 18
 Tinnitus 27, 34
 – at-risk groups, avoid dietary supplements for 86
 – audiological assessment of 189
 – diagnostic 190
 – targeted patient history 190
 – auditory electrophysiologic tests in evaluation 195
 – defined 189
 – dietary supplements for 84
 – psychoacoustic evaluation of 193
 – questionnaires 194
 Tinnitus Functional Index (TFI) 194
 Tinnitus Handicap Inventory (THI) 194
 Tinnitus management 1
 Tinnitus Reaction Questionnaire (TRQ) 194
 Tinnitus-related activity (TRA) 28, 195
 Tissue biopsy 39
 Tonal stimuli 12, 13, 293
 Tonebursts 4, 18
 Total susceptance 245
 Toxicodynamics (TD) 83
 Tracheo-Esophageal fistula 52
 Transducer 9
 Transducer diaphragm 11
 Transducers 26, 104, 105
 Transient evoked OAEs (TEOAEs) 29
 Transient evoked otoacoustic emissions (TEOAEs) 36, 267, 280
 – applications in clinical practice 270
 – interpretation 269
 – recording techniques 267
 – stimuli 267
 Transient stimuli 18, 18
 – chirp stimulus 6, 18
 – tonebursts 4, 18
 Transient-evoked OAEs (TEOAEs) 192
 Transtympanic (TT) approach to ECoG 287
 Transtympanic recording techniques 289, 290
 Trapezoid body 64
 Trauma 35, 97
 Traumatic brain injury (TBI) 335
 Treacher-Collins syndrome 93
 Treatment planning 61
 Trigeminal nerve monitoring 413
 Tubal insert transducer 294
 Tumor of ceruminous glands 97
 Tumors invading membranous labyrinth 75
 Tuning fork tests 115
 Tuning forks 12, 20, 25
 Two-tone stimulation 1
 Tympanic membrane (TM) 12, 92
 Tympanic membrane electrode (tymptrode), construction 294
 Tympanic membrane perforation 254
 Tympanic membrane perforations 37
 Tympanic membrane, middle ear, and mastoid process
 – cholesteatoma 38
 – eustachian tube dysfunction 37
 – myringosclerosis 37
 – neoplasms of middle ear 39
 – ossicular chain discontinuity 39
 – otitis media 37
 – otosclerosis 38
 – tympanic membrane perforations 37
 – tympanosclerosis 37
 Tympanogram 33
 – and its derivatives 31, 246, 247
 – clinical classification of 248
 – descending and ascending pressure sweeps in ears 33
 – patterns 250
 – signature 249
 – width measurement 31
 – with vascular perturbations 33
 Tympanometric peak pressure (TPP) 247
 Tympanometry 4, 28, 37, 39, 192, 246
 Tympanosclerosis 37
 Tymptrode
 – construction 294
 – placement 295
 U
 U.S. National Institute for Occupational Safety and Health (NIOSH) 27
 U.S. Occupational Safety and Health Administration (OSHA) 27
 Unaidable hearing loss 358
 – versus aidable hearing loss 358
 Unenhanced T1-weighted images 68
 Unilateral tinnitus 28
 Unilaterally impaired ear 185
 University of Cincinnati Auditory Processing Inventory (UCAPI) 214, 231
 University of Oklahoma Closed Response Speech Test 157
 Up-and-down movement, cochlear partition 298
 Usher syndrome 57
 V
 VACTERL 52
 Validity 4
 Valsalva maneuver 96, 249
 Vanderbilt Fatigue Scale in Adults 238
 Vanhuyse model 250
 Variants of uncertain significance (VUS) 56
 Vascular compression syndrome 43
 Vascular loop 43
 Vascular loop syndrome 77
 Vertebrobasilar insufficiency (VBI) 43
 Vertigo 34
 – dietary supplements for 84
 Vestibular evoked myogenic potential (VEMP) 3, 30
 Vestibular evoked myogenic potential (VEMP) test 10
 Vestibular evoked myogenic potentials (VEMPs)
 – cervical 432
 – ocular 433
 Vestibular function
 – assessment 419
 – neurodiagnostic test selection 421, 422
 – otologic and nonotologic dizziness 419–420
 – patient history 419
 – patient preparation 421
 Vestibular instrumentation 30
 – estibular evoked myogenic potential (VEMP) 30
 – ideonystagmography 30
 – lectionystagmography 30
 – computerized dynamic posturography 30
 – otary chair test 31
 Vestibular nerve monitoring techniques 413
 Vestibular neuritis 41, 76
 Vestibular neuronitis 41
 Vestibular nucleus 64
 Vestibular paroxysmia 77
 Vestibular rehabilitation 1
 Vestibular schwannoma, acial nerve in operations
 – continuous monitoring of integrity 411
 – function monitoring 408–409
 – injuries, detection 410
 – anatomical location 410
 – preservation 408
 Vestibular testing 3
 Vestibulo-ocular reflex (VOR) 30
 Vestibulo-spinal reflex (VSR) 30
 Vibrotactile response 118
 Video head impulse test (vHIT) 3, 30, 435, 436
 Video otoscope 11, 89
 Videonystagmography
 – advantages 431
 – disadvantages 431
 Videonystagmography (VNG) 3, 30, 44, 423, 424–425
 Visual Analogue Scale (VAS) 194
 Visual impairment 183
 Visual reinforcement audiometry (VRA) 27, 175
 Voice onset time (VOT) 333
 Vowels 14
 W
 Warble tones 13
 Wave enhancement 300, 302–303
 Wave V threshold 314–315
 Waveform identification 319
 Weber test 116
 Westlake method 113
 White noise 2, 14
 Whole exome sequencing (WES) 56
 Whole genome sequencing (WGS) 56
 Wideband acoustic immittance (WAI) measurement 252
 Wideband immittance measurement 33–34, 252
 – absorbance at tympanometry peak pressure and ambient pressure 252
 – average absorbance tympanogram 33, 252
 – middle ear disorders 253
 – normative values 253
 Wideband reflectance 28
 Windowing 11
 Word Intelligibility by Picture Identification (WIPI) test 177
 Word recognition testing 23, 134, 141
 Word Success 239
 Words in Noise (WIN) test 160
 Words-in-Noise (WIN) test 235