

Index

Page references in *italics* refer to illustrations

A

- ABCG5* gene, and sitosterolemia 167
ABCG8 gene, and sitosterolemia 167
 acetaminophen
 and caffeine 37
 guar gum interaction 142
 acetylcholine, and Alzheimer disease 212
 acetyl-coenzyme A (CoA), and lipoic acid 243
 acetyl-L-carnitine (ALCAR)
 and aging 232
 and Alzheimer disease 235
 chemical structure 229
 and decreased sperm motility 236–237
 and HIV/AIDS 235–236
 as supplement 237–238
 acid condensation products,
 indole-3-carbinol 116–117, 117, 118
 acylcarnitines 230
 adenoma, colorectal, and fiber 137
 adenosine, chemical structure 31
 adenosine triphosphate (ATP),
 and coenzyme Q₁₀ 215
 aerobic exercise, and coenzyme Q₁₀ 222
 aflatoxin-associated liver cancer 68–69
 age, longevity and resveratrol 177
 age-related macular degeneration (AMD) 3
 and carotenoids 56–57
 aging
 and L-carnitine 232–233
 and coenzyme Q10 217
 ajoene 149, 150
 alanine aminotransferase (ALT),
 and choline 209
 albuterol, and caffeine 37
 alcohol, and carotenoids 61
 alcoholic beverages, and cardiovascular disease 176
 allergies
 and chitin/chitosan supplementation 142
 nuts 21
 allicin 149
 decomposition 150
 enteric-coated tablets 156
 alliinase 149, 155
 alliin, content in fresh garlic 155

Allium sativum 149
 S-allylcysteine 149, 150
 allyl isothiocyanate (AITC) 109
 chemical structure 109
 food sources 112
 almonds, content in 1-oz. serving 19
 Alzheimer disease
 and acetylcholine 212
 and ALCAR treatment 235
 and L-carnitine 235, 238
 and curcumin 78
 and essential fatty acids 191, 196
 and flavonoids 87
 and fruits/vegetables 4
 and lipoic acid 247
 see also cognitive decline;
 dementia
 American Cancer Society Cancer Prevention Study II 255
 amylase, chemical structure 133
 anaphylaxis
 and fiber supplements 142
 and nut allergies 21
 angina pectoris
 and L-carnitine treatment 234
 and coenzyme Q10 219
 angiogenesis, inhibition of
 by curcumin 76
 by flavonoids 85
 by indole-3-carbinol 119
 by resveratrol 175
 anthocyanins 84
 content in selected foods 89
 food sources 88
 supplements 88
 antibacterial activity, isothiocyanates 111
 anticoagulant drugs
 and flavonoids 90
 and grapefruit juice 90
 interactions with garlic 157
 and phytosterols 168
 and resveratrol 178–179
 and soy isoflavones 103
 anti-estrogenic activities
 lignans 127
 resveratrol 174
 soy isoflavones 97
 anti-inflammatory activity
 curcumin 75
 flavonoids 85
 and garlic-derived compounds 151
 induction 164
 isothiocyanates 111
 resveratrol 175
 antimicrobial activity, garlic extracts 152
 antioxidant activity/effects
 carotenoids 53
 chlorophyllin 68
 curcumin 75
 flavonoids 84
 garlic-derived compounds 151
 lipoic acid 243
 resveratrol 174
 antioxidant response element (ARE)
 genes, and isothiocyanates 110
 and organosulfur compounds 152
 antioxidant supplements, and carotenoids 61
 antiplatelet drugs
 and flavonoids 90
 and resveratrol 178–179
 antiretroviral agents, and L-carnitine deficiency 236
 APC gene, and curcumin 76
 apoptosis, induction of
 by curcumin 76
 by flavonoids 85
 by garlic-derived compounds 152
 by indole-3-carbinol 119
 by isothiocyanates 110
 by phytosterols 164
 by resveratrol 175
 apple, amount in one serving 4
 arachidonic acid
 chemical structure 83
 food sources 196, 197
 arrhythmia, cardiac, and coffee 35
 arterial function, and soy isoflavones 98
 arterial smooth muscle proliferation, and garlic-derived compounds 151
 arthritis, rheumatoid, and essential fatty acids 193
 aryl hydrocarbon receptor (AhR) 118
 aspirin
 and caffeine 37
 and curcumin 79
 and flavonoids 90
 interaction with curcumin 79
 and resveratrol 179
 asthma
 and essential fatty acids 194
 and psyllium exposure 142

- atherosclerosis
 and coenzyme Q10 217, 218, 219–220
 and garlic supplementation 153
- athletic performance
 and L-carnitine 237
 and coenzyme Q10 222
see also exercise tolerance; physical performance
- B**
- banana, amount in one serving 4
- beans
 and cardiovascular disease 14–15
 cooked, amount in one serving 4
see also soy
- benign prostatic hyperplasia (BPH), and phytosterols 166
- benzoquinone biosynthesis 223
- benzyl isothiocyanate (BITC) 109
 chemical structure 109
 food sources 112
- betaine 209
- biosynthesis
 L-carnitine 229, 237
 choline 212
 coenzyme Q10 222–223
 essential fatty acids 196
 lipoic acid 242
 R-lipoic acid 247
- biotin, and lipoic acid 249
- biotransformation enzymes 68
 and curcumin 75
 and garlic-derived compounds 151–152
 and indole-3-carbinol 117, 118
 and isothiocyanates 110, 112
 and resveratrol 174–175
- bipolar disorder, and essential fatty acids 194–195
- birth defects
 and choline 211–212
 and coffee 36
- bisdemethoxycurcumin, chemical structure 73
- blood glucose *see* glycemia; glycemic control
- blood pressure
 and fiber intake 136
 and garlic supplementation 153
 high 1–2
- body weight, and nuts 21
- bone mineral density (BMD)
 and fruits and vegetables 3
 and lignans 129
 and soy isoflavones 99–100
 and tea 46
see also osteoporosis
- borage seed oil 196
 adverse effects 196
- Brassica* vegetables 8–13
- brazil nuts, content in 1-oz. serving 19
- breakfast cereals
 and cardiovascular disease 25
 and whole-grain intake 25, 27
see also cereals; whole grains
- breast cancer
 and cruciferous vegetables 9
 and fiber 137–138
 and glycemic index 256
 and legumes 16
 and lignans 128
 and soy isoflavones 98, 101, 102
- breast-feeding *see* lactation
- breast milk, and garlic consumption 157
- broccoli sprouts, and glucoraphanin 112–113
- bumetanide, guar gum interaction 142
- C**
- cafestol 35
 chemical structure 31
 in coffee 31–32
- caffeinated cola 35
- caffeine 30–31
 chemical structure 31
 drug interactions 48
 metabolism, drugs altering 36–37
 in tea vs. coffee 44
see also coffee; tea
- calcium, and coffee 37
- caloric restriction, and longevity 177
- Camellia sinensis* 42
- campesterol 162
- cancer
 and choline 211
 and coenzyme Q10 supplementation 222
 and coffee 35
 and cruciferous vegetables 8
 and curcumin 76, 77
 and flavonoids 85, 86–87
 and fruits/vegetables 2–3
 and garlic-derived compounds 151–152
 and garlic supplementation 154–155
 and glycemic load 256
 and green tea 45–46
 and indole-3-carbinol 119
 and isothiocyanates 111–112
 and phytosterols 165–166
 and resveratrol 177
 and whole grains 25–26
see also carcinogens; *specific cancer types, sites*
- carbamazepine, and psyllium absorption 142
- carbohydrates
 and glycemic load 253, 254
 values for selected foods 254
 and whole grains 24
- carcinogen metabolism 110
 and curcumin 75
 and garlic-derived compounds 151–152
 and isothiocyanates 110
- carcinogens, detoxification 68
- cardiac arrhythmias, and coffee 35
- cardiac death, sudden, and essential fatty acids 190
- cardiac surgery, and coenzyme Q₁₀ supplementation 224
- cardiovascular autonomic neuropathy (CAN) 246
- cardiovascular disease
 and L-carnitine 233–235
 and carotenoids 56
 and choline 211
 and coenzyme Q10 217–218, 218–219
 and coffee 34–35
 and essential fatty acids 188–191
 and fiber 136
 and flavonoids 85–87
 and garlic 152–153
 and garlic-derived compounds 151
 and glycemic load 255
 and legumes 14–15
 and lignans 128
 and nuts 19–20
 and phytosterols 164–165
 prevention 1–2
 and red wine polyphenols 176–177
 and resveratrol 177
 and soy isoflavones 97–98
 and tea 44–45
 and whole grains 25
see also coronary heart disease (CHD); heart failure
- caries, dental, and tea 46–47
- L-carnitine 229–241
 biological activity 230–231
 biosynthesis 237
 chemical structure 229
 content in selected foods 237
 deficiency 231–232
 dietary 230
 and disease prevention 232–233
 and disease treatment 233–237
 food sources 237
 intravenous 237
 nutrient interactions 232
 oral 237
 primary systemic deficiency 231
 safety 238

- summary 238
- supplements 230, 237–238
- carnitine:acylcarnitine translocase (CACT) 230
- carnitine deficiency
 - primary myopathic 232
 - primary systemic 231
 - secondary 232
- carnitine system, mitochondrial 231
- α -carotene
 - chemical structure 52
 - content, selected foods 58
 - food sources 58
- β -carotene
 - adverse effects 60
 - chemical structure 52
 - content, selected foods 58
 - food sources 58
 - safety 60
- β -carotene supplements 59
 - and AMD 57
 - and cardiovascular disease 56
 - and cataracts 57
 - and lung cancer 54–55
- carotenodermia 60
- carotenoids 52–66
 - bioavailability 52–53
 - biological activities 53–54
 - chemical structure 52, 53
 - deficiency 54
 - and disease prevention 54–57
 - drug interactions 61
 - and immune system function 54
 - interactions among 62
 - interactions with phytosterols 168
 - intercellular communication 54
 - metabolism 52–53
 - safety 60–62
 - sources 57–60
 - summary 62
 - supplements 59–60
- all-trans* carotenoids 52, 53, 57
- cashews, content in 1-oz. serving 19
- cataracts
 - and carotenoids 57
 - and fruits and vegetables 3
- catechins 44
 - in tea, chemical structures 42
- CD4 T lymphocytes, and L-carnitine 235–236
- cell-cycle arrest
 - and indole-3-carbinol 118
 - induction, and curcumin 76
 - and isothiocyanates 110
 - and organosulfur compounds 152
 - and resveratrol 175
- cell-cycle regulation, and flavonoids 85
- cell membrane properties
 - and essential fatty acids 185
 - and phytosterols 164
- cell signaling
 - and choline 209
 - pathways, flavonoid effects 84
- cellulose
 - chemical structure 133
 - defined 134
 - effect on constipation 136
- central nervous system, and tea extracts 90
- cereals
 - fiber-rich, and weight loss 138
 - see also* breakfast cereals; whole grains
- cervical intraepithelial neoplasia, and indole-3-carbinol 119–120
- CFTR* gene, and curcumin 76
- chelation *see* metal chelation
- chitin
 - and allergy/anaphylaxis 142
 - defined 134
- chitosan
 - and allergy/anaphylaxis 142
 - defined 134
 - sources 141
- chlorogenic acid, in coffee 30, 30
- chlorophyll 67–72
 - bioavailability 67
 - biological activities 67–68
 - chemical structure 67
 - disease prevention 68–69
 - metabolism 67
 - safety 70
 - sources 70
 - summary 70
 - supplements 70
- chlorophyllin 67–72
 - antioxidant effects 68
 - bioavailability 67
 - biological activities 67–68
 - detoxification of carcinogens 68
 - disease prevention 68–69
 - as internal deodorant 69
 - metabolism 67
 - safety 70
 - summary 70
 - supplements 70
 - therapeutic effects 68
 - and wound healing 69
- cholesterol
 - chemical structure 162
 - dietary, absorption 163
 - high-density lipoprotein (HDL)
 - see* HDL cholesterol
 - low-density lipoprotein (LDL)
 - see* LDL cholesterol
 - and phytosterols 162, 163–164
- cholesterol synthesis
 - and coenzyme Q10 224
 - inhibition, garlic-derived compounds 151
- choline 209–214
 - adequate intake 210–211
 - content in selected food 213
 - deficiency 209–210
 - and disease prevention 211–212
 - and disease treatment 212
 - function 209
 - nutrient interactions 210, 210
 - safety 213
 - sources 212–213
 - summary 213
 - upper intake level 213
- chronic obstructive pulmonary disease (COPD), and fruits/vegetables 4
- chylomicrons 52
- cinnamic acids 30
- cirrhosis, and coffee 33–34
- claudication, intermittent, and L-carnitine treatment 234–235
- clopidogrel
 - interaction with curcumin 79
 - interaction with resveratrol 179
- clozapine, and caffeine 37
- coenzyme A (CoA)
 - and L-carnitine 230–231
 - and lipoic acid 243
- coenzyme Q₁₀ 215–228
 - antioxidant functions 215
 - chemical structure 216
 - content in selected foods 223
 - deficiency 216
 - and disease prevention 217–218
 - and disease treatment 218–220
 - food sources 223
 - and Huntington disease 221–222
 - nutrient interactions 215–216
 - and Parkinson disease 221
 - safety 224
 - sources 222–224
 - summary 224–225
 - supplementation 223–224
 - and α -tocopherol 215–216, 217
 - toxicity 224
- coffee 30–41
 - adverse effects 36
 - bioactive compounds in 30–32
 - caffeine content 44
 - decaffeinated *see* decaffeinated coffee
 - and disease prevention 32–34
 - drug interactions 36–37
 - nutrient interactions 37
 - safety 34–37
 - summary 37–38
 - see also* caffeine
- cognitive decline
 - and lipoic acid 247
 - and soy isoflavones 100
 - see also* Alzheimer disease; dementia
- cognitive function, and choline 212

- cola, caffeinated 35
 colorectal adenoma
 and fiber 137
 recurrence, and psyllium 137, 141
 colorectal cancer
 and coffee 33
 and cruciferous vegetables 9
 and fiber 137
 and garlic supplementation 154
 and tea 46
 COMT gene, and tea flavonoids 46
 congestive heart failure, and coenzyme Q₁₀ 218–219
 constipation, and fiber 136
 COPD *see* chronic obstructive pulmonary disease
 coronary artery bypass graft (CABG), and coenzyme Q₁₀ 219
 coronary heart disease (CHD) 1
 and essential fatty acids 188–189, 190, 192
 and fiber 136
 and fish consumption 190
 and flavonoids 85–86
 and lignans 128
 and nuts 19–20
 and phytoosterols 165
 and whole grains 25
 see also cardiovascular disease; heart failure
 Coumadin *see* warfarin
 cow's milk-based infant formulas, vs. soy-based 102–103
 COX2 gene, and curcumin 75
 creatine, and coenzyme Q₁₀, in Huntington disease 221
 cress, and isothiocyanates 110
 Crohn disease, and essential fatty acids 193–194
 cruciferous vegetables 8–13
 and cancer risk 111–112
 chewing 109, 116–117
 and disease prevention 8–10
 glucosinolate content 112
 and glucosinolates 116
 and I3C formation 116–117
 intake recommendations 10
 and isothiocyanates 109, 112
 nutrient interactions 10
 summary 11
 β-cryptoxanthin
 chemical structure 52
 content, selected foods 59
 food sources 58
Curcuma longa 73, 78
 curcumin 73–82
 adverse effects 78–79
 bioavailability and metabolism 73–74
 biological activities 75–76
 chemical structure 73, 74
 disease prevention 76
 disease treatment 77–78
 metabolites, chemical structures 74
 and NF-κB-dependent gene transcription 75
 safety 78–79
 sources 78
 summary 79
 supplements 78
 curcuminoids, chemical structures 73
 cyclooxygenases (COXs) 75
 and eicosanoid synthesis 186
 CYP1A1, and curcumin 75
 CYP1A2, and coffee 36
 CYP3A4
 and flavonoids 90
 and indole-3-carbinol 121
 and resveratrol 179
 see also cytochrome P450
 cysteine sulfoxides 149
 cystic fibrosis
 and curcumin 77–78
 and essential fatty acid deficiency 187
 cytochrome P450
 and chlorophyllin 68
 and coffee 36
 and curcumin 75
 and flavonoids 90
 and grapefruit juice 90
 and isothiocyanates 110, 113
 and resveratrol 179
 see also CYP1A1; CYP1A2; CYP3A4
- D**
- daidzein 96
 chemical structure 96
 content in selected foods 101
 daidzin 96
 dalteparin, interaction with curcumin 79
 DASH diet 1–2
 decaffeinated coffee
 and colorectal cancer 33
 and pregnancy 36
 and type 2 diabetes mellitus 32
 decaffeinated green tea, adverse effects 47
 dementia
 and ALCAR treatment 235
 and essential fatty acids 191, 196
 and lipoic acid 247
 see also Alzheimer disease; cognitive decline
 demethoxycurcumin, chemical structure 73
 dental caries, and tea 46–47
 deodorant effects, chlorophyllin 69
 depression, major, and essential fatty acids 194–195
 detoxification enzymes, phase II, and flavonoids 85
 dextrans, resistant, defined 134
 diabetes mellitus
 and coenzyme Q₁₀ 220
 and coffee 32
 and essential fatty acids 193
 and fiber 137, 139
 and fruits and vegetables 2
 and glycemic load 254–255
 and glycemic load, lowering 256–257
 and legumes 14
 and lipoic acid 244–245, 244–247
 neuropathy, and lipoic acid 246
 and nuts 20–21
 vascular disease in, and lipoic acid 245
 and whole grains 24
 see also glycemic control; insulin resistance; insulin sensitivity
 diabetic neuropathy, and lipoic acid 246
 diallyl disulfide (DADS) 149, 150
 diallyl sulfide (DAS) 149, 150
 diallyl trisulfide (DATS) 149, 150
 Dietary Approaches to Stop Hypertension (DASH) 1–2
 diethylstilbestrol, chemical structure 175
 digoxin
 guar gum interaction 142
 psyllium interaction 142
 dihydrolipoic acid (DHLA) 242
 and antioxidants 243
 chemical structure 242
 3,3'-diindolemethane (DIM) 117
 chemical structure 117
 as dietary supplement 121
 diseases, quick reference 259–263
 disodium copper chlorin e₄ 67, 68
 diterpenes, in coffee 31, 31–32
 diverticulitis 26
 and fiber 138
 diverticulosis, and fiber 138
 docosahexaenoic acid (DHA) 183
 adverse effects 197–198
 and Alzheimer disease 191
 and cardiovascular disease 190
 chemical structure 83
 and coronary heart disease 192
 and diabetes mellitus 193
 food sources 196
 and nervous system 186
 in pregnancy 188
 and serum triglycerides 191
 and visual and neurological development 187
 doxorubicin, and L-carnitine supplementation 238
 drug interactions 264–269
 caffeine in tea 48

- L-carnitine 238
 carotenoids 61
 choline 213
 coenzyme Q10 224
 coffee 36–37
 curcumin 79
 essential fatty acids 199
 fiber supplements 142
 grapefruit juice 90
 green tea 48
 indole-3-carbinol 121
 lipoic acid 248
 phytosterols 168
 resveratrol 178–179
 soy isoflavones 103
- E**
- eicosanoids 75
 synthesis 186
 eicosapentaenoic acid (EPA) 183
 adverse effects 197–198
 and cardiovascular disease 189
 chemical structure 83
 and coronary heart disease 192
 and diabetes mellitus 193
 food sources 196, 197
 in pregnancy 188
 and serum triglycerides 191
 encephalomyopathy, and coenzyme Q₁₀ 218
 endometrial cancer
 and glycemic index 256
 and lignans 128
 and soy isoflavones 98
 endosperm, in grains 24
 endothelial function *see* vascular endothelial function
 endothelial nitric oxide synthase (eNOS) activity
 and flavonoids 85
 stimulation by resveratrol 176
 enoxaparin, interaction with curcumin 79
 enterodiol 126
 chemical structure 126
 enterolactone 126
 chemical structure 126
 enterolignans 126
 epicatechin (EC) 42, 44
 epicatechin gallate (ECG) 42, 44
 epigallocatechin (EGC) 42, 44
 epigallocatechin gallate (EGCG) 42, 44
 epinephrine, and caffeine 37
 equol
 chemical structure 97
 and menopausal symptoms 100–101
 and osteoporosis 100
 erythropoietin (EPO), and L-carnitine treatment 235
 essential fatty acids 183–208
 bioavailability 183
 biological activities 185–186
 chemical structures 184
 contaminants in supplements 199
 deficiency 186–187
 and disease prevention 187–191
 and disease treatment 192–196
 drug interactions 199
 food sources 196
 intake recommendations 200–201
 metabolism 183
 nutrient interactions 199
 safety 197–199
 summary 201
 supplements 196–197
see also docosahexaenoic acid (DHA); eicosapentaenoic acid (EPA); omega-3 fatty acids; omega-6 fatty acids
 17 β -estradiol, chemical structure 97, 175
 estrogen activity
 and indole-3-carbinol 118
 lignans 127–128
 resveratrol 174
 soy isoflavones 97
 estrogen metabolism, and fiber 138
 estrogen-receptor-positive breast cancer cells, and soy isoflavones 102
 estrogen-sensitive cancers, and resveratrol 178
 evening primrose oil 196
 adverse effects 196
 drug interactions 199
 exercise tolerance
 and L-carnitine 234
 and coenzyme Q10 218, 219, 222
see also athletic performance; physical performance
 eye diseases, age-related, and fruits and vegetables 3
- F**
- familial adenomatous polyposis, and curcumin 76
 Fanconi syndrome, and carnitine deficiency 232
 fat content, nuts 19, 20
 fat malabsorption, and essential fatty acid deficiency 187
 fatty acids
 long-chain, and L-carnitine 230
 scientific abbreviations 183
see also essential fatty acids
 fatty liver 209
 fetal growth, and coffee 36
 fiber 133–148
 biological activities 135–136
 classification systems 134, 135
 content of selected foods 140
 definitions 133–135
 dietary, definitions 134
 and disease prevention 136–139
 and disease treatment 139–140
 fermentable vs. nonfermentable 135
 food sources 140–141
 functional, definitions 134
 intake recommendations 142–143
 nutrient interactions 142
 and nuts 19, 20
 safety 141–142
 soluble vs. insoluble 135
 summary 143
 total, definition 134
 viscous vs. nonviscous 135
 fish consumption 196
 and coronary heart disease 190, 192
 and stroke 190–191
 fish, contaminants in 198–199
 fish oil supplementation
 and coronary heart disease 192
 and pregnancy 188
 in pregnancy 188
 Five A Day program, fruits and vegetables 2
 flashes, hot, and isoflavone therapy 100
 flavanols 84
 content in selected foods 89
 food sources 88
 supplements 88–89
 flavanones
 content in selected foods 89
 food sources 88
 supplements 89
 flavones
 content in selected foods 89
 food sources 88
 supplements 89
 flavonoids 42, 83–95
 adverse effects 89
 bioavailability 83–84
 biological activities 84–85
 content in selected foods 89
 and disease prevention 85–87
 drug interactions 90
 food sources 88
 metabolism 46, 83–84
 nutrient interactions 48, 90
 in red wine 176
 safety 89–90
 summary 91
 supplements 88–89
 in tea 44, 46
 flavonols 44
 food sources 88

- flax seed oil, as ALA supplement 197
- flaxseeds
 adverse effects 130
 and cholesterol 128
 and lignan precursors 126
- fluoride, and tea consumption 44
- flushes, hot, and isoflavone therapy 100
- folate 209, 210, 210
 in nuts 20
 in pregnancy 211–212
- Friedreich ataxia, and coenzyme Q₁₀ 222
- fructooligosaccharides, defined 134
- fructose 253, 255
- fruit juice, amount in one serving 4
- fruits 1–7
 chopped, amount in one serving 4
 and disease prevention 1–4
 dried, amount in one serving 4
 example servings 4
 intake recommendations 4
 summary 4–5
- Fruits & Veggies More Matters campaign 2
- G**
- gallbladder
 and curcumin 79
 disease, and glycemic load 256
- garlic
 drug interactions 157
 effects of cooking 155
 fluid extracts 156
 oil macerates 156
 organosulfur compounds 149–161
 powdered (dehydrated) 156
 safety 156–157
 steam-distilled oil 156
 summary 157
 see also organosulfur compounds from garlic
- garlic extract, aged 156
 and S-allylcysteine 149
- gastric cancer
 and garlic supplementation 154
 and isothiocyanates 111
- gastrointestinal symptoms, and fiber supplementation 141
- gastrointestinal tract cancer, and whole grains 25–26
- gene expression, and essential fatty acids 186
- genetic influences, and cruciferous vegetables 10
- genistein 96
 chemical structure 96
 content in selected foods 101
 and tamoxifen interaction 102, 103
- genistin 96
- β-glucans
 chemical structure 133
 defined 134
 sources 140
- glucobrassicin 116
 chemical structure 116
- gluconasturtiin 109
- food sources 112
- glucoraphanin 109
 in broccoli sprouts 112–113
 food sources 112
- glucose tolerance, and coffee 32
- glucose utilization, and lipoic acid 245, 248
- glucosinolates 8, 10, 11, 109
 effects of cooking 113
 food sources 112
 myrosinase-catalyzed hydrolysis 109
- glucotropaeolin 110
 food sources 112
- γ-glutamyl S-allylcysteine
 content in fresh garlic 155
 content in powdered garlic 156
- γ-glutamylcysteines 149
- glutathione synthesis
 cellular, and garlic-derived compounds 152
 curcumin 75
 and lipoic acid 243–244
- glutathione S-transferases (GSTs) 10, 109
 and curcumin 75
- glycemia, postprandial, and fiber 135
- glycemic control
 and fiber intake 139
 and lipoic acid 245, 248
 see also diabetes mellitus
- glycemic index 253–258
 calculation 253
 and cancer 256
 and gallbladder disease 256
 values for selected foods 254
 and whole grains 24
- glycemic load 253–258
 calculation 253–254
 and cancer 256
 and cardiovascular disease 255
 and disease prevention 254–255
 and gallbladder disease 256
 lowering, in diabetes mellitus 256–257
 and obesity 255–256
 and type 2 diabetes mellitus 254–255
 values for selected foods 254
- glycemic response, to carbohydrates 253
- glycitein 96
 chemical structure 96
- glycitin 96
- goitrin 10
- grains see whole grains
- grapefruit juice, drug interactions 90
- grape juice, resveratrol content 178
- green tea
 and cardiovascular disease 45
 flavanol supplementation 88
- GST see glutathione S-transferase
- GSTM1 gene
 and cruciferous vegetables 10
 and isothiocyanates 112
- GSTT1 gene, and isothiocyanates 112
- guar gum
 drug interactions 142
 and irritable bowel syndrome 140
 sources 141
- H**
- hazelnuts, content in 1-oz. serving 19
- HDL cholesterol
 and fiber 136
 and glycemic load 255
 and niacin 61
- Health People 2010 campaign 26
- Health Professionals' Follow-Up Study (HPFS) 254
- heart failure
 and L-carnitine 233–234
 congestive, and coenzyme Q₁₀ 218–219
 see also cardiac; cardiovascular; coronary heart disease (CHD); myocardial
- Helicobacter pylori*
 and garlic supplementation 154
 and isothiocyanates 111
- hemicelluloses, defined 134
- heparin, and curcumin 79
- hepatocellular carcinoma, and coffee 33, 34
- hepatotoxicity, tea extracts 89–90
- hexahydroxycurcumin, chemical structure 74
- hexahydroxycurcuminol 74
- high-fructose corn syrup (HFCS) 255
- histone deacetylation, inhibition, by isothiocyanates 110–111
- HIV/AIDS, and L-carnitine 235–236
- HIV protease inhibitors
 interactions with flavonoids 90
 interactions with garlic 157
 and resveratrol 179
- HMG-CoA reductase, and coenzyme Q₁₀ synthesis 222–223

- HMG-CoA reductase inhibitors
 and carotenoids 61
 and coenzyme Q10 216, 224
 interaction with phyosterols 168
 and resveratrol 179
 homocysteine, and coffee 35
 hot flushes, and soy isoflavones 100
 human immunodeficiency virus (HIV), and L-carnitine 235–236
 human papilloma virus (HPV) infection, and indole-3-carbinol 119–120
 Huntington disease, and coenzyme Q₁₀ 221–222
Hu Zhang 178
 hyperinsulinemia, and cancer 256
 hypertension
 and coenzyme Q10 219
 and coffee 34–35
 and fruits and vegetables 1–2
 hypertriglyceridemia, and essential fatty acids 191
 hypoglycemia 256
 and lipoic acid supplementation 248
 hypokalemia, and tea 47
 hypothyroidism 10
 and soy isoflavones 103
- I**
- ibuprofen, and resveratrol 179
 immune system function
 carotenoids 54
 and eicosanoids 186
 and omega-3 fatty acids 198
 immunoglobulin A nephropathy, and essential fatty acids 194
 indole[3,2-*b*]carbazole (ICZ) 118
 chemical structure 117
 indole-3-carbinol (I3C) 116–125
 acid condensation products 117
 bioavailability 116–117
 biological activities 117–119
 chemical structure 116, 117
 and disease prevention 119
 and disease treatment 119–120
 food sources 120–121
 metabolism 116–117
 safety 121
 summary 121–122
 supplements 121
 indole glucosinolates 10
 infant formulas
 and L-carnitine 231
 and omega-3 fatty acids 197, 198
 soy-based vs. cow's milk-based 102–103
 inflammatory bowel disease, and essential fatty acids 193–194
 inflammatory diseases
 and curcumin 77
 and essential fatty acids 193
 inflammatory responses, and eicosanoids 186
 insulin resistance, and whole grains 24
 insulin response, to carbohydrate 253
 insulin sensitivity
 and coffee 32
 and whole grains 24
 insulin signaling, and lipoic acid 244
 intake recommendations
 cruciferous vegetables 10
 essential fatty acids 200–201
 fiber 142–143
 fruits 4
 legumes 16
 nuts 21
 vegetables 4
 whole grains 26–27
 intercellular communication, and carotenoids 54
 intermittent claudication, and L-carnitine treatment 234–235
 intestinal health, and whole grains 26
 inulin
 and anaphylaxis 142
 defined 134
 inulins, sources 140–141
 iodine function, and cruciferous vegetables 10
 iron, nonheme
 and coffee 37
 and flavonoids 90
 and tea 48
 irritable bowel syndrome (IBS), and fiber intake 139–140
 ischemic stroke *see* stroke
 isoflavones 14, 84
 food sources 88
 and neurodegenerative disease 87
see also soy isoflavones
 isothiocyanates 109–115
 bioavailability 109–110
 biological activities 110–111
 chemical structure 109
 and disease prevention 111–112
 effects of cooking 113
 food sources 112
 metabolism 109–110, 112
 safety 113
 summary 113
 ispaghula *see* psyllium
- K**
- kahweol 35
 chemical structure 31
 in coffee 31–32
 kaolin-pectin, drug interactions 142
 kidney disease
 and carnitine deficiency 232
 end-stage, and L-carnitine 235
 kidney stones, and tea 47
kojo-kon 178
- L**
- lactation
 and β -carotene 60–61
 and coffee 36
 and curcumin 79
 and DHA requirements 187–188
 and flavonoid supplements 90
 and garlic consumption 156–157
 and isothiocyanates 113
 and lignan supplements 130
 and lipoic acid 248
 and phyosterols 168
 and resveratrol 178
 and supplemental fatty acids 198–199
 and tea 48
 lariciresinol 126, 127
 LDL cholesterol
 and coffee 35
 and diterpenes in coffee 31–32
 and fiber intake 135, 139
 and flax seed consumption 128
 and nut consumption 20
 and oat fiber intake 25
 and phytosterol intake 164–165
 and soy isoflavones 97–98
 lecithin 209
 left ventricular ejection fraction (LVEF), and L-carnitine treatment 233–234
 legumes 14–18
 and cancer 15–16
 and disease prevention 14–16
 intake recommendations 16
 summary 16–17
 lentils
 and cardiovascular disease 14–15
 cooked, amount in one serving 4
 and prostate cancer 16–17
 lifespan, and resveratrol 177
 light filtering, carotenoids 53–54
 lignans 126–132
 bioavailability 126
 biological activities 127–128
 content in selected foods 130
 disease prevention 128–129
 food sources 129–130
 metabolism 126
 safety 130
 summary 130
 supplements 130
 in whole grains 26

- lignin, defined 134
- linoleic acid (LA) 183
and cardiovascular disease 188–189
chemical structure 83
food sources 196
and synthesis of PUFAs 185
- α -linolenic acid (ALA) 20, 183
adverse effects 197
and cardiovascular disease 189
chemical structure 83
food sources 196
and sudden cardiac death 190
and synthesis of PUFAs 185
- γ -linolenic acid
adverse effects 197
chemical structure 83
drug interactions 199
- linseed oil, as ALA supplement 197
- lipid profiles, and garlic preparations 153
- lipid transport, and choline 209
- α -lipoic acid 242
chemical structure 242
free 243–244
protein-bound 243
supplementation, and aging 233
- lipoic acid (LA) 242–252
adverse effects 248
antioxidant activities 243
bioavailability 242–243
biological activities 243–244
biosynthesis 247
chemical structure 242
and coenzyme Q10 243
deficiency 244
and disease treatment 244–247
food sources 247–248
metabolism 242–243
nutrient interactions 249
safety 248–249
summary 249
supplements 248
- R*-lipoic acid (*R*-LA) 242, 243, 247
supplements 248
- S*-lipoic acid (*S*-LA) 242, 243
supplements 248
- lipoprotein lipase 53
- lipoprotein metabolism, and phytosterols 163–164
- lipoxygenases (LOXs) 75
and eicosanoid synthesis 186
- lipoyllysine 247
- lithium, serum, and caffeine 37
- liver cancer
aflatoxin-associated liver cancer 68–69
and coffee 33–34
see also hepatocellular carcinoma
- liver, fatty 209
- liver X receptors (LXRs) 186
- longevity, and resveratrol 177
- low-density lipoprotein (LDL) oxidation 56, 174, 215, 217, 218
- lung cancer
and β -carotene 60
and carotenoids 54–55
and cruciferous vegetables 8–9
- lutein
and AMD 56–57
and cataracts 57
chemical structure 53
content, selected foods 60
food sources 59
supplementation 57, 59
- lycopene 52
chemical structure 53
content, selected foods 59
food sources 58
and prostate cancer 55–56
supplements 59
- lycopenodermia 60
- lysine 229
- lysosomal function, and coenzyme Q₁₀ 215
- M**
- macadamia nuts, content in 1-oz. serving 19
- macular degeneration, age-related (AMD) 3
- malabsorption, and fatty acid deficiency 187
- matairesinol 126, 127
- matrix metalloproteinases, inhibition
by curcumin 76
by lipoic acid 247
- membrane structure, and essential fatty acids 185
- menopausal symptoms, and soy isoflavones 100–101
- mercapturic acids 110
- metabolic syndrome, and lipoic acid 245
- metal chelation
flavonoids 84
and lipoic acid 243–244
- metformin, guar gum interaction 142
- methionine 209, 210, 210
- methyl groups, and choline 209
- methylmercury
in fish 198, 199
in omega-3 fatty acid supplements 199
- methylxanthines, drug interactions 37
- minocycline, and coenzyme Q₁₀, in Huntington disease 221
- miscarriage, and coffee 35–36
- mitochondrial ATP synthesis, and coenzyme Q₁₀ 215
- mitochondrial carnitine system 231
- mitochondrial encephalomyopathies, and coenzyme Q₁₀ 218
- mitochondrial oxidant production, and aging 232–233
- mortality, all-cause
and coffee 34
and fiber intake 139
- multiple sclerosis, and lipoic acid 247
- myocardial infarction (MI) 1
and L-carnitine 233
and coenzyme Q10 218, 219
and fish consumption 190
and nut consumption 19, 20
and tea 44–45
- myopathic carnitine deficiency, primary 232
- myrosinase 8
glucosinolate hydrolysis 109, 109
hydrolysis of glucobrassicin 116
- N**
- nephropathy, immunoglobulin A, and fatty acids 194
- nervous system
and choline 209
and essential fatty acids 186
- neural tube defects (NTDs) 211–212
- neurodegenerative diseases
and coenzyme Q10 220–222
and flavonoids 87
and fruits and vegetables 4
- neuropathy
cardiovascular autonomic 246
diabetic, and lipoic acid 246
- NF- κ B-dependent gene transcription, and curcumin 75
- NHS II Study 254
- nitrogen species, scavenging, and lipoic acid 243
- nonheme iron
and coffee 37
nonheme 90
and tea 48
- non-steroidal anti-inflammatory drugs
and flavonoids 90
and resveratrol 179
- Nurses' Health Study, nut consumption and CHD 19
- nutrient interactions 270
L-carnitine 232
choline 210, 210
coenzyme Q10 215–216
coffee 37
and cruciferous vegetables 10
essential fatty acids 199
fiber 142
flavonoids 48, 90
lipoic acid 249

- phytosterols 168
 tea, flavonoids in 48
 nuts 19–23
 adverse effects 21
 allergies 21
 cardioprotective compounds
 in 20
 and disease prevention 19–21
 fat content 19
 intake recommendations 21
 safety 21
 summary 21
- O**
- oat fiber intake, and cholesterol
 25
 obesity, and glycemic load
 255–256
 OCTN2 protein 231
 Olestra, and carotenoids 61
 oligofructose
 defined 134
 sources 140–141
 omega-3 fatty acids 183–208
 adequate intake levels 200
 and cardiovascular disease
 189, 191
 chemical structures 184
 and coronary heart disease
 192
 deficiency 187
 in enriched eggs 196
 and excessive bleeding 198
 food sources 196
 long-chain, and cardiovascular
 disease 189
 ratio to omega-6 in western
 diet 183
 supplements 197
 synthesis 185
 omega-6 fatty acids 183–208
 adequate intake levels 200
 and cardiovascular disease
 188–189, 191
 chemical structures 184
 food sources 196
 ratio to omega-3 in western
 diet 183
 supplements 196–197
 synthesis 185
 oolong tea, flavanol supplementa-
 tion 88
 orange, amount in one serving 4
 organosulfur compounds from
 garlic 149–161
 bioavailability 149
 biological activities 151–152
 chemical structures 150
 and disease prevention
 152–155
 food sources 155
 metabolism 149
 safety 156–157
 summary 157
- supplements 155–156
 see also garlic; garlic extract
 osteoporosis
 and coffee 37
 and fruits and vegetables 3
 and lignans 129
 and soy isoflavones 99–100
 and tea 46
 see also bone mineral density
 (BMD)
 ovarian cancer, and lignans
 128–129
 oxidant production, mitochon-
 drial, and aging 232–233
- P**
- papillomatosis, recurrent respira-
 tory (RRP) 120
 paracetamol
 and caffeine 37
 guar gum interaction 142
 Parkinson disease
 and coenzyme Q10 220–221
 and coffee 32–33
 and flavonoids 87
 peanut butter, content in 1-oz.
 serving 19
 peanuts 14
 allergies 21
 content in 1-oz. serving 19
 peas
 and cardiovascular disease
 14–15
 cooked, amount in one serv-
 ing 4
 and prostate cancer 16–17
 pecans, content in 1-oz. serv-
 ing 19
 pectins
 defined 134
 drug interactions 142
 sources 140
 performance *see* athletic per-
 formance; exercise tolerance;
 physical performance
 peroxisome proliferator-activated
 receptors (PPARs) 186
 P-glycoprotein, inhibition by
 flavonoids 90
 phase II detoxification enzymes,
 and flavonoids 85
 phenethyl isothiocyanate (PEITC)
 109
 chemical structure 109
 food sources 112
 phosphatidylcholine 209
 phospholipids 209
 physical performance
 and L-carnitine 237
 and coenzyme Q10 222
 see also athletic performance;
 exercise tolerance
 phytochemicals, foods rich in
 271–272
- phytosterolemia 167–168
 phytosterols 162–172
 adverse effects 167
 bioavailability 163
 biological activities 163–164
 content in selected foods 167
 definitions 163
 and disease prevention
 164–166
 and disease treatment 166
 effects on cholesterol absorp-
 tion 163–164
 food sources 166
 metabolism 163
 nutrient interactions 168
 in nuts 19
 safety 167–168
 summary 168
 supplements 167
 in whole grains 25
 piceid 173
 pine nuts, content in 1-oz. serv-
 ing 19
 pinosresinol 126, 127
 pistachio nuts, content in 1-oz.
 serving 19
 pivalate, and carnitine deficiency
 232
 PKB/Akt-dependent signaling,
 and lipoic acid 244
 plant stanols 163
 and cancer 164–165
 and cardiovascular disease
 164–165
 sources 166–167
 plant sterols 163
 and cancer 164–165
 and cardiovascular disease
 164–165
 sources 166–167
 platelet aggregation
 and curcumin 79
 and flavonoids 85, 86
 and garlic-derived compounds
 151
 and garlic supplementation
 153
 inhibition by resveratrol 176
 polychlorinated biphenyls (PCBs),
 in fish 198
 polydextrose, defined 134
Polygonum cuspidatum 178
 polyols, defined 134
 polyphenols, in red wine, and
 cardiovascular disease 176–177
 polyposis, familial adenomatous,
 and curcumin 76
 polyunsaturated fatty acids (PU-
 FAs) 183–208
 postprandial glycemia, and fiber
 135
 potassium, in nuts 20
 pregnancy
 and β -carotene 60–61
 and choline 211–212

- pregnancy
 and coffee 35–36
 and curcumin 79
 and DHA requirements 187–188
 and fish consumption 198, 199
 and flavonoid supplements 90
 and garlic consumption 156–157
 and insufficient DHA 187
 and isothiocyanates 113
 and lignan supplements 130
 and lipoic acid 248
 and phytosterols 168
 and resveratrol 178
 and soy isoflavones 103
 and supplemental fatty acids 198–199
 and tea 48
- proanthocyanins, content in selected foods 89
- procarcinogens, and isothiocyanates 110
- proliferation, inhibition of flavonoids 85
 by isothiocyanates 110
 by resveratrol 175
- propionyl-L-carnitine
 chemical structure 229
 and heart failure 234
 and intermittent claudication 235
 as supplement 238
- prostate cancer
 and carotenoids 55–56
 and cruciferous vegetables 9–10
 and legumes 15–16
 and lignans 129
 and soy isoflavones 99
- prostate-specific antigen (PSA)
 and cruciferous vegetables 10
 and soy isoflavones 99
- protoporphyrin 60
- provitamin A carotenoids 52, 53, 58
- psyllium
 and anaphylaxis 142
 and asthma 142
 and colorectal adenoma recurrence 137, 141
 defined 134
 drug interactions 142
 effect on constipation 136
 and irritable bowel syndrome 139
 sources 141
- Q**
- quercetin 89
- quick reference
 diseases 259–263
 foods rich in phytochemicals 271–272
- R**
- reactive oxygen species (ROS) 75, 110, 217, 232, 243
- recommendations *see* intake recommendations
- recurrent respiratory papillomatosis (RRP) 120
- redox-sensitive transcription factors, and lipoic acid 244
- red wine polyphenols, and cardiovascular disease 176–177
- refining process, whole grains 24
- remacemide, and coenzyme Q₁₀, in Huntington disease 221
- renal disease
 and carnitine deficiency 232
 end-stage, and L-carnitine 235
- resveratrol 173–182
 bioavailability 173–174
 biological activities 174–176
 chemical structures 173, 175
 content in selected foods 178
 content in wines 178
 and disease prevention 176–177
 food sources 177–178
 metabolism 173–174
 safety 178–179
 summary 179
 supplements 178
- trans*-resveratrol, chemical structure 175
- retina, DHA concentrations in 185
- retinol, chemical structure 52
- rheumatoid arthritis, and essential fatty acids 193
- rhodopsin, and DHA 185
- S**
- salad greens, amount in one serving 4
- saquinavir
 and flavonoids 90
 and garlic supplementation 157
- schizophrenia, and essential fatty acids 195–196
- secoisolaricresinol 126, 127
- semiquinone radical 216, 216
- serum lipid profiles 162
 and garlic preparations 153
- serum lithium concentrations, and caffeine 37
- serum triglycerides, and essential fatty acids 191
- Seventh Day Adventists
 legume intake and prostate cancer 15, 16
 nut consumption and CHD 19
- Shanghai Women's Health Study 255
- shellfish allergy 142
- signal transduction, and lipoic acid 244
- sinigrin 109
 food sources 112
- sitosterol 162
 and cancer 165
- sitosterolemia 167–168
- β -sitosterol, supplements 167
- smooth muscle proliferation
 arterial, and garlic-derived compounds 151
 inhibition by resveratrol 176
- soy
 and breast cancer 16
 and cardiovascular disease 15
 and prostate cancer 16
- soy-based infant formulas, vs. cow's milk-based 102–103
- soybeans 14
- soy isoflavones 96–108
 bioavailability 96
 biological activities 97
 chemical structure 96
 and cognitive decline 100
 content in selected foods 101
 and disease prevention 97–100
 and disease treatment 100–101
 food content variability 101
 food sources 101
 metabolism 96
 safety 102–103
 summary 103–104
 supplement content variability 102
 supplements 101–102
- soy protein, and LDL cholesterol 98
- sperm motility, decreased, and L-carnitine 236–237
- SREBP-1 186
- stanol-containing foods, and carotenoids 61
- stanols 162
- starch, resistant, defined 134
- statins
 and carotenoids 61
 and coenzyme Q₁₀ 224
 interaction with phytosterols 168
- sterol-containing foods, and carotenoids 61
- sterol-regulatory element-binding protein-1 (SREBP-1) 186
- sterols 162
- stilbenes 173
- stomach *see* gastric cancer; gastrointestinal
- stool, softening by fiber 136
- striatal spiny neurons 221
- stroke, ischemic 1
 and fish consumption 190–191
 and fruit/vegetable consumption 1

- and omega-3 fatty acid intake 190–191
 - and whole grain consumption 25
 - substantia nigra 220
 - sucrose 253
 - sucrose polyester, and carotenoids 61
 - sudden cardiac death (SCD), and omega-3 fatty acids 190
 - sulforaphane (SFN) 109
 - food sources 112
 - supplements, carotenoids 59–60
 - systemic carnitine deficiency, primary 231
 - systemic lupus erythematosus, and indole-3-carbinol 120
- T**
- tamoxifen, interaction with genistein 102, 103
 - tea 42–51
 - bioactive compounds in 44
 - black 43
 - caffeine content 44
 - cup sizes 43
 - disease prevention 44–47
 - drug interactions 48
 - flavonoids in, and cancer 87
 - fluoride content 44
 - fully fermented 43
 - green 43
 - and hypokalemia 47
 - nutrient interactions 48
 - oolong 43
 - safety 47–48
 - semifermented 43
 - summary 48
 - unfermented 43
 - white 43
 - tea extracts
 - and central nervous system symptoms 90
 - hepatotoxicity 89
 - testosterone metabolism, and phytosterols 164
 - theaflavins, in tea 42
 - chemical structures 43
 - thearubigins, in tea 42
 - theophylline, and caffeine 37
 - thioctic acid 242
 - thiosulfinates 149
 - thyroid function
 - and cruciferous vegetables 10
 - and soy isoflavones 103
 - ticlopidine, interaction with curcumin 79
 - T lymphocytes, and L-carnitine 235–236
 - α -tocopherol
 - and coenzyme Q10 215–216, 217
 - and DHLA 243
 - tofu
 - and cognitive impairment 87, 100
 - and prostate cancer 16
 - total parenteral nutrition, and essential fatty acid deficiency 186–187
 - tree nuts, allergies 21
 - trisodium copper chlorin e_6 67, 68
 - tumor invasion, inhibition of
 - by curcumin 76
 - by flavonoids 85
 - by indole-3-carbinol 119
 - by resveratrol 175
 - turmeric *see* curcumin
- U**
- ubiquinol, chemical structure 216
 - ubiquinones 215
 - chemical structure 216
 - unfermented teas 43
 - unipolar depression 195
 - unsaturated fats, and nuts 19, 20
- V**
- vascular cell adhesion molecule
 - expression, and flavonoids 85
 - inhibition by resveratrol 176
 - vascular disease, in diabetes mellitus, and lipoic acid 245
 - vascular endothelial function
 - and coenzyme Q10 219–220
 - and flavonoids 86
 - and lipoic acid 245
 - and soy isoflavones 98
 - and tea 45
 - vascular smooth muscle cell proliferation, inhibition by resveratrol 176
 - vasodilation
 - and coenzyme Q10 219–220
 - hydrogen sulfide-mediated, and garlic-derived compounds 151
 - and soy isoflavones 98
 - and tea 45
 - vegans
 - and dietary phytosterols 166
 - and L-carnitine 231
 - vegetable juice, amount in one serving 4
 - vegetables 1–7
 - chopped, amount in one serving 4
 - cooked, amount in one serving 4
 - cruciferous *see* cruciferous vegetables
 - and disease prevention 1–4
 - example servings 4
 - intake recommendations 4
 - raw, chlorophyll content 70
 - summary 4–5
 - vegetarians
 - and L-carnitine 229, 230, 231, 237
 - and choline 212
 - and phytosterols 166
 - and pregnancy/lactation 168
 - ventricular arrhythmia, and omega-3 fatty acids 190
 - very low density lipoproteins (VLDLs) 209
 - vinylidithiins 149, 150
 - vision 3
 - and DHA 185
 - and DHA in pregnancy 187
 - and essential fatty acids 185
 - and vitamin A 53
 - see also* age-related macular degeneration; cataracts
 - vitamin A
 - and carotenoids 53
 - interactions with phytosterols 168
 - vitamin B₆, and coenzyme Q₁₀
 - biosynthesis 223
 - vitamin B₁₂ 209, 210, 210
 - vitamin B₇ 229
 - vitamin C, and flavonoids 91
 - vitamin D, interactions with phytosterols 168
 - vitamin E
 - and coenzyme Q10 215–216, 217
 - and essential fatty acids 196
 - interactions with phytosterols 168
 - in nuts 20
 - vitamin K, interactions with phytosterols 168
 - vulvar intraepithelial neoplasia, and indole-3-carbinol 120
- W**
- walnuts
 - content in 1-oz. serving 19
 - and α -linolenic acid 20
 - warfarin (Coumadin), interactions
 - with coenzyme Q10 224
 - with curcumin 79
 - with garlic 157
 - with green tea 48
 - with psyllium 142
 - with resveratrol 178–179
 - with soy isoflavones 103
 - watercress, and isothiocyanates 110
 - weight control
 - and fiber 138–139
 - and glycemic load 255–256
 - weight loss
 - and fiber 138–139
 - and tea 47

whole grains 24–29
 and cancer 25–26
 and cardiovascular disease 25
 and disease prevention 24–26
 examples of one serving 26
 increasing intake 27
 intake recommendations
 26–27
 phenolic compounds 26
 summary 27

wine, and resveratrol 176–177,
 178
wound healing, and chlorophyllin 69

X

xanthophylls 52, 53
xenobiotic response elements
 (XREs) 118

Z

zeaxanthin
 and AMD 56–57
 and cataracts 57
 chemical structure 53
 content, selected foods 60
 food sources 59
 supplements 59–60