## **Table of contents**

# 1 Asepsis and the risk of infection

From conventional asepsis to sterile enclosure

- 1.1 Introduction 1
- **1.2** How does airborne contamination and infection occur?

4

5

- **1.3** How to lower the number of microbes in operating rooms 3
- **1.4** Bacteriological investigations
  - 1.4.1 Counting of airborne bacteria
  - **1.4.2** Swab tests taken from the incision prior to skin closure 6
  - 1.4.3 Swab tests deep from the wound and infection rate 6
  - 1.4.4 Patch tests 7
- 1.5 Germ spectrum 8
- 1.6 Sterile enclosure and antibiotics 8
- 1.7 Actual infection rate report 1999–2000 10
- **1.8** 30 years of surgical clean-air conduct 11
  - 1.8.1 General 11
  - **1.8.2** The enclosure and the separating-wall system 11
  - **1.8.3** The ritual for ultraclean-air surgery 12
- 1.9 Our body-exhaust equipment 14
- 1.10 "Nothing learned and everything forgotten" 15
- 1.11 Conclusions and Summary 16
- 1.12 Bibliography 17

### 2 The MINIMAX principle for fracture care in adults

- 2.1 History, definition, questions 19
- 2.2 Ideas behind the MINIMAX principle 23
- 2.3 The AO principles and the MINIMAX principle 23
- 2.4 Cases—examples of MINIMAX fixations 25
- **2.5** Summary 36

2

2.6 Bibliography 37

# **3** Lower leg fractures with and without involvement of the ankle joint

- 3.1 Introduction 39
- **3.2** General points on lower leg fractures and associated lesions of the ankle joint 40
- 3.3 Classification of lower leg fractures 413.1.1 Discussion 62
- **3.4** Treatment of lower leg fractures 63
- **3.5** Bibliography 64

### 4 Open fractures of the lower leg

- 4.1 General considerations 65
- 4.2 Prevention of contamination 65
- 4.3 Fixation techniques 66
- 4.4 Cases—open lower leg fractures and their MINIMAX treatment 67
  - 4.4.1 Non-standard plate fixations with standard plates 67
  - **4.4.2** Intramedullary nail fixations with limited indication 71
  - **4.4.3** External fixator to be permanently in place for the entire fracture healing period 74
  - 4.4.4 Minimal local internal fixations that need mechanical protection with an external fixator 76
  - **4.4.5** Plate fixation of the fibula for indirect reduction of the tibial fracture and as a stability augmentation of the external fixator 81
  - **4.4.6** Primary removal of devitalized fragments and secondary autogenous bone defect compensation 84
  - **4.4.7** Secondary change to another fixation type 89
  - 4.4.8 Skin lesion management 93
- 4.5 Summary 99
- 4.6 Bibliography 100

#### 5 Trauma of the ankle joint and of its neighborhood

- 5.1 Introduction 101
- 5.2 Open reduction and internal fixation (ORIF) 102
  - 5.2.1 Type B fibular fracture 102
  - **5.2.2** Posterior lip fragment of the tibia in the absence of a fracture of the medial malleolus 103
  - 5.2.3 Medial malleolus avulsion fragment 104

#### 5.3 Consequences 108

- 5.3.1 The short fibula 108
- 5.3.2 The overlong fibula 112
- 5.3.3 The fibulotibial synostosis 115
- **5.3.4** Ankle fusion 116
- **5.3.5** Secondary clubfoot following Salter III/IV fracture of the medial malleolus (desepiphysiodesis) 122

#### 5.4 Achilles tendon 126

- 5.4.1 Acute Achilles tendon rupture and repair 126
- 5.4.2 Achilles tendon defect reconstruction 128
- 5.4.3 ST Hansen muscle transfer (slightly modified) 130
- 5.4.4 Foot flexors stretching with external fixator 131

#### 5.5 Acute and recurrent ankle sprain 133

- 5.5.1 Diagnosis of acute and chronic ankle sprain 133
- 5.5.2 Treatment of acute ankle sprain 134
- 5.5.3 Treatment of recurrent ankle sprain 135

#### 5.6 Bibliography 137

# 6 Biodynamics, classification, and treatment of nonunions

- 6.1 Introduction 139
- 6.2 The biodynamic classification of nonunions 140
- 6.3 The treatment of nonunions based on their bioactivity 141
  6.3.1 The treatment of aseptic nonunions 141
  6.3.2 The treatment of septic nonunions 143
- 6.4 Treatment knowledge and treatment results 146
  6.4.1 The treatment methods of tibial pseudarthrosis 146
  6.4.2 The results 146
- 6.5 Conclusion 147
- 6.8 Bibliography 148



7.6 Conclusions and summary 197