

Note: page numbers in *italics* refer to figures and tables

## A

- abbreviations 17, 18
- abscess, peritonsillar 163
- Absinthii herba* see wormwood
- acetylcholine 97
- acetylcholinesterase inhibitors 143
- acne 269–270
- acorone 44
- acorus* see *calamus*
- active principles 2
- acylphloroglucinols 75, 115
- adaptogenic herbs 220, 227
- adjuvant therapy 21, 26
- administration of preparations 27–28
- adonis* (*Adonis* *herba*) 33, 133
  - dosage 437
  - functional heart disorders 136
- aescin 77
- aging 24
  - disorders of 222–225
- aglycone 85
- Agni casti fructus* see chaste tree
- agrimony, wild see silverweed
- ajmaline 110
- alchemilla (*Alchemillae herba*) 236
- alder, black see *frangula*
- alder buckthorn see *frangula*
- alkaloids 7–8
  - coffee 50
  - English ivy 58
  - rauwolfia 110
  - steroid glycosides 40
- alkylamides 56
- allergies
  - arnica 33, 36
  - compositae 36, 131
  - eugenol 50
  - fennel 65
  - grass flower 308
  - rosemary 112
  - type I 25–26
  - type IV 26
  - allergy sufferers 25–26
  - alliaceous oils 70

- Allii sativi bulbus* see garlic
- alliins 70
- aloe vera* (*Aloe barbadensis succus*) 263–264
  - dosage 344
- Althaea folium/radix*
  - see marshmallow
- Alzheimer's disease* 222
- amino acids 108
- Amoraciae radix* see horse-radish
- anal fissures 188–189
- anethole 65
- angelica* (*Angelicae radix*)
  - 33–34
  - anorexia 167
  - dosage 337
  - wounds 278–279
- angina pectoris* 135
- angina tonsillaris* 163
- aniseed (*Anisi fructus*) 34
  - bronchitis 155
  - dosage 338–339
  - dyspeptic syndrome 174–175, 176, 177
  - febrile infections 245, 246
  - gastrointestinal disorders 254
  - upper respiratory tract disorders 250
- anorexia 165–168, 253
- anthocyanins 89, 118
- anthracene derivatives 42, 67, 115
- anthroposophic remedies 1
- anti-inflammatory herbs 261, 262
- antiallergics 261
- antibiotics 156, 243
- anticholinergics 170–171
- antidepressants 255, 257
- antidiarrheal agents 252
- antidysrhythmic herbal remedies 233
- antiphlogistics 148, 156, 159, 170
- colorectal disease 186
- dermatological disease 260
- diarrhea 190
- febrile infections 243
- gastrointestinal diseases 251
- antipruritics 261
- antitussives 156, 244
- anxiolytics 257
- apiol 101
- apple sauce 253
- arabinogalactans 89
- arbor vitae* see *thuja*
- arbutin 200–201
- arnica* (*Arnicae flos*) 35–36, 163
  - dosage 339–343
  - gastrointestinal conditions 188
  - pain 234
  - wounds 276–277, 278–279
  - wrap
    - for heart ailments 290
    - joint 310
    - pulse 311
    - for soft-tissue swelling 319
- aromatic herbs 161
- dyspeptic syndrome 175
- dysuria 202
- hydrotherapy 283
- inflammation of mouth/throat in children 247–248
- non-age-related debility 220
- urolithiasis 205
- arterial occlusive disease 225
- arthrosis 234
- artichoke (*Cynarae folium*) 36–37
- atherosclerosis 144, 225
- dosage 343
- dyspeptic syndrome 177
- liver disease 180, 181
- asarone 44
- ash bark 233–234
- aspen 233–234
- asthenia, postflu 221
- asthma, bronchial 160
- astringents 161, 186, 190, 220
  - febrile infections 243
- atherosclerosis 144, 225
- atopic dermatitis 259, 260, 261, 267–268
- Atropa belladonna* see *belladonna*
- aucubin 60
- Aurantii pericarpium*
  - see orange, bitter

- Avenae stramentum  
  see oatstraw  
azulenes 131
- B**
- balloonvine (*Cardiospermum herba*) 261  
dermatological disease 267–268
- balm *see* lemon balm  
balneotherapy *see* hydrotherapy  
*Baptisia tinctoria* (indigo) 151  
barberry, holly-leaved  
  *see* Oregon grape  
baths, herbal *see* hydrotherapy  
bearberry *see* *uva-ursi*  
belladonna (*Atropa belladonna*)  
  biliary disease 185  
  dosage 345  
  dyspeptic syndrome 177, 178  
  flatulence 183  
  gastrointestinal conditions 172, 188–189, 198  
belladonna (*Atropa belladonna*) 170–171  
benign prostatic hyperplasia 207–208  
benzofuranes 43  
berbamine 100  
berberine 100  
*Betulae folium* *see* birch  
bilberries (*Myrtilli fructus*)  
  diarrhea 191, 192, 253  
  diseases of mouth/throat 161, 162, 163, 247–248  
  dosage 345–347  
biliary tract disease 182–185  
birch (*Betulae folium*) 39, 201, 202, 204  
  dosage 347  
bisabolol 48, 129  
bisabolol oxides 48  
bitter orange *see* orange, bitter  
bitters 105, 161  
  classification 165  
  dyspeptic syndrome 175  
gastrointestinal diseases 252  
non-age-related debility 220
- urinary tract diseases 255  
bittersweet (*Dulcamarae stipites*) 40, 261  
dermatological disease 265–266, 267–268  
  dosage 348
- black cohosh (*Cimicifugae rhizoma*) 41–42  
  dosage 349  
menstrual complaints 239, 240
- blackberry leaf/root 191, 253  
  dosage 348–349
- blackcurrant (*Ribes nigræ fructus*) 151–152, 191, 221, 350
- blessed thistle herb *see* thistle, blessed  
bloating 176–177  
body washes 32, 291  
  fever-reducing peppermint 314  
  heartsease 320  
  lavender oil 307
- bogbean (*Menyanthidis folium*)  
  anorexia 166  
  diseases of mouth/throat 161, 164  
  dosage 351
- boils 271
- boldo leaf (*Boldo folium*)  
  dosage 351  
  gallbladder disease 183–184
- bornyl acetate 104, 105
- bridewort *see* meadow-sweet
- bronchitis 154–157
- bronchospasmolytics 155, 249
- buckthorn (*Rhamni cathartici fructus*) 42, 253  
  dosage 351–352
- bugleweed (*Lycopi herba*) 237–238, 445
- Bursea pastoris herba *see* shepherd's purse
- butcher's broom (*Rusci aculeati rhizoma*) 43  
  dosage 352–353  
  venous insufficiency 146
- butterbur, purple (*Petasitis rhizoma*) 107–108, 218, 219  
  dosage 426
- C**
- cabbage, white 321, 445–446
- cadinene 105
- caffeic acid derivatives 33, 36
- coffee 50
- condurango 52
- echinacea 56
- elder 63
- goldenrod 63
- horehound 76
- horsetail 78
- mullein 95
- rosemary 112
- sage 114
- thyme 120
- white deadnettle 127
- α-calacorene 44
- calamus (*Calamae rhizoma*) 44
- anorexia 167, 168
- dosage 353–354
- dyspeptic syndrome 177
- gastrointestinal conditions 172, 188, 192
- wounds 278–279
- Calendulae flos *see* marigold
- California poppy *see* poppy, California
- camphene 104
- camphor 112, 114
- camphor tree (*Cinnamomi camphorae aetheroleum*) 45, 148
- arthritis 234
- bronchitis 155, 157
- coronary artery disease 134
- dosage 354–355
- febrile infections 246
- cancer 229–230
- capsaicin 273, 274
- capsaicinoids 47
- Capsici fructus* *see* cayenne; paprika, Spanish
- caraway (*Carvi aetheroleum/fructus*) 45–46
- biliary disease 184
- constipation 197, 198
- dosage 355–356
- dyspeptic syndrome 174–175, 176, 177, 178
- flatulence 183, 198
- oil 45–46
- pediatric gastrointestinal conditions 252, 254
- seeds 46

- cardiac glycosides 33  
lily-of-the-valley 86  
red squill 110, 111
- Cardiospermi herba**  
see balloonvine
- cardiovascular disease**  
132–147  
arnica wraps 290  
rosemary whole-body wash 291
- Cardui mariae herba**  
see thistle, milk
- carene 104, 105
- carminatives 174–175, 251
- carotenoids 8, 47  
marigold 90  
nasturtium 96
- carvacrol 120
- Carvi aetheroleum** see caraway
- Carvi fructus** see caraway
- carvone 46
- β-caryophyllene 49
- Caryophylli flos** see clove
- catarrh, smoker's 163–164
- cayenne (*Capsici fructus*)  
46–47, 273–274  
dosage 356–357
- cedar, Northern white  
see thuja
- centaury, lesser (*Centaurii herba*) 84–85
- anorexia 166, 167, 253
- diseases of mouth/throat 161, 164  
dosage 402–403
- Cepae bulbus** see onion bulb
- Cetariae lichen** see Iceland moss
- chamazulene 48, 131
- chamomile (*Matricariae flos*) 47–48  
biliary disease 185  
dermatological disease 261, 262, 265–266  
diseases of mouth/throat 161, 162, 163, 247–248  
dosage 357–360  
febrile infections 245, 246  
gastrointestinal conditions 170, 171, 188, 192, 198  
pediatric 252  
hot wrap 300  
hydrotherapy 288–289  
proctitis 187  
rhinitis 148
- sleep disorders 210  
wounds 276–277
- chaste tree (Agni casti fructus)** 48–49, 237–238  
dosage 360–361
- chemical standardization** 5
- children** 23–24  
*see also* pediatric patients
- Chinese herbal medicine**  
dosages 19  
duration of use 28
- cholegogues** 182–183
- choleretics** 182, 233
- cichoric acid** 57
- Cimifugae rhizoma** see black cohosh
- cinchona tincture** 427  
anorexia 167
- cineol** 157
- 1,8-cineole** 61, 102, 103  
rosemary 112  
sage 114
- Cinnamomi camphorae aetheroleum** see camphor tree
- cinquefoil** see tormentil
- circulatory disorders** 141  
hydrotherapy 284
- circulatory stimulants** 152
- cirrhosis of liver** 180–181
- clinical applications** 21
- clove (Caryophylli flos)**  
49–50  
diseases of mouth/throat 161, 162  
dosage 363
- coffee (Coffeae semen)**  
50–51  
dosage 363–364
- cohosh** see black cohosh
- Colchici autumnalis semen**  
*see* saffron, meadow
- cold receptor stimulators**  
148, 245
- colds** 150–153  
head 147  
hydrotherapy 283
- colon diseases** 186–189  
diverticulosis 196–199  
irritable 194–195
- comfrey (Symphyti radix)**  
dosage 364–365  
leg ulceration 280–281  
side effects 21  
wounds 278–279
- Commission E (Germany)** 3
- compresses**
- eucalyptus oil** 303
- lavender oil** 306  
preparation 29, 30, 31
- thyme** 294–295  
white cabbage 321
- condurango (Condurango cortex)** 52, 365
- coneflower** *see* echinacea
- conifer oil** 234
- constipation** 196–199  
pediatric 253, 254
- contraindications for nursing mothers/pregnancy** 25
- convalescence** 221
- Convallariae herba** *see* lily-of-the-valley
- convallatoxin** 86
- convallatoxol** 86
- convallatoside** 86
- Cooperative on Phytopharmaceuticals (Germany)** 3
- coriander (*Coriandri fructus*)** 52–53, 365
- coronary artery disease**  
134–135  
gastrocardiac symptom complex 135, 137
- costs** 24  
reimbursement 17
- cough**  
pediatric 250  
symptomatic 158–160
- cowslip (*Primulae flos cum calycibus/radix*)** 105–106
- Crataegi folium cum flore**  
*see* hawthorn
- Crohn's disease** 193
- cucurbitacins** 96
- Cucurbitae peponis semen**  
*see* pumpkin
- cucurbitin** 108
- cultivation of special crops**  
4
- curcuminoids** 122
- cyanogenetic glycosides** 66, 101–102
- p-cymene** 61, 120
- Cynarae folium** *see* artichoke

**D**

- dandelion (*Taraxaci radix cum herba*)** 54  
biliary disease 184, 185  
dosage 366–367  
urinary tract conditions 201, 204

deadnettle, white (*Lamium albi flos*) 127, 446–447  
debility, non-age-related 220–221  
decocctions 16, 27  
dementia 143, 222, 223, 224  
demulcents 154–155, 158–159, 161, 170  
colorectal disease 187, 194  
febrile infections 244  
respiratory tract diseases 249  
depression 216–217  
dermatological disease 263–275  
arnica wrap for soft-tissue swelling 319  
hair mask egg yolk 322, 323 revitalizing 323  
heartsease infusion  
whole-body wash 320  
inflammatory 288–289  
pediatric 259–262  
Ringer–calendula mixture for wet dressings 315, 316  
white cabbage compress 321  
devil's claw (*Harpagophytum radix*) 54–55, 233–234 dosage 367–368  
diaper rash 259, 260, 261  
diaphoretics 151–152, 152, 244  
diarrhoea 190–193 pediatric 252, 253  
diarylheptanoids 71  
digitaloid herbs 133  
dihydrocapsaicin 47  
distillates 11  
diterpenes 50, 72, 76 juniper 80 rosemary 112 sage 114  
diuretics 201, 204, 233  
dog rose see rose hip peel dosage 337–453 determination 19–20 pediatric patients 23 starting 20 teas 19, 28 traditional forms 11 dressings, Ringer–calendula mixture 315, 316, 317 *Droserae herba* see sundew

drugs chemical 1 herb interactions 21, 22 synthetic 1, 21  
*Dulcamarae stipites* see bitter-sweet dyskoimesis 257–258 dysmenorrhoea 239 dyspepsia 169–173 infant 192 pediatric 252 dyspeptic syndrome 174–179 dysuria 202–203

**E** eagle-vine bark see condu-rango earthsmoke see fumitory *echinacea* 26 dosage 19 paleflowered (*Echinaceae pallidae radix*) 56 bronchitis 157 dosage 368–369 febrile infections 246 immunostimulant 149, 150–151 respiratory tract infections 227 upper respiratory tract infections 153 urinary tract infections 227 purple (*Echinaceae purpureae herba*) 56–57 bronchitis 157 dosage 369–371 febrile infections 246 immunostimulant 149, 150–151, 227–228 leg ulceration 280–281 respiratory tract infections 227 upper respiratory tract infections 153 urinary tract infections 227 wounds 276–277 eczema 265–266 efficacy of herbal remedies 6 effluvium 272 egg yolk hair mask 322, 323 elder, European (*Sambuci flos/fructus*) 62–63

dosage 377 upper respiratory infections 151 *eleuthero* (*Eleutherococcus radix*) 58, 221, 228 dosage 372 emulsifying agents 282 epigastric syndromes 178–179 pediatric 252–253 *Equiseti herb* see horsetail erucic acid 96 *Eschscholtziae herba et radix* see poppy, California esophagitis 172 essential oils 8 angelica 33 aniseed 34 birch 39 bitter orange 39 body washes 32 caraway seed 46 chamomile 48 chaste tree 49 coriander 52 echinacea 56, 57 elder 63 eucalyptus leaf 61 footbaths 31 ginger 71 hops 75 horehound 76 hydrotherapy 282 inhalation 31 Java tea 80 juniper 80 lavender 59 lemon balm 84 linden 87 lovage 88 marigold 90 meadowsweet 92 parsley 101 peppermint 102 pine 104, 105 rosemary 112 St John's wort 115 in teas 27 thuja 119 thyme 120 turmeric 122 valerian 125 wormwood 129 *eucalyptus leaf* (*Eucalypti folium*) 61 coronary artery disease 134 dosage 375–377

febrile infections 246  
eucalyptus oil (Eucalypti aetheroleum) 61–62  
bronchial asthma 160  
bronchitis 155  
compress 303  
dosage 375–377  
hydrotherapy 283, 286–287  
eugenol 49, 50  
expectorants 155, 244, 249  
extracts 12, 13, 14–15  
alcoholic 12  
aqueous 12  
definition 12  
dry 14  
fluid 14  
manufacturing 13  
oily 12  
special 14–15  
standardized 19

**F**

farnesene 48  
fats, dietary 144  
fatty acids  
  essential 7  
  free 116  
fatty oils 65, 66, 96  
  hydrotherapy 282  
milk thistle 93  
pumpkin 108  
saw palmetto 116  
febrile infections, pediatric 242–246  
fever-reducing whole-body peppermint wash 314  
Federal Institute for Drugs and Medicinal Products (Germany) 3  
fenchone 65  
  thuja 119  
fennel (Foeniculi aetheroleum) 65–66  
  biliary disease 184, 185  
  bronchitis 155  
  dosage 380–381  
  dyspeptic syndrome 174–175, 176, 177, 178  
  febrile infections 245  
  gastrointestinal conditions 170, 172, 188, 192, 197, 198  
  pediatric 252, 254  
  wrap 301

fenugreek (Foenugraeci semen) 271, 381  
ferulic acid esters 50  
flatulence  
  pediatric 252  
  sudden and severe 183  
flavonoids 8, 36  
birch 39  
bitter orange 39  
black cohosh 41  
buckthorn 42  
cayenne 47  
chamomile 48  
chaste tree 49  
clove 49  
dandelion 54  
dysuria 202–203  
elder 63  
English plantain 60  
eucalyptus leaf 61  
fennel 65  
fumitory 68  
ginkgo 72  
hawthorn 74  
heart failure 132–133  
heartsease 75  
hops 75  
horehound 76  
horse chestnut 77  
horsetail 78  
Java tea 80  
juniper 80  
licorice 85  
linden 87  
mallow 89  
marigold 90  
meadowsweet 92  
milk thistle 93  
mistletoe herb 93  
mullein 95  
nasturtium 96  
nettle 97  
parsley 101  
passion flower 101  
primula 105  
rosemary 112  
sage 114  
saw palmetto 116  
St John's wort 115  
sundew 118  
thuja 119  
thyme 120  
tormentil 121  
urolithiasis 205  
uva-ursi 123  
flax (Lini semen) 66–67  
  dermatological diseases 271

dosage 381–383  
gastrointestinal conditions 170, 172, 187, 199  
  pediatric 253, 254  
poultice 292  
flu 150–153, 221  
  hydrotherapy 283  
Foeniculi aetheroleum  
  see fennel  
Foenugraeci semen  
  see fenugreek  
fomentations, preparation 29, 30, 31  
Food and Drug Administration (FDA, US) 5  
footbaths 31  
  mustard powder 312  
formic acid 97  
formulation 11  
frangula (Frangulae cortex) 66–67  
  biliary disease 184  
dosage 383  
gastrointestinal conditions 188, 197, 198  
frangulins 67  
Fucus islandicus see Iceland moss  
fumaric acid 68  
fumitory (Fumariae herba) 68–69, 384  
  gallbladder disease 183–184  
furanocoumarins 33  
  bitter orange 39  
lovage 88  
  parsley 101  
furanogetasin 107  
furuncles 271

**G**

galangal root  
  dosage 403  
dyspeptic syndrome 178  
gallbladder disease 182–185  
gallotannins 121  
garlic (Allii sativi bulbus) 70  
  atherosclerosis 144  
  circulatory disorders 141  
  coronary artery disease 134  
  debility 221  
  dosage 385  
  hypertension 138–139  
gastric colic 172

- gastritis 169–173  
gastrocardiac and coronary artery disease symptom complex 135, 137  
gastroduodenal ulcers 169–173  
gastrointestinal diseases 161–199  
fennel oil wrap 301  
hot wrap  
  chamomile 300  
  stomach 299  
  yarrow 302  
pediatric 251–254  
gentian root (*Gentianae radix*) 161  
anorexia 166  
diarrhea 191  
diseases of mouth/throat 164  
dosage 452–453  
dyspeptic syndrome 177  
urinary tract diseases 255  
gentiopicrin 84  
geriatric patients 24  
  preparations 222–223, 224  
germacrene-D 104  
Germany  
  drug laws 2–3  
  labeling of products 24  
ginger (*Zingiberis rhizoma*) 70–71  
  anorexia 167–168  
  arthritis 234  
  dosage 385–386  
  tea 26  
  wrap 309  
gingerols 71  
gingivitis 164  
ginkgo (*Ginkgo bilobae folium*) 71–73  
  arterial occlusive disease 225  
circulatory disorders 141  
  dementia 143, 222–223, 223–224  
  dosage 387  
geriatric patients 222–223, 223–224, 225  
vertigo 142  
ginseng, Asian (*Ginseng radix*) 37–38, 228  
  dosage 344  
ginseng, Siberian *see* eleuthero
- glossitis, acute 162  
glucosinolates 96, 127  
glycerites 23  
glycoproteins 119  
glycosides 9  
  hydroquinone 123  
pregnane 52  
steroid 33, 40, 58, 111  
  lily-of-the-valley 86  
  red squill 110, 111  
  saw palmetto 116  
  uzara 124  
  *see also* phenol glycosides; triterpene glycosides  
glycyrrhizin 85  
glycyrrhizinic acid 85  
goldenrod (*Solidaginis virgaureae herba*) 63–64  
  dosage 377  
rheumatism 233–234  
rheumatoid arthritis 233  
urinary tract conditions 201, 202, 204  
goosewort *see* silverweed  
gout 235  
grape leaf (*Vitis viniferae folium*) 145, 146, 280–281  
  dosage 387  
grass flower (*Graminis flos*) 234, 286–287  
  dosage 387–388  
  pillow 308  
growing conditions 4  
guarana seed (*Paulinae cupanae semen*) 219  
  dosage 388  
gums, inflammation/ suppuration 164  
β-gurjunene 44
- 
- H**
- hair loss 272  
hair mask  
  egg yolk 322, 323  
  revitalizing 323  
*Hamamelidis cortex* *see*  
  witch hazel  
harpagide 54  
*Harpagophytii radix* *see*  
  devil's claw  
harpagoside 54  
*hawthorn* (*Crataegi folium cum flore*) 54, 74
- cardiovascular disease 132–133, 134–135, 136–137  
  geriatric 224–225  
dosage 389–390  
tea 133, 135  
  duration of use 28  
headache 218–219, 234  
hearing loss 225  
heart disorders, functional 136–137  
heart failure 132–133, 224–225  
*heartsease* (*Violae tricoloris herba*) 75  
dermatological disease 261, 262, 269–270, 273–274  
  dosage 390–391  
whole-body wash 320  
*Hederae helicis folium* 58  
helenalin 34, 36  
heliotrope, garden  
  *see* valerian  
hellebore, false *see* adonis  
hemorrhoids 188  
hemostyptics 187  
hepatitis 180–181  
herbal medicine  
  advantages 21  
  definition 1  
  disadvantages 21  
  research 2  
  *see also* medicinal herbs  
herbal products 1  
herb–drug interactions 21, 22  
*herpes simplex labialis* 164  
  pediatric 259, 260, 262  
*Hippocastani semen* *see*  
  horse chestnut  
histamine 97  
homeopathic remedies 1  
homogeneity of materials 4  
hops (*Lupuli strobilus*) 75–76, 209–210  
  dosage 392–393  
  hydrotherapy 285  
*horehound* (*Marrubii herba*) 76–77, 393  
horse chestnut (*Hippocastani semen*) 77  
  dosage 393–394  
gastrointestinal conditions 188–189  
venous insufficiency 145, 146

horseradish (*Amoraciae radix*) 156  
dosage 394–395  
 poultice 293, 304  
horsetail (*Equiseti herb*) 78, 201, 202, 204  
dosage 395–396  
hydrotherapy 288–289  
hydroquinone glycosides 123  
hydrotherapy 282–289  
*p*-hydroxybenzoic acid 123  
hydroxycinnamic acid derivatives 68  
hydroxycoumarins eleuthero 58  
lovage 88  
marigold 90  
9-hydroxyfuraneremophilane 107  
hyperhidrosis 275  
Hyperici herba *see* St John's Wort  
hyperoside 63  
hypertension 138–139  
hypotension 140

Iceland moss (*Lichen islandicus*) 79  
bronchitis 155, 156  
dosage 397  
febrile infections 245  
immunodeficiency, acquired 226–228  
immunomodulators 156, 245  
immunostimulants 149, 150–151, 152–153, 227  
dermatological disease 260, 261, 262  
diarrhea 191  
febrile infections 246  
indications for use 21  
indigo, wild (*Baptisia tinctoria*) 151  
indole alkaloids 110  
infants 23–24  
infections febrile in children 242–246  
skin 259, 260, 262  
inflammatory bowel disease 186  
infusions 16, 27, 31  
inhalation 31

intensive care 26  
inulin 54  
iridoids 49, 54  
centaury 84  
English plantain 60  
valerian 125  
white deadnettle 127  
irritants 245  
isocorydine 100  
isoflavonoids 85  
isolichenin 79  
isomenthone 103  
isoquinoline alkaloids 68  
Oregon grape 100  
isothujones 119  
itching 273–274  
ivy, English (*Hederae helicis folium*) 58–59  
bronchitis 155, 156, 157  
dosage 372  
febrile infections 245

**J**

---

Japanese temple tree *see* ginkgo  
Java tea (*Orthosiphonos folium*) 79–80  
dosage 398  
urinary tract disorders 201, 202, 204  
juniper (*Juniperi fructus*) 80–81, 202  
dosage 398–399  
hydrotherapy 286–287  
wounds 278–279

**K**

---

kava (*Piperis methystici rhizoma*) 82–83, 212  
dosage 399–400  
pediatric patients 258  
kava lactones 82

**L**

---

labeling of products 22  
nursing mothers 24–25  
pediatric use 24  
pregnant women 24–25  
Lamii albi flos *see* dead-nettle, white  
lavender, English (*Lavandulae flos*) 59–60, 210

chest compress 306  
dosage 373–374  
hydrotherapy 284, 285  
nervous conditions 212–213  
whole-body wash 307  
laxatives 187, 190, 196–197, 233, 252  
lectins 93, 98  
leg ulceration 280–281  
lemon 401  
neck wrap 313  
lemon balm (*Melissae folium*) 84  
dermatological diseases 262  
diseases of mouth/throat 161, 164  
dosage 401–402  
dyspeptic syndrome 176  
gastrointestinal conditions 170, 172, 192  
gastrointestinal conditions 252  
hydrotherapy 284, 285  
nervous conditions 212–213  
sleep disorders 209–210, 258  
Leonuri cardiaca herba *see* motherwort  
leukotriene 97  
Levisticci radix *see* lovage  
lichen acids 79  
Lichen islandicus *see* Iceland moss  
lichenin 79  
licorice (*Liquiritiae radix*) 85–86, 155  
bronchitis 156  
dosage 403–405  
gastrointestinal conditions 170, 171, 172–173  
licorice extract (*Succus liquiritiae*) 85  
lignans 58, 119  
lily-of-the-valley (*Convallariae herba*) 86–87  
cardiovascular disease 133, 136, 224–225  
dosage 405–406  
lime tree *see* linden  
limonene 46, 104, 105  
linalool 59  
linalyl acetate 59  
linden (*Tiliae flos*) 87–88  
dosage 406–407  
febrile infections 245

upper respiratory infections 151  
*Lini semen* see flax  
 linoleic acid 66, 108  
 linolenic acid 52, 66  
*linseed* see flax (*Lini semen*)  
*Liquiritiae radix* see licorice  
 liver cirrhosis 180–181  
*lovage* (*Levisticum officinale*) 88, 202, 205  
 dosage 407  
*Lupuli strobilus* see hops  
*Lycopi herba* see bugleweed

**M**

maceration 16, 27  
*Mahoniae cortex* see Oregon grape  
*maidenhair tree* see ginkgo  
 mallow (*Malvae flos/folium*) 89–90  
 bronchitis 154–155  
 diseases of mouth/throat 161, 162  
 dosage 391–392  
 proctitis 187  
 manufacturing process controls 5  
 marian thistle see thistle, milk  
*marigold* (*Calendulae flos*) 90–91, 247–248  
 dermatological disease 261, 262  
 dosage 407–409  
 Ringer–calendula mixture for wet dressings 315, 316, 317  
 wounds 276–277, 280–281  
 marketing authorization 3  
*Marrubii herba* see horehound  
*marshdenia* see condurango  
 marshmallow (*Althaeae folium/radix*) 91–92  
 bronchitis 154–155  
 diseases of mouth/throat 161, 162  
 dosage 409–410  
 upper respiratory tract disorders 250  
*Matricariae flos* see chamomile  
 matricin 48  
*meadowsweet* (*Spiraeae*

*flos*) 92, 245  
 dosage 410  
 medicinal herbs  
 active ingredients of preparations 2  
 cultivated 4  
 definition 1  
 legal status 1, 2–3  
 origins 4  
 wild 4  
*melilot* (*Meliloti herba*) 146, 453  
*Melissae folium* see lemon balm  
 menstrual cycle disturbances 236–240  
*Menthae piperitae aetheroleum* see peppermint, oil  
*Menthae piperitae folium* see peppermint, leaf  
*menthofuran* 103  
*menthol* 102, 103, 148  
 coronary artery disease 134  
 dermatological disease 273, 274  
*menthone* 102, 103  
*menthyl acetate* 102, 103  
*Menyanthidis folium* see bogbean  
*meteorism* 176–177, 178  
 pediatric 254  
*methylallin* 70  
*migraine* 219  
*milk crust* 259–260, 261  
*milk thistle* (*Cardui mariae herba*) see thistle, milk  
*Millefolii herba* see yarrow  
 minor constituents 2  
*mint oil* 246  
*mistletoe*, European (*Visci herba*) 54, 93–94  
 cancer 229–230  
 dosage 378  
 hypertension 139  
*monosaccharides* 80  
*monoterpenes* 80  
 mood-enhancing stomach wrap 305  
 mood swings 216–217  
*motherwort* (*Leonuri cardiaca herba*) 136–137, 412  
 mouth, diseases 161–164  
 dryness 164  
 inflammation in children 247–248, 250  
*mucilage* 10, 16  
 chamomile 48  
 English plantain 60

flax 66  
*heartsease* 75  
*Iceland moss* 79  
 linden 87  
 mallow 89  
*marshmallow* 91  
*mistletoe herb* 93  
*mullein* 95  
 white deadnettle 127  
*mullein* (*Verbasci flos*) 94–95, 412  
 bronchitis 155  
 musculoskeletal diseases 324  
**mustard**  
 arthritis 234  
 black (*Sinapis nigrae semen*) 127  
 colds 152  
 footbath 312  
 wrap 297–298  
 white (*Sinapis albae semen*) 127–128, 447–448  
 colds 152  
*mustard flour* 31  
*mustard oils* 10  
*myrcene* 104  
*myristicin* 101  
*myrrh* (*Myrrhae*) 412  
 diseases of mouth/throat 161, 162  
*Myrtilli fructus* see bilberries

**N**

naphthalene derivatives 118  
 nasal sinus disease 147–149  
*nasturtium* (*Tropaeoli herba*) 96, 413  
 bronchitis 156  
 native American herbs 19  
*neolignans* 112  
*neomenthol* 103  
 nervous disorders 211–213  
 children 258  
 hydrotherapy 285  
*lavender oil*  
 chest compress 306  
 whole-body wash 307  
 mood-enhancing stomach wraps 305  
*nettle, stinging* (*Urticae herba/radix et rhizoma*) 97–98, 207–208

dermatological diseases 272  
dosage 438–439  
rheumatoid arthritis 233  
urinary tract conditions 201, 202, 204  
neurodermatitis see atopic dermatitis  
nightshade, bitter see bitter-sweet  
nootropic preparations 223–224  
norditerpene glycoside esters 50  
nose, diseases 147–149  
nursing mothers 24–25

**O**

oak, white 191  
oak (Quercus cortex) 99, 188, 191  
dermatological disease 265–266, 271  
dosage 413–415  
hydrotherapy 288–289  
wounds 280–281  
oatstraw (Avenae stramen-tum) 415  
hydrotherapy 288–289  
oleic acid 46, 52, 66  
nasturtium 96  
pumpkin 108  
olive oil 415  
dyspeptic syndrome 176  
gastrointestinal conditions 172  
omega-3 fatty acids 7  
omega-6 fatty acids 7  
onion bulb (*Cepae bulbus*) 278–279, 416  
orange, bitter (*Aurantii peri-carpium*) 39–40, 253  
dosage 348  
Oregon grape (*Mahoniae cortex*) 100, 263–264, 269–270  
dosage 416  
Orthosiphonis folium see Java tea  
osteoarthritis 234  
oxalates 96  
oxlip (*Primulae flos cum calycibus/radix*) 105–106  
oxyacanthine 100

**P**

pain 231–234  
hydrotherapy 286–287  
pansy, wild see heartsease  
papaya peel 416  
dyspeptic syndrome 178–179  
paprika  
Spanish (*Capsici fructus*) 273–274  
*see also* cayenne  
parsley (*Petroselinii herba/radix*) 101  
dosage 417  
urinary tract conditions 201, 202, 204, 205  
passion flower (*Passiflorae herba*) 101–102, 209–210  
dosage 418  
nervous conditions 212–213, 258  
patient groups 23–26  
Paulinae cupanae semen *see* guarana seed  
pectins 7  
pediatric patients 23–24, 241–262  
arnica pulse wrap 311  
dermatological disease 259–262  
diarrhea 192  
febrile infections 242–246  
fever-reducing whole-body peppermint wash 314  
gastrointestinal diseases 251–254  
inflammation of mouth/throat 247–248  
lemon neck wrap 313  
mustard powder foot-bath 312  
psychogenic disorders 256–258  
respiratory tract infections 249–250  
urinary tract diseases 255  
pepper, red/hot *see* cayenne  
peppermint 102–104  
dosage 418–421  
dyspeptic syndrome 176  
leaf (*Menthae piperitae folium*) 102–103  
anorexia 167, 253  
biliary disease 184  
dermatological disease 273–274  
dyspeptic syndrome 177, 178  
febrile infections 245  
fever-reducing whole-body wash 314  
gastrointestinal conditions 170, 172, 192, 197  
hydrotherapy 288–289  
liver disease 181  
pediatric gastrointestinal conditions 252–253  
oil (*Menthae piperitae aetheroleum*) 103–104, 148  
bronchitis 155, 157  
febrile infections 246  
gastrointestinal conditions 194–195  
headache 218–219, 219, 234  
periodontal disease 164  
peritonsillar abscess 163  
perspiration, excessive 275  
petasins 107  
*Petasitidis rhizoma* *see* but-terbur, purple  
*Petroselinii herba/radix* *see* parsley  
petroselinic acid 46  
pharmaceutical biology 2  
pharmaceutical preparations, modern 11  
pharyngitis 162  
chronic 163–164  
phellandrene 104, 105  
phenol glycosides 63  
primula 105, 106  
phenolcarboxylic acids 123  
phenolcarboxylic acids 75  
phenylacrylic acid derivatives 58  
phenylcarboxylic acids 39  
phenylethanol derivatives 54–55  
phenylpropane derivatives 127  
photosensitization 115  
physicians, role 22  
phytochemistry 2  
phytoestrogens 41  
phytomedicine 1  
phytopharmaceutical standards 2  
phytopharmacology 2  
phytosterins 9

Piceae aetheroleum  
  see spruce needle oil  
pillows, grass flower 308  
pine  
  dosage 422–424  
  needle oil (*Pini aetheroleum*) 104–105  
    bronchitis 155, 157  
    coronary artery disease 134  
    febrile infections 246  
    hydrotherapy 283  
  sprouts (*Pini turiones*) 105  
pineapple 422  
  dyspeptic syndrome 178–179  
 $\alpha$ -pinene 61  
pinenes 104, 105, 112  
pinicrin 105  
Piperis methystici rhizoma  
  see kava  
plant glossaries  
  English–Latin 330–336  
  Latin–English 325–329  
plant juice 11  
plant materials  
  extracts 12, 13, 14–15  
  fresh 11–12  
  oily extracts 12  
  starting 11  
plant metabolism  
  primary 7  
  secondary 7–10  
plantain, English (*Plantaginis lanceolatae herba*)  
  60–61  
  bronchitis 154–155, 156, 157  
  diseases of mouth/throat 161, 248, 250  
  dosage 375  
  respiratory tract disorders 250  
plantain, Indian 106–107, 396–397  
polysaccharides 37, 46  
  echinacea 56, 57  
  eleuthero 58  
  goldenrod 63  
  mallow 89  
  marigold 90  
  nettle 98  
  saw palmetto 116  
  thuja 119  
polyynes 37  
poppy, California  
  (*Eschscholtziae herba et radix*) 255, 257

potassium salts 80  
Potentillae anserinae herba  
  see silverweed  
poultices  
  flax 292  
  horseradish 293, 304  
powders 14  
pregnancy 24–25  
pregnane derivatives 124  
pregnane glycosides 52  
premenstrual syndrome 237–238  
preparations  
  single-herb 2  
  standardized process 4  
  types 1  
prescribing 17, 18  
primula (*Primulae flos cum calycibus/radix*) 105–106  
  bronchitis 155, 156, 157  
  dosage 424  
primula acid A 105, 106  
primulaverin 105, 106  
primverin 105  
proanthocyanidins 72, 80, 119  
processing of plant material 11  
proctitis  
  acute 186, 187  
  chronic 188  
procumbide 54  
procyanidins 74, 115  
  heart failure 133  
professional organizations 454–458  
propagation, asexual 4  
propenylalillin 70  
proscillarinid 111  
prostate, benign hyperplasia 207–208  
pruritis 273–274  
psoriasis 263–264  
psychogenic disorders in children 256–258  
psychovегетативные syndrome 214–215  
psyllium (*Psyllii semen*) 106–107  
  dosage 425  
  gastrointestinal conditions 192, 193, 194, 195, 197, 199  
    pediatric 253, 254  
pumpkin (*Cucurbitae peponis semen*) 108–109, 204, 207–208  
  dosage 425

purines 50  
pyrrolizidine alkaloids 107

## Q

quality assurance 4–6  
quality of plant materials 5  
queen-of-the-meadow *see* meadowsweet  
*Quercus cortex* *see* oak  
quinic acid 50

## R

radish 427  
  biliary disease 184  
raspberry 427  
raubasine 110  
rauwolfia (*Rauwolfiae radix*) 110  
  hypertension 138  
rectal diseases 186–189  
red wine leaf *see* grape leaf  
reflux 169–173  
relaxants 194  
reserpine 110  
resins 41, 105  
respiratory tract diseases/infections  
  catarrhal pediatric 250  
  chronic recurrent 227  
  flax seed poultice 292  
  horseradish poultice 293  
  mustard wrap 297–298  
  pediatric 249–250  
  thyme chest wrap 296  
  thyme oil compress 294–295  
  upper 151, 153  
    catarrhal pediatric 250  
Rhamni cathartici fructus  
  *see* buckthorn  
rhamnogalacturonans 89  
rhatany (*Rhataniae radix*) 111–112  
  diseases of mouth/throat 161  
  dosage 429  
  wound treatment 318  
rheumatic diseases 231–234  
arnica joint wrap 310  
ginger wrap 309  
grass flower pillow 308  
hydrotherapy 286–287  
rheumatoid arthritis 233

- rhinitis, acute catarrhal 147, 148  
 rhubarb root 197–198  
   Chinese 361  
*Ribes nigræ fructus* see  
   blackcurrant  
 ribwort see plantain, English  
 Ringer–calendula mixture  
   for wet dressings 315,  
   316, 317  
 Roemheld's syndrome 135,  
   137, 178  
*Rosae pseudofructus* 151–  
   152  
 rose hip peel (*Rosae pseudofructus*) 151–152, 368  
 rosemary (*Rosemarini folium*) 112–113  
   coronary artery disease 134  
   dosage 430–431  
   hydrotherapy 284, 286–  
   287  
   hypotension 140  
   whole-body wash 291  
*Rusci aculeati rhizoma* see  
   butcher's broom  
 rutin 65
- S**
- Sabal fructus* see saw palmetto  
 safety 5, 21, 22  
 saffron, meadow (*Colchici autumnalis semen*) 235  
*sage* (*Salviae folium*) 114  
   dermatological diseases 275  
   diseases of mouth/throat 161, 162, 247–248  
   dosage 432–433  
   febrile infections 246  
*St John's Wort* (*Hyperici herba*) 115–116  
   anxiety 258  
   depression 217, 258  
   dermatological disease 261  
   diseases of mouth/throat 164  
   dosage 434–435  
   drug interactions 21  
   duration of use 28  
   menstrual complaints 240  
   nervous disorders 258  
   proctitis 187
- psychovegetative syndrome 214–215  
 urinary tract diseases 255  
 wounds 276–277
- salicylic acid 75, 123  
*Salviae folium* see sage  
*Sambuci flos/fructus*  
   see elder  
 saponins 9–10  
   eleuthero 58  
   English ivy 58  
   goldenrod 63  
   horse chestnut 77  
   Java tea 80  
   licorice 85  
   marigold 90  
   mullein 95  
   steroid 40, 43  
   see also triterpene  
   saponins  
 saw palmetto (*Sabal fructus*) 116, 207–208, 435  
*Scillæ bulbus* see squill, red  
*scillaren* 111  
 sea salt 31  
 seborrhoeic dermatitis 259–  
   260, 261, 269–270  
 secretolytics 155, 244  
 sedatives 255, 257  
 self-care 22  
 senna leaf  
   biliary disease 184  
   dosage 436  
   dyspeptic syndrome 178  
   gastrointestinal conditions 188, 197, 198  
 serotonin 97  
 serpentine 110  
 sesquiterpene lactones 34, 36  
   butterbur 107  
   dandelion 54  
   wormwood 129  
 sesquiterpenes 72  
   valerian 125  
 shepherd's purse (*Bursae pastoris herba*) 236  
 sicca syndrome 164  
 side effects 21, 22  
 silibinin 93  
 silicic acids 78, 97  
 silverweed (*Potentillæ anserinae herba*) 117, 236  
   diseases of mouth/throat 161, 247–248  
   dosage 437  
 silybin 93  
 silymarin 93  
 sinalbin 127
- sinapine 127  
*Sinapis albae semen*  
   see mustard, white  
*Sinapis nigrae semen*  
   see mustard, black  
 sinusitis 147, 149  
   flax seed poultice 292  
 skin see dermatological disease  
 skin receptor stimulation 232–233  
 sleep disorders 209–210,  
   257–258  
   hydrotherapy 285  
 soft-tissue swelling, arnica wrap 319  
*Solidaginis virgaureae herba*  
   see goldenrod  
 spasmolytics 251  
*Spiraea flos* see meadowsweet  
 spruce needle oil (*Piceæ aetheroleum*) 246, 250  
   dosage 421–422  
   hydrotherapy 283,  
   286–287  
*squill, red* (*Scillæ bulbus*)  
   110–111, 133  
   dosage 428–429  
 starch 71  
 steam inhalation 31  
 steroid glycosides 33, 40,  
   58, 111  
   lily-of-the-valley 86  
   red squill 110, 111  
   saw palmetto 116  
   uzara 124  
 steroids 108  
 sterols 98, 108  
 stomach complaints 252  
 stomatitis  
   acute 162  
   chronic 163–164  
 storage 5–6  
*Succus liquoritiae* (licorice extract) 85  
 sugar alcohols 93  
*sundew* (*Droseræ herba*)  
   118  
   bronchitis 156  
   dosage 432  
   respiratory tract diseases 250  
 suppliers 459–477  
   end user 5  
 sweetclover, yellow 453  
 sweeteners 28

# Index

sweetflag *see* calamus  
sweroside 84  
swertiaimar 84  
*Symphyti radix* *see* comfrey  
syringic acid 123  
systemic diseases 308, 309  
  arnica joint wrap 310

## T

tanner's red compounds 112  
tannins 9, 42  
  clove 49  
  dandelion 54  
  English plantain 60  
  heartsease 75  
  hops 75  
  inflammation of mouth and throat 247–248  
  linden 87  
  meadowsweet 92  
  oak 99  
  rhatany 112  
  silverweed 117  
  St John's wort 115  
  thuja 119  
  tormentil 121  
  uva-ursi 123  
  witch hazel 128  
*Taraxaci radix cum herba*  
  *see* dandelion  
target constituents 2  
taxonomic terms 2  
teas 15–16  
  dosage 19, 28  
  duration of use 28  
footbaths 31  
inhalation 31  
mixtures 27  
pediatric patients 23  
preparation 27–28  
sweeteners 28  
tonic 28  
terminology  
  English–Latin glossary 330–336  
  Latin–English glossary 325–329  
  prescriptions 17–18  
terpinoline 104  
theobromine 50  
theophylline 50  
therapeutic efficacy 6  
thistle  
  blessed thistle  
  anorexia 167

biliary disease 184  
dosage 350–351  
dyspeptic syndrome 177  
*milk (Cardui mariae herba)* 93  
  biliary disease 184, 185  
  debility 221  
  dosage 410–411  
  liver disease 180, 181  
throat, diseases 161–164  
  inflammation in children 247–248, 250  
*thuja (Thuja herba)* 119–129  
  immunostimulant 150–151  
*thujones* 114, 119, 129  
*thyme (Thymi herba)* 120–121  
  bronchitis 155, 156, 157  
  chest wrap 296  
  compress 294–295  
  dosage 440–441  
  febrile infections 245  
  hydrotherapy 283, 288–289  
  upper respiratory tract disorders 250  
thymol 120  
*Tiliae flos* *see* linden  
tinctures 12, 14  
  doses 19  
  hydroalcoholic 19–20  
  mother 19  
  pediatric patients 23  
tinnitus 142, 225  
tonics 187  
tormentil (*Tormentillae rhizoma*) 121  
  diarrhea 191  
  diseases of mouth/throat 161  
  dosage 362  
traditional medicines, reauthorization procedure 3  
trauma, blunt 278–279  
tree of life *see* thuja  
trigonelline 50  
triterpene alcohols 90  
triterpene glycosides 41  
  dandelion 54  
  eleuthero 58  
  English ivy 58  
  goldenrod 63  
  horse chestnut 77  
  Java tea 80  
  licorice 85  
  marigold 90  
  mullein 95

rosemary 112  
sage 114  
tormentil 121  
triterpene saponins 37, 39  
primula 105, 106  
  white deadnettle 127  
*Tropaeoli herba* *see* nasturtium  
turmeric (*Curcumae rhizoma*) 121–122, 442  
  dyspeptic syndrome 177  
gallbladder disease 183–184

## U

ulcers  
  leg 280–281  
  mouth/throat 162  
United States  
  herbal use 22  
  phytopharmaceutical standards 2  
urinary bladder, irritable 204  
urinary tract diseases/infections 200–201, 227  
  eucalyptus oil compress 303  
  horseradish poultice 304  
  pediatric 255  
urolithiasis 205–206  
*Urticae herba/radix et rhizoma* *see* nettle, stinging  
*uva-ursi (Uvae ursi folium)* 123, 200–201, 442  
*uzara (Uzarae radix)* 124, 442–443  
uzarin 124

## V

valerian (*Valerianae radix*) 125  
  dosage 443–445  
  dyspeptic syndrome 178  
flatulence 183  
hydrotherapy 285  
nervous conditions 212–213, 258  
psychovegetative syndrome 214–215  
sleep disorders 209–210  
varicose veins 145–146  
venous insufficiency, chronic 145–146, 280

venous stasis 280  
*Verbasci flos* see mullein  
 vertigo 142  
*Violae tricoloris herba* see  
 heartsease  
 violutoside 75  
 virustatics 261, 262  
*Visci herba* see mistletoe,  
 European  
 vitamin C  
 parsley 101  
 pine sprouts 105  
 supplements 151–152  
*Vitis viniferae folium* see  
 grape leaf  
 vulnerary agents 187

**W**

websites 479  
 wheat bran 288–289  
 willow bark 233–234  
 witch hazel (*Hamamelidis*  
 cortex) 128–129  
 dermatological diseases  
 261, 265–266, 267–268  
 dosage 449  
 gastrointestinal condi-  
 tions 188  
 venous insufficiency 145

wormwood (*Absinthii*  
 herba) 129–130  
 biliary disease 183, 184,  
 185  
 debility 221  
 diarrhea 191  
 dosage 450–451  
 dyspeptic syndrome 176,  
 177, 178  
 flatulence 183  
 wounds 276–279  
 iatrogenic 278–279  
 rhatany tincture 318  
 Ringer–calendula mix-  
 ture for wet dressings  
 315, 316, 317  
 white cabbage compress  
 321  
 wraps  
 arnica  
 for heart ailments 290  
 joint 310  
 pulse 311  
 for soft-tissue swelling  
 319  
 fennel oil 301  
 ginger 309  
 hot  
 chamomile 300  
 stomach 299  
 yarrow 302

lemon neck 313  
 mood-enhancing 305  
 mustard 297–298  
 preparation 29, 30, 31  
 thyme for chest 296

**X**

xysmalorin 124

**Y**

yarrow (*Millefolii herba*)  
 131  
 anorexia 167, 253  
 biliary disease 184  
 dosage 451–452  
 dyspeptic syndrome 177  
 hot wrap 302  
 hydrotherapy 288–289  
 upper respiratory infec-  
 tions 151

**Z**

zingiberene 71  
*Zingiberis rhizoma*  
 see ginger