

# Index

Page numbers in *italics* refer to illustrations or tables where these are separate from the text reference

## A

- A-mode 6, 346
- A-sounds 213, 214, 216
- acetazolamide test 98, 112
- acoustic
  - coupling 3
  - energy 346
  - impedance 1–2, 346, 350
  - power 346
  - shadow 346
  - velocity 1, 353
  - wave 346
- agenesis, venous valve 239
- air bubbles *see* microbubbles
- aliasing 4, 346
- Allen test 182, 196
- amplitude 346
- amplitude attenuation coefficient 2
- amplitude mode 7
- analogue graphs 46
- analogue procedure 13, 346
- anastomoses
  - external carotid artery 39
  - leptomeningeal 121
  - ophthalmic artery 52, 120
  - vertebral artery 44
  - see also* collateral pathways
- aneurysms 123
  - basilar artery 284–285
  - classification 186
  - common iliac artery 187
  - false *see* pseudoaneurysms
  - femoral artery 305–307
  - great saphenous vein bypass 343
  - leg arteries 178, 185–190, 201–202
  - middle cerebral artery 16
  - popliteal artery 186, 187, 188, 308–309
  - subclavian artery 181, 185
  - thrombosis 187
  - true 186–187
  - vascular graft 186
  - venous 239
    - acquired 240, 250
    - cerebral veins 143
    - great saphenous vein bypass 343
    - vein of Galen 146, 147
- angioma, intracranial 67, 122, 145
- angioplasty 192–193, 202
  - see also* percutaneous transluminal angioplasty (PTA)
- angle 346
  - beam 347
- dependence 197
- Doppler 348
  - of incidence 347
- angular artery 33, 258
- angular vein 257
- ankle pressure 156, 157
  - ankle/arm index 156–157
  - measurement 152, 154–155
- antebrachial vein, intermediate 259
- anterior scalene syndrome 183
- aorta
  - distal abdominal 167
  - thoracic, examination 36
- aortic arch 46, 82, 258
  - stenosis 276–277
- aplasia, venous 239, 241
- apnea test 112
- arcuate artery 260
- arm arteries *see* upper extremity arteries
- array 347
- arterial locks 194, 195
- arteriopathy, dilatative *see* dilatative arteriopathy
- arteriosclerotic disease *see* plaque
- arteriovenous fistulas 143, 190–191, 192, 239
  - classification 190
  - etiology 191
  - findings 191
  - secondary 240, 250
- arteriovenous malformations 67, 121–122, 145
- arteritis
  - frequency 183
  - giant-cell 184
  - Takayasu 183, 184, 276
  - temporal 70, 183
- articular rete, of the knee 168
- artifact 347
  - perivascular color artifacts 197
  - signal movement artifacts 353
- atherogenesis criteria 71
- attenuation 2
- audio signal analysis 12, 347
- augmented sounds (A-sounds) 213, 214, 216
- autocorrelation principle 7, 347
- autoregulation
  - cerebral disturbances 125–126
  - tests 99–101, 112
    - orthostatic regulation 100–101, 112
    - static and dynamic autoregulation 99–101, 112
- axial resolution 6, 347
- axillary artery 165, 170, 171
  - anatomy 259
  - examination 165
- axillary vein 225–226, 259
  - examination 217, 218
  - thrombosis 236, 247

## B

- B-mode 6–7, 347
- B-flow imaging 10–11
- carotid artery 55–56
  - common 62, 63
  - external 69
  - internal 65
- content guidelines 262
- jugular veins 141
- peripheral arteries 163, 167, 173, 195
  - leg 168, 171, 178
  - pelvic 167, 177
  - upper extremity 171, 182
- peripheral veins 220, 222, 240
  - diagnostic effectiveness 243, 246
  - leg 212–213, 222, 231–232, 240
  - muscle vein thromboses 233
  - patency evaluation 227
  - pelvic 212–213
  - thrombophlebitis 236, 240
  - upper extremity 215, 226, 236–237
  - valvular insufficiency 233, 234, 241
- backscatter 347
- basal vein 257
  - of Rosenthal 140, 142
- basilar artery (BA) 33, 109–110, 257
  - anatomy 109, 257, 258
  - aneurysm 284–285
  - dilatative arteriopathy 121
  - examination 95–96
  - occlusion 120
  - stenosis 118, 120
- basilar plexus 140
- basilic vein 217
  - anatomy 226, 259
- beam 347
  - angle 347
  - ultrasound 354
- Bernoulli, Daniel 347
- Bernoulli equation 176, 347

- blood flow  
 carotid artery, common 62, 64–65  
 external 70  
 internal 66–69  
 cerebral arteries 105–106  
 middle 111–112  
*see also* cerebral blood flow  
 velocity (CBFV)  
 disturbed flow 348  
 flow pulses 166–167, 172–173  
 orbital arteries 52–55  
 venous flow 218, 219, 222–223  
 vertebral artery 76–78  
*see also* flow reversal; flow separation; flow velocity; flow volume
- blood pressure  
 autoregulation tests 99–101, 112  
 measurement, Riva-Rocci method 151  
*see also* systolic blood pressure measurement
- boundary layer 347
- Boyd veins 225
- brachial artery 165, 170, 259  
 deep 170  
 occlusions 327–329  
 stenosis 325–326
- brachial vein 225  
 examination 217  
 radial 259  
 ulnar 259
- brachiocephalic trunk 36
- brain  
 structure imaging 129–130  
 tissue perfusion 130–131  
 contrast harmonic imaging 131  
 pulse inversion contrast harmonic imaging 131  
 stimulated acoustic emission 131
- brain death 124–125
- brainstem ischemia 280
- breath-holding test 97–98
- Brescia–Cimino internal shunt 191
- bruit 347
- Buerger's disease 183–184
- bypasses 193–194, 202  
 extracranial–intracranial 70, 123–124  
 femoropopliteal 194  
 great saphenous vein, aneurysm 343  
 reocclusion 193–194, 202  
 rupture 318–319  
 femoropopliteal artery 194  
 stenosis 194  
 insertion point 314–315
- C**
- calf arteries 170, 180–181
- callosomarginal artery 257
- cardiac arrhythmia 47
- caroticotympanic artery 39
- carotid artery 39  
 diagnostic effectiveness 74–75  
 dissection 68, 73, 265  
 evaluation of findings 70–73  
 examination 94  
 intracranial 94  
 ipsilateral multilevel disease 272–273  
 plaques 74–75  
 postinterventional findings 73  
 postoperative findings 73  
 sources of error 73–74  
 stenosis 11, 17, 53, 57–61, 75  
 classification 59–61  
 estimation of 58–59, 60, 73–74  
 multivessel disease 73, 268–270  
 sequential ipsilateral stenoses 72–73  
 stenting 49, 66, 266–267
- carotid artery, common (CCA) 33, 38, 39–41, 62–65, 170  
 anatomy 258  
 blood flow 62, 64–65  
 absent signal 65  
 decreased velocity 64  
 flow volume 40–41  
 increased velocity 64  
 compression tests 96–97, 110  
 dilatative arteriopathy 64, 67  
 examination 29–31  
 intima–media thickness (IMT) 39–40  
 plaque 12, 62, 63  
 development 62  
 stenosis 41, 64, 276–277
- carotid artery, external (ECA) 33, 39, 43–44, 69–70  
 anatomy 258  
 blood flow 70  
 absent signal 70  
 flow separation zones 44  
 increased velocity 70
- branch identification 32, 33  
 compression tests 31, 32, 37–38  
 examination 31–32  
 occlusion, criteria 72  
 stenosis 69–70  
 collateralization 120–121  
 criteria 72
- carotid artery, internal (ICA) 33, 39, 41–43, 65–69  
 anatomy 257, 258  
 blood flow 66–69  
 absent signal 69  
 compensatory elevated flow 67  
 decreased velocity 67–68  
 flow separation zones 41–42  
 increased velocity 66–67  
 obstructions 53, 54, 64  
 sloss phenomenon 68  
 systolic deceleration 67  
 cavernous sinus fistula 121, 122, 145  
 dilatative arteriopathy 121  
 dissection 67, 68, 69, 265  
 examination 31–32  
 fistula, transient 286–288  
 hypoplasia 67  
 kinking 9, 47, 67
- occlusions 120  
 criteria 71, 72  
 plaques 11, 17, 65, 263  
 siphon *see* carotid siphon  
 stenosis 9, 60–61, 64, 65–69, 263–264  
 criteria 71, 72  
 high-grade 67–68  
 low-grade 66–67
- T-junction 108
- thrombosis 57
- ulceration 65
- carotid bifurcation 38, 39, 42, 43  
 examination 31–32  
 stenosis 53, 272–273  
 criteria 72
- carotid cavernous fistula 121, 122, 145
- carotid endarterectomy  
 following stroke 282  
 monitoring 128
- carotid sinus 41, 42  
 absence 41, 42
- carotid siphon 33, 36, 106–107  
 examination 92  
 stenosis 272–273
- cathode-ray oscilloscope 347–348
- cavernous hemangioma 238
- cavernous sinus 140, 257  
 fistula 121, 122, 145
- cephalic vein 217, 226  
 accessory 259  
 anatomy 226, 259
- cerebellar artery  
 inferior, anterior 93  
 posterior 93  
 superior 93
- cerebral arteries  
 extracranial  
 diagnostic effectiveness 50–52  
 evaluation of findings 46–47  
 examination 27–29  
 sources of error 47–49
- intracranial  
 autoregulation tests 99–101, 112  
 compression tests 96–97, 110–111  
 contrast administration 105  
 diagnostic effectiveness 115, 131–132  
 evaluation of findings 113–114, 121–126  
 examination 89–96  
 identification problems 115  
 normal findings 106–107  
 occlusions 118–120  
 pathological findings 115–121  
 sources of error 114–115, 129  
 stenoses 117–118, 131  
 vasomotor reactivity tests 97–98, 111–112  
 vasoneural coupling 101–103, 112–113
- cerebral artery, anterior (ACA) 108–109  
 anatomy 108–109, 257, 258  
 examination 94  
 occlusions 120  
 pulsatility index 108

- cerebral artery, middle (MCA) 102, 103, 107–108  
 anatomy 107, 257, 258  
 aneurysm 16  
 examination 92–94  
 flow velocity 111–112  
 monitoring 126, 127  
   during interventional procedures 128  
 occlusions 118–119, 126, 282–283  
   acute stroke 289–291  
   branch occlusion 119  
   spontaneous recanalization 289–291  
 pulsatility index 108  
 recanalization 126, 127  
   spontaneous 289–291  
 stenosis 117, 118, 281, 282–283  
 stimulation test 102–103
- cerebral artery, posterior (PCA) 109, 110  
 anatomy 109, 257, 258  
 examination 94  
 occlusions 119  
 pulsatility index 108  
 stimulation test 101–102, 103, 104
- cerebral blood flow velocity (CBFV) 97  
 autoregulation tests 99–101, 112  
 epilepsy and 129  
 intracranial pressure and 124  
 vasomotor reactivity tests 97–98, 111–112  
 vasoneural coupling 101–103, 104, 112–113
- cerebral circulatory arrest 124–125
- cerebral veins  
 anatomy 139–141  
 deep middle 142  
 diagnostic effectiveness 146  
 evaluation of findings 143–146  
 examination 139  
 functional tests 139  
 internal 257  
 sources of error 146
- cervical collateral arteries 45
- cervical rib syndrome 183
- cervical vein, deep 257
- circle of Willis 107, 108
- circulatory reserve 156
- clutter suppression filtering 11
- CO<sub>2</sub> reactivity test 97–98, 111–112  
 apnea test 112  
 breath-holding test 97–98  
 CO<sub>2</sub> inhalation 97, 111–112  
 rebreathing 97, 112
- Cockett's perforating veins 225, 241
- coded excitation 10–11
- collateral pathways  
 cervical collateral arteries 45  
 collateral vascular capacity 121  
 epigastric 177  
 extracranial carotid artery obstructions 120–121  
 femoropopliteal 177  
 iliofemoral 177  
 leg veins 235, 243  
 lumbar 177
- mesenteric 177  
 vertebral artery 76–77, 79  
*see also* anastomoses
- color change 197
- color Doppler flow imaging (CDFI) 7–8, 9
- carotid artery 56–57  
 common 62  
 external 70  
 internal 65, 66
- content guidelines 262
- four-dimensional 18
- peripheral arteries 163, 167, 173, 195  
 leg 169, 172, 178  
 pelvic 167, 177  
 upper extremity 171, 182
- peripheral veins 220, 240  
 leg 213, 222, 230, 232, 240  
 patency evaluation 227  
 pelvic 213  
 upper extremity 216, 226, 237  
 valvular insufficiency 233, 234, 241  
*see also* color flow duplex sonography
- color flow duplex sonography 7, 9, 27, 348
- aorta, thoracic 36
- carotid artery 55–59  
 common 29–30, 39–41, 62  
 diagnostic effectiveness 74–75  
 external 31–32, 43–44, 69–70  
 internal 31–32, 41–42, 65–66
- cerebral artery  
 extracranial 27, 46, 47, 50–51  
 middle 108
- communicating artery, anterior 109
- innominate artery 36, 46, 81
- intracranial veins 142
- jugular vein, internal 141–142, 143
- neck arteries 38
- orbital arteries 29, 52
- peripheral arteries 161, 163, 167, 173, 195, 198, 199  
 calf and foot 170, 181  
 leg 163–164, 171–172  
 pelvic 163, 164, 167, 177  
 thigh 168–169, 178  
 upper extremity 165, 171, 182
- peripheral veins 211, 220, 229–230, 240  
 diagnostic effectiveness 244, 246  
 leg 212–213, 216, 222, 224, 231–232, 240–241  
 muscle vein thromboses 233  
 patency evaluation 227–228  
 pelvic 212–213, 216  
 perforating veins 225, 236  
 thrombophlebitis 236, 240  
 upper extremity 215–216, 217–218, 226, 236–237  
 valvular function 228, 230, 233, 234, 241
- specificity 50, 74
- subclavian artery 36, 45, 81
- vertebral artery 33–35, 44, 76–78, 80
- communicating artery, anterior (ACA) 93, 108–109, 257  
 anatomy 108–109  
 collateralization 120  
 compression test 110  
 hypoplasia 108, 109
- communicating artery, posterior (PCA) 93, 109  
 anatomy 109, 257, 258  
 collateralization pathway 120–121  
 compression test 110–111
- communicating veins 224
- compliance 348
- compound imaging 10  
 carotid artery plaques 56, 57
- compression  
 aneurysm therapy 188–190  
 effects of 185  
 external venous 242  
 manual signal amplification 214, 216  
 popliteal artery 184–185  
   classification 185  
   provocation maneuvers 185  
 subclavian artery 182–183
- compression sonography 227, 231, 240, 244
- compression tests  
 carotid artery 31, 32, 37–38, 96–97, 110  
 cerebral arteries 96–97, 110  
 facial artery 29, 30  
 leg veins 220, 221, 222, 227–228, 231–232  
 temporal artery 29, 30  
 unsuccessful provocation maneuvers 243  
 upper extremity veins 236–237  
 vertebral artery 33–35, 44–45
- compression therapy, pseudoaneurysms 188–190, 312–313
- ultrasound-guided compression closure 201–202
- computerized motor-driven systems 15
- congenital venous dysplasias 238–239, 250
- continuity equation 174–176
- continuous-wave Doppler sonography 3, 27, 348  
 carotid artery 59–61  
   common 30–31, 41, 64–65  
   diagnostic effectiveness 75  
   external 32, 44, 70  
   internal 32, 42–43, 66–69
- cerebral artery, extracranial 27, 46–47, 51–52
- innominate artery 36, 46, 81–82
- jugular vein, internal 142
- neck arteries 38–39
- orbital arteries 29, 52–53
- peripheral arteries 161, 163, 172–174, 196  
 calf and foot 170, 181  
 leg 164–165, 172–173  
 pelvic 164, 167, 177–178

continuous-wave Doppler sonography  
 peripheral arteries  
 thigh 170, 180  
 upper extremity 165–166, 171, 182  
 peripheral veins 213–215, 220, 241  
 diagnostic effectiveness 247  
 leg 213–215, 216, 222–223, 224, 232, 241  
 patency evaluation 228  
 pelvic 213–215, 216  
 perforating veins 225, 236  
 thrombophlebitis 236  
 upper extremity 216, 218, 226, 237, 238  
 valvular function 228, 230, 234–235, 241  
 subclavian artery 36, 46, 81  
 vertebral artery 35, 44–45, 78, 80  
 contrast agents 18, 105, 354  
 contrast imaging 18–22  
 carotid artery 59  
 cerebral arteries 90  
 contrast harmonic imaging (CHI) 131  
 pulse inversion contrast harmonic imaging (PICI) 131  
 costoclavicular syndrome 182, 183  
 critical pressure level 155  
 critical stenosis 348  
 cubital vein, intermediate 259  
 curve broadening index 173  
 curved-array transducer 348, 354  
 cystic adventitial degeneration 185

## D

damping factor (DF) 172  
 decibel (dB) 348  
 deep inspiration 139, 142  
 deep venous thrombosis 228, 229, 231–232  
 diagnostic effectiveness 243, 244  
*see also* thrombosis  
 diabetes 158  
 diffraction 2  
 digit, pressure measurement 151, 152, 155, 158, 159  
 digital arteries 259  
 examination 165, 166  
 findings 182  
 occlusions 181, 182, 203, 330–331  
 proper palmar 171  
 stenoses 182, 203  
 digital signal 348  
 dilatative arteriopathy 121, 308  
 basilar artery 121  
 carotid artery  
 common 64, 67  
 internal 121  
 directionality 348  
 dissection  
 carotid artery 67, 68, 69, 73, 265  
 femoral artery 320–321  
 iatrogenic 194

vertebral arteries 278–279  
 documentation 261  
 systolic blood pressure 149  
 Dodd perforating veins 225  
 dolichoectasia 284–285  
 Doppler angle 348  
 Doppler, Christian Andreas 348  
 Doppler effect 2–3, 348  
 Doppler formula 348  
 Doppler shift 348  
 frequency 349  
 Doppler spectrum 349  
 Doppler systems 3–5  
 continuous-wave 3  
 duplex systems 9–10  
 power Doppler imaging (PDI) 9  
 pulsed-wave 3–5, 105, 352  
 multichannel 5, 351  
 single-gate 353  
 signal analysis 12–14  
*see also* color Doppler flow imaging (CDFI); color flow duplex sonography; continuous-wave Doppler sonography  
 dorsal artery of the foot 260  
 duplex systems 9–10, 349  
 diagnostic effectiveness 50  
*see also* color flow duplex sonography  
 dural fistula 145  
 dynamic autoregulation 99–101, 112  
 dynamic focusing 349  
 dynamic range 349

## E

echocardiography  
 aortic arch 82  
 thoracic aorta 36  
 echogenicity 48, 197  
 plaques 55  
 ectasias  
 cerebral veins 143, 144  
 dolichoectasia 284–285  
 intracranial cerebral arteries 121  
 edema  
 systolic blood pressure measurement and 159  
 thrombosis simulation 242  
 embolism 128  
 aneurysmal thrombosis and 187  
 cerebral artery occlusions 118–119  
 microembolic signals (MES) 104, 113, 128  
 paradoxical 105  
 pulmonary 245  
 endangiitis 158  
 endothelial dysfunction 183  
 entrapment syndrome 184–185  
 epigastric artery  
 collateralization 177  
 inferior 167, 260  
 epilepsy 129  
 ethmoidal artery 258  
 anterior 37  
 posterior 37

exercise  
 flow velocity and 167, 173  
 systolic blood pressure and 155–156, 161  
 post exercise pressure 150–151, 153, 154, 157, 158, 159  
 expiration, venous flow and 218  
 extracranial–intracranial bypass 70, 123–124

## F

facial artery 33, 258  
 compression tests 29, 30  
 facial vein 257  
 false aneurysms *see* pseudo-aneurysms  
 fast Fourier transform (FFT) analysis 8, 13–14, 349  
 femoral artery  
 aneurysm 305–307  
 examination 163  
 occlusion 178, 180, 301–303  
 length determination 200  
 long 302–303  
 short 301  
 stenoses 178, 298–300, 304–307, 312, 320  
 restenosis 318–319  
 femoral artery, circumflex  
 lateral 168, 260  
 medial 168, 260  
 femoral artery, common 168, 260  
 arterial locks 194, 195  
 dissection 320–321  
 examination 163  
 false aneurysm 310–311  
 flow velocity 169  
 femoral artery, deep 168, 178, 260  
 bifurcation 168–169  
 examination 163  
 flow velocity 169  
 femoral artery, superficial 168, 260  
 examination 162, 163  
 flow velocity 169  
 occlusion 180  
 reocclusion 302–303, 316  
 stenosis 174, 179, 298, 322  
 stent stenosis 316–317  
 femoral vein 216, 217, 260  
 bifurcation 227  
 blood flow 223  
 common 221  
 examination 212  
 subinguinal valve 221  
 thrombosis 229  
 deep, examination 216  
 superficial 221  
 examination 212, 216  
 thrombosis 335–336  
 femoropopliteal bypass 194  
 rupture 194  
 femoropopliteal collateralization 177  
 fibular artery 164  
 fibular veins 221

- filter 349  
 high-pass 349  
 low-pass 349  
 wall motion 355
- filter bank analysis 349
- finger  
 arteries, examination 165, 166  
 findings 182  
 systolic blood pressure measurement 151, 152, 155, 158
- fistula  
 arteriovenous 143, 190–191, 192, 239  
 cavernous sinus 121, 122, 145  
 dural 145  
 iatrogenic 191  
 internal carotid artery, transient 286–288  
 traumatic 191
- flow reversal  
 orbital arteries 52, 53  
 radial artery 182, 196  
 vertebral artery 78  
*see also* blood flow
- flow separation 349  
 external carotid artery 44  
 internal carotid artery 41–42  
*see also* blood flow
- flow velocity 166, 197  
 following subarachnoid hemorrhage 122–123  
 leg arteries 169  
 mean flow velocity 106, 117  
 peak flow velocity 117  
 systolic 106, 174  
 peak velocity ratio (PVR) 201  
 post exercise 167, 173  
 systolic blood pressure measurement and 159  
 velocity profile 354–355  
*see also* blood flow; cerebral blood flow velocity (CBFV)
- flow volume 41  
 common carotid artery 40–41  
 measurement 40–41  
*see also* blood flow
- focal zone 350
- foot  
 arteries 170, 180–181  
 dorsal artery 260  
 veins 220–221
- forearm arteries *see* upper extremity arteries
- four-dimensional ultrasound 17–18, 346
- Fourier, Jean Baptiste 350
- Fourier transform 13, 350  
 fast Fourier transform (FFT) analysis 8, 13–14, 349
- F.P. Weber syndrome 238
- freeze mode 350
- frequency 1, 350  
 mode frequency 351  
 modulation 350  
 peak frequency 351  
 pulse repetition (PRF) 3–4, 11  
 high 4–5  
 spectrum 3  
 transmission frequency 354  
 ultrasound 354
- frequency-domain method 7
- frontal arteries 257
- frontobasal artery 257
- frontopolar artery 257
- G**
- gastrocnemial veins 222
- gastrocnemius muscle hypertrophy 185
- genicular arteries 168  
 distal peroneal 260  
 distal tibial 260  
 proximal peroneal 260  
 proximal tibial 260
- giant-cell arteritis 184
- Gray scale 350
- groin pulse curve 200
- H**
- harmonic imaging 19–20, 350  
 pulse inversion (PIH) 20, 21
- heat effect 350
- hemangiomas 238  
 cavernous 238
- hematoma 197, 242
- hemodialysis shunt 191
- hemodynamic compensation 156
- hemorrhage, intracerebral 130  
*see also* subarachnoid hemorrhage (SAH)
- high-intensity transient signals (HITS) 104, 113, 128, 350
- high-pass filter 349
- Hodgkin's disease 242
- Horner's syndrome 265
- Horton-type giant-cell arteritis 184
- hyperabduction syndrome 183
- hypercapnia, cerebral blood flow velocity response 97–98, 111–112
- hypoplasia  
 anterior communicating artery 108, 109  
 internal carotid artery 67  
 venous 239  
 venous valve 239  
 vertebral artery 78, 79
- hypotension 159
- hypothernar hammer syndrome 183
- I**
- iatrogenic fistula 191
- iliac artery  
 common 167  
 aneurysm 187  
 deep circumflex 167, 260  
 external 167, 260  
 internal 167  
 occlusion 179, 296–297
- stenosis 173–174, 292–293, 294–295, 320
- iliac vein  
 common 221  
 thrombosis 231  
 examination 212, 216  
 external 216, 221  
 thrombosis 231  
 internal 221  
 thrombosis 332–333, 334
- iliofemoral collateralization 177
- image documentation 261
- image resolution 6
- impedance 1–2, 346, 350
- inflammatory vascular diseases 183–184
- innominate artery 33, 46, 81–82, 170, 258  
 examination 36  
 obstruction 62, 63, 64, 81–82  
 stenosis 271, 276–277
- inspiration  
 deep 139, 142  
 venous flow and 218
- intensity 2, 350
- intercavernous sinus  
 anterior 140  
 posterior 140
- intima-media thickness (IMT) 38, 39–40, 62, 350
- intracranial pressure (ICP) 124, 125
- intracranial veins 142, 143–146
- ischemia, brainstem 280
- J**
- jugular vein  
 external 257  
 functional tests 139, 141  
 internal 139, 141–142, 257  
 ectasia 144  
 examination 139  
 thrombosis 143, 144, 146
- K**
- Klippel-Trénaunay syndrome 237, 238, 239
- knee, articular rete 168
- L**
- lacrimal artery 37
- lacrimal vein 140
- laminar flow 351
- Laplace transformation 173
- lateral resolution 6, 351
- leg arteries  
 anatomy 168–170  
 calf and foot 170  
 thigh level 168–170  
 aneurysms 178, 185–190, 201–202  
 evaluation of findings 195–196

leg arteries  
 examination 163–164  
 lower leg 164  
 popliteal region 164  
 thigh 163–164  
 findings 178–181  
 calf and foot 180–181  
 thigh level 178–180  
 flow velocity 169  
 occlusions 199, 322, 324  
 pseudoaneurysms 178  
 stenoses 199  
 systolic blood pressure measurement 150–151, 153  
 findings 156–157  
*see also* peripheral arteries;  
*specific arteries*

leg veins  
 collateral veins 235  
 compression testing 220, 221, 222, 227–228, 231–232  
 deep venous system 220–223, 231–234  
 evaluation of findings 227–228, 240–241  
 examination 212–215, 216–217  
 findings 231–236  
 foot 220–221  
 patency evaluation 220, 221, 222–223, 227–228  
 perforating veins 224–225, 236  
 superficial venous system 223–224, 234–236  
 thrombosis 228, 229, 230, 231–233, 334–336  
 diagnostic effectiveness 243–247  
 valves 221  
 functional evaluation 222–223, 228  
 insufficiency 228–229, 230, 233–235, 241, 247, 249  
*see also specific veins*

leptomeningeal anastomoses 121  
 linear-array transducer 351, 354  
 lingual artery 33, 258  
 loop formation  
 internal carotid artery 67  
 orbital arteries 37, 53–54  
 low mechanical index imaging 19  
 low-pass filter 349  
 lower extremity arteries *see* leg arteries  
 lumbar collateralization 177  
 lumen recanalization techniques 192–194  
 angioplasty 192–193  
 middle cerebral artery 126, 127  
 vascular prostheses 193–194, 202  
*see also* stenting  
 lymphedema 337–338

## M

M-mode (motion mode) 351  
 magnetic resonance angiography (MRA), stenosis grading 201

manual signal amplification 214, 216  
 maxillary artery 33, 258  
 media sclerosis, systolic blood pressure measurement and 159  
 megadolichobasilar artery 109, 121  
 meningeal artery, middle 258  
 mesenteric collateralization 177  
 metacarpal arteries 259  
 microbubbles 18  
 destruction 18–19  
 nonlinear characteristics 18, 19  
 refill kinetics 21–22, 23  
 microembolic signals (MES) 104, 113, 128  
 microvascular imaging 20–21  
 midline shift 130  
 migraine 129  
 visual stimulation test 101, 104  
 mode frequency 351  
 motion (M) mode 351  
 multivessel disease 73, 268–270  
 muscle veins 221–222  
 thromboses 233

## N

nasofrontal vein 140  
 neck arteries 38–52  
 examination 29–36  
*see also specific arteries*  
 neurocardiogenic syncope 100  
 neurovascular compression syndrome 327–329  
 shoulder girdle 182  
 nevus flammeus 238  
 nonocclusive thrombi 242  
 Nyquist theorem 4, 351

## O

obesity 197  
 obliterative arteriopathy 308  
 occipital artery 33, 45, 258  
 occipital vein 257  
 occlusion  
 basilar artery 120  
 brachial artery 327–329  
 bypass reocclusion 193–194, 202  
 carotid artery  
 external 72  
 internal 71, 72, 120  
 cerebral arteries 118–120  
 anterior (ACA) 120  
 criteria 118  
 location 118–120  
 middle (MCA) 118–119, 126, 282–283, 289–291  
 posterior (PCA) 119  
 versus stenoses 120  
 digital arteries 181, 182, 203, 330–331  
 femoral artery 178, 180, 301–303  
 length determination 200  
 long 302–303

short 301  
 superficial 180  
 iliac artery 179, 296–297  
 leg arteries 199, 322, 324  
 pelvic 176, 177, 199  
 length determination 201  
 peripheral arteries 196, 198, 199  
 length determination 198, 200–201  
 popliteal artery 304, 308  
 subclavian artery 81, 181, 203  
 systolic blood pressure and 155, 157, 158, 160  
 tibial artery  
 anterior 180, 324  
 posterior 181, 324  
 ulnar artery 325–326  
 upper extremity arteries 202–203, 327–329  
 vertebral artery 78, 79, 120  
 segmental 78, 79  
*see also* stenosis  
 ophthalmic artery 33, 36, 52, 93, 106–107  
 alternating forward and backward flow 53  
 anastomosis 52, 120  
 anatomy 36–37, 108, 258  
 examination 92  
 obstruction 54  
 stenosis 118  
 variants 54  
 ophthalmic vein 257  
 superior 140  
 orbital arteries 36–38  
 blood flow 52–55  
 alternating flow 53  
 direction 37–38, 53–54  
 elevated nonpulsatile flow 53  
 no flow 53  
 reduced flow 53  
 reversal 52, 53, 54  
 compression tests 29, 30  
 no compression effect 54  
 diagnostic effectiveness 54–55  
 evaluation of findings 53  
 examination 29, 30  
 loop formation 37, 53–54  
 pathological findings 52–55  
 sources of error 37–38, 53–54  
 orthostatic regulation 100–101

## P

Paget-Schroetter syndrome 236  
 Palmar shunt 235  
 spontaneous 235, 334  
 palmar arch  
 deep 171, 182, 259  
 superficial 171, 182, 259  
 palmar test 182, 196  
 patency evaluation, peripheral veins 220, 221, 222–223, 227–228  
 peak velocity ratio (PVR) 201  
 pelvic arteries  
 anatomy 167

- evaluation of findings 171–172  
 examination 162, 163, 164  
 findings 176–178  
 occlusions 176, 177, 199  
 length determination 201  
 stenosis 173, 176, 177, 199  
 systolic blood pressure measurement 150–151, 153  
 findings 156–157
- pelvic veins  
 deep venous system 220  
 examination 212–215, 216–217  
 findings 231–236  
 thrombosis 245  
*see also specific veins*
- pelvic venous syndrome 238
- percutaneous transluminal angioplasty (PTA) 192, 202, 312, 322  
 stent stenosis 316–317
- perforating veins 224–225, 243  
 insufficiency 229, 236, 241, 249–250, 337–338, 341–342  
 diagnostic effectiveness 249–250  
 testing 215, 216  
 upper extremities 226
- pericallosal arteries 93, 257, 258
- peripheral arterial occlusive disease (PAOD) 292–307, 310–326, 343  
 acral type 324
- peripheral arteries 174  
 aneurysms 185–190  
 diagnostic effectiveness 198–203  
 evaluation of findings 171–172, 195–196  
 examination 161–166  
 findings 166–171, 173–191  
 identification problems 197  
 occlusions 196, 198, 199  
 length determination 198, 200–201  
 position anomalies 197  
 sources of error 196–198  
 space-occupying lesions 197–198  
 stenoses 174–176, 196, 198, 200  
 grading 174, 195, 198, 200, 201  
 principle of Bernoulli equation 176  
 principle of continuity equation 174–176  
 qualitative evaluation 174, 175  
 quantitative evaluation 174  
 systolic blood pressure measurement 149–160  
*see also specific arteries*
- peripheral veins  
 anatomy 220–226  
 evaluation of findings 227–228, 240–241  
 examination 211–215  
 findings 218–226, 228–240  
 sources of error 241–243  
 false-negative results 242–243  
 false-positive results 241–242  
*see also specific veins*
- perivascular color artifacts 197
- peroneal artery 170, 260
- petrosal sinus, superior 140
- pharyngeal artery, ascending 258
- phased-array transducer 351, 354  
 piezoelectric effect 3  
 piezoelectric elements 351  
 pixel 351  
 planar slicing 16–17  
 plantar arch 260
- plaque  
 carotid artery 74–75  
 common 12, 62, 63  
 development 62  
 internal 11, 17, 65, 263  
 changes over time 56  
 embolic activity 56, 75  
 flat 65  
 hard 65  
 hemorrhagic 65  
 motion 56  
 peripheral arteries 195  
 sonographic characteristics 55–56
- plexus  
 basilar 140  
 pterygoid 257
- Poiseuille, Jean Leonard M. 351
- polymyalgia rheumatica 183
- popliteal artery 168, 169, 260  
 aneurysm 187, 188, 308–309  
 compression syndrome 184–185  
 classification 185  
 provocation maneuvers 185  
 flow velocity 169  
 occlusion 304, 308  
 stenosis 304, 322
- popliteal vein  
 anatomy 221, 260  
 examination 212, 216, 217  
 thrombosis 232  
 partially occluded 337–338  
 valve 221
- position and orientation measurement (POM) 15, 16
- post-thrombotic syndrome 240, 247–248, 332
- postinterventional effects 48, 49
- power 2, 352
- power Doppler imaging (PDI) 9
- power energy mode 7, 352
- power pulse inversion imaging 20, 23
- power spectrum 352
- provocation maneuvers  
 popliteal artery 185  
 unsuccessful 243
- pseudoaneurysms 187–188, 189, 190  
 common femoral artery 310–311  
 compression therapy 188–190, 312–313  
 ultrasound-guided compression closure 201–202  
 leg arteries 178, 187–188, 201
- pterygoid plexus 257
- pulmonary embolism 245
- pulsatility index (PI) 108, 113–114, 172, 173, 196, 352
- pulsatility transmission index (PTI) 115
- pulse duration 352
- pulse inversion contrast harmonic imaging (PICH) 131
- pulse inversion harmonic imaging (PIH) 20, 21
- pulse repetition frequency (PRF) 3–4, 11, 352  
 high 4–5

## Q

quadrature detector 352–353

## R

radial artery 165, 170–171  
 anatomy 259  
 distal, flow reversal 182, 196

radial vein 225, 259

Ratschow location types 167

real-time ultrasound 353

rebreathing technique 97, 112

recanalization  
 middle cerebral artery 126, 127  
 spontaneous 289–291  
 techniques 192–194  
 angioplasty 192–193  
 vascular prostheses 193–194, 202  
*see also stenting*

red blood cell density imaging 353

reflection 1–2, 353

refraction 2

resistance index (RI) 173

resolution 6  
 axial 6, 347  
 lateral 6, 351

reverberation 353

Reynolds, Sir Osborne 353

Reynolds number 353  
 critical 348

right-to-left shunt detection 128–129

Riva-Rocci blood pressure measurement 151

rupture, bypass 194, 318–319

## S

S-sounds 213, 216

sagittal sinus  
 inferior 257  
 superior 257

sample volume 3, 10, 353

saphenous vein, great 223–224  
 anatomy 223–224, 260  
 bypass aneurysm 343  
 examination 212, 213, 216, 217, 224  
 origin 224  
 thrombophlebitis 234  
 varicosis 235, 339–340

saphenous vein, small 224  
 anatomy 224, 260  
 examination 212, 216, 217, 224  
 valvular insufficiency 235

- scattering 2, 353  
sectional image 353  
sector scan 353  
segmental pressure measurement 151, 153, 157  
semiregistration techniques 15–16  
sensorimotor hemiparesis 265, 268  
Servelle–Martorell syndrome 238, 239  
shoulder girdle, neurovascular compression syndrome 182–183  
shunts  
  Brescia–Cimino internal shunt 191  
  hemodialysis shunt 191  
  right-to-left shunt detection 128–129  
  shunt volumes 191  
  temporary shunts 191  
sigmoid sinus 257  
signal movement artifacts 353  
sinuses 140  
  thrombosis 143–145, 146  
  *see also specific sinuses*  
slosh phenomenon  
  carotid artery 68, 73  
  vertebral artery 77  
soleal veins 222  
sound, velocity of 1, 353  
spasms 122–123  
spatial position monitoring 15  
speckling 2, 10  
spectral analysis 13–14  
  carotid stenosis 61, 70  
spectral broadening 353  
spontaneous respiration (S-sounds) 213, 216  
static autoregulation 99–101, 112  
steal phenomena 76, 78  
  intracranial findings 125  
  subclavian steal 33, 35, 78, 81, 125, 274–275  
  latent 77–78, 125  
stenosis  
  aortic arch 276–277  
  basilar artery 118, 120  
  brachial artery 325–326  
  bypasses 194  
  insertion point 314–315  
  carotid artery 11, 17, 53, 57–61, 75  
  classification 59–61  
  common 41, 64, 276–277  
  estimation of 58–59, 60, 73–74  
  external 69–70, 72, 116  
  internal 9, 60–61, 64, 65–69, 71, 72, 263–264  
  ipsilateral multilevel disease 272–273  
  multivessel disease 73, 268–270  
  sequential ipsilateral stenoses 72–73  
  stenting 49, 66  
  carotid bifurcation 53, 72, 272–273  
  carotid siphon 272–273  
  cerebral arteries 117–118, 131  
  middle 117, 118, 281, 282–283  
  versus occlusions 120  
  critical 348  
  degree of 116–118, 131  
  high-grade 67–68, 116, 117  
  low-grade 66–67, 116  
  medium-grade 67, 116, 117  
  digital arteries 182, 203  
  evaluation 353–354  
  femoral artery 178, 298–300, 304–307, 312, 320  
  restenosis 318–319  
  stent stenosis 316–317  
  superficial 174, 179, 298, 316–317, 322  
  functional 120  
  iliac artery 173–174, 292–293, 294–295, 320  
  innominate artery 271, 276–277  
  leg arteries 199  
  morphological 120  
  ophthalmic artery 118  
  pelvic 173, 176, 177, 199  
  peripheral arteries 174–176, 196, 198, 200  
  grading 174, 195, 198, 200, 201  
  principle of Bernoulli equation 176  
  principle of continuity equation 174–176  
  qualitative evaluation 174, 175  
  quantitative evaluation 174  
  popliteal artery 304, 322  
  subclavian artery 35, 81, 181, 202, 276–277, 327  
  systolic blood pressure and 157, 158, 160  
  tibiofibular trunk 322–323  
  vertebral artery 76, 77, 78, 79, 117, 118  
  vertebrobasilar artery 280  
  stenting 192–193, 202  
  carotid stenosis 48, 49, 66, 266–267  
  postinterventional findings 73  
  superficial femoral artery 316–317  
  stent stenosis 316–317  
  stimulated acoustic emission 19, 131  
  straight sinus 140, 142, 257  
  stroke 264, 272, 276, 281–283  
  follow-up after carotid endarterectomy 282  
  follow-up after thrombolysis 282  
  intracerebral hemorrhage 130  
  middle cerebral artery occlusion 289–291  
  spontaneous recanalization 289  
  transcranial monitoring 103–104, 126, 127  
  stump syndrome 70  
  subarachnoid hemorrhage (SAH)  
  flow velocities 122–123  
  transcranial monitoring 104  
  vasospasms 122–123  
  subclavian artery 33, 45–46, 81, 165, 170  
  anatomy 258  
  aneurysms 181, 185  
  compression 182–183  
  examination 36, 165  
  findings 181  
  left 170  
  occlusion 81, 181, 202  
  right 170  
  stenosis 35, 81, 181, 202, 276–277, 327  
  supraclavicular 165  
  subclavian steal phenomenon 33, 35, 78, 81, 274–275  
  intracranial findings 125  
  latent 77–78, 125  
  subclavian vein 226  
  blood flow 223  
  examination 217–218  
  thrombosis 236, 237, 247, 344–345  
  supra-aortic system 80–81  
  diagnostic effectiveness 82  
  evaluation of findings 82  
  sources of error 82  
  *see also innominate artery; subclavian artery*  
  supraorbital artery 33, 37, 52, 93  
  variants 54  
  supraorbital vein 257  
  supratrochlear artery 33, 37, 52, 93, 258  
  variants 54  
  sural arteries 168  
  surface filtering 17  
  syncope, neurocardiogenic 100  
  systolic blood pressure measurement 149–160  
  absolute value 156, 160  
  ankle pressure 152, 154–155, 156, 157  
  ankle/arm index 156–157  
  circulatory reserve 156  
  critical pressure level 155  
  diagnostic effectiveness 159–160  
  digit pressure 151, 152, 155, 158, 159  
  documentation 149  
  equipment 149  
  evaluation of findings 154–155  
  leg arteries 150–151, 153, 156–157  
  pathological findings 155–158  
  pelvic arteries 150–151, 153, 156–157  
  post exercise pressure 150–151, 153, 154, 157, 158, 159, 161  
  pressure difference 156, 157  
  pressure gradient 156  
  procedure 149–150  
  resting pressure 150, 153, 155, 156–157, 158–159  
  segmental pressure 151, 153, 157  
  sources of error 159  
  toe pressure 151, 155, 158  
  upper extremity arteries 151, 152, 153, 154, 158  
  systolic deceleration 67  
  systolic half-life (SHL) 173



## T

Takayasu arteritis 183, 184, 276  
 temporal arteritis 70, 183  
 temporal artery  
   compression tests 29, 30  
   superficial 33, 258  
 temporal vein, superficial 257  
 temporary shunts 191  
 thigh arteries  
   anatomy 168–170  
   examination 163–164  
   findings 178–180  
 thigh veins *see* leg veins  
 thoracic outlet syndrome 327  
 thoracic respiration 241  
 three-dimensional ultrasound 14–17, 346  
   image acquisition 15–16  
   reconstruction techniques 16  
   visualization techniques 16–17  
 thrombi  
   floating 245  
   nonocclusive 242  
   parietal 243  
   *see also* thrombosis  
 thromboangiitis obliterans 183–184  
 thrombolysis, following stroke 282  
 thrombophlebitis 229, 234, 235–236, 240  
   diagnostic effectiveness 250  
   great saphenous vein 234  
   muscle veins 233  
 thrombosis  
   aneurysmal 187  
   carotid artery  
     internal 57  
   exertion-induced 236  
   sinus 143–145, 146  
   spontaneous thrombolysis 118  
   venous 228, 229, 230, 231–233, 240–241, 334–336  
     age of 248–249  
     diagnostic effectiveness 243–247  
   femoral vein 229, 335–336  
   iliac vein 231, 332–333, 334  
   jugular vein 143, 144, 146  
   pelvic 245  
   popliteal vein 232, 337–338  
   re-thrombosis 248–249  
   subclavian vein 236, 237, 247, 344–345  
   upper extremities 236–238, 247  
   *see also* thrombi  
 thyrocervical trunk 45, 258  
 thyroid artery, superior 33, 44, 258  
 tibial artery  
   anterior 164, 170, 260  
   occlusion 180, 324  
   posterior 164, 170, 260  
   occlusion 181, 324  
   thrombosis 231  
 tibial vein  
   anterior 221, 260  
   posterior 221, 260  
 tibio-peroneal trunk 260

tibiofibular trunk 170  
   stenosis 322–323  
 time-domain method 7  
 time-gain compensation (TGC) 11, 354  
 time-interval histograms 13  
 tissue perfusion, brain 130–131  
   contrast harmonic imaging 131  
   pulse inversion contrast harmonic imaging 131  
   stimulated acoustic emission 131  
 toe pressure measurement 151, 155, 158  
 tone 354  
 transcranial color-coded sonography (TCCS) 130  
 transcranial monitoring (TCM) 103–104, 113, 126  
   during interventional procedures 128  
 transducers 11–12, 354  
   curved-array 348, 354  
   linear-array 351, 354  
   phased-array 351, 354  
 transesophageal echocardiography  
   aortic arch 82  
   thoracic aorta 36  
 transient hyperemic response test 99  
 transient ischemic attack (TIA) 265, 268  
 transit time 172  
   effect 14  
 transmission frequency 354  
 transnuchal ultrasound 92  
 transorbital ultrasound 91–92  
   ophthalmic artery 107  
 transtemporal ultrasound 91  
   carotid siphon 107  
 transverse sinus 140, 142  
   thrombosis 146  
 traumatic fistula 191  
 trigeminal artery, persistent primitive 121  
 turbulence 354  
 turbulent flow 354

## U

ulceration, internal carotid artery 65  
 ulnar artery 165, 170–171  
   anatomy 259  
   examination 165  
   occlusions 325–326  
 ulnar vein 225, 259  
 ultrasound 1, 354  
   beam 354  
   frequency 354  
   probe 354  
   shadow 2  
 ultrasound-guided compression closure 201–202  
 upper extremity arteries  
   anatomy 170–171  
   examination 165–166  
   findings 181–182

occlusions 202–203, 327–329  
 systolic blood pressure measurement 151, 152, 153, 154, 158  
   ankle/arm index 156  
   *see also* peripheral arteries;  
   *specific arteries*  
 upper extremity veins  
   deep venous system 225–226, 236–237  
   diagnostic effectiveness 247  
   examination 212, 215–216, 217–218  
   superficial venous system 226, 237–238  
 thrombotic processes 236–238, 247  
   *see also specific veins*

## V

Valsalva maneuver  
   cerebral veins 139, 141  
   peripheral veins 214, 216, 223, 234–235  
   unsuccessful 243  
 valvular function, peripheral veins  
   collateral veins 235  
   evaluation 222–223, 228, 247  
   insufficiency 228–229, 230, 233–235, 241, 247, 249  
   diagnostic effectiveness 249  
   perforating veins 236, 241  
   venous valve agenesis/hypoplasia 239, 241  
 variance mode 7  
 varicosis  
   atypical 238  
   great saphenous vein 235, 339–340  
   primary 337–338  
   *see also* valvular function  
 vascular examination methods 78  
   *see also specific vessels*  
 vascular prostheses 193–194, 202  
   bifurcation prosthesis 301  
 vasomotor reactivity (VMR) tests 97–98, 111–112  
 vasoneural coupling 101–103, 112–113  
   middle cerebral artery stimulation 101–102  
   normal values 113  
   posterior cerebral artery stimulation 101–102, 113  
   techniques 103  
 vasospasms 122–123  
 vector 354  
 vein of Galen aneurysm 146, 147  
 velocity mode 7  
 velocity profile 354–355  
 venous aplasia 239, 241  
 venous blood flow 218, 219, 222–223  
   patency evaluation 227–228  
   *see also specific veins*  
 venous congestion 143

venous hypoplasia 239  
venous malformations 146  
  congenital 238–239, 250  
venous modulation 214–215  
venous spur 221  
venous superimposition 47–48  
vertebral artery (VA) 33, 44–45, 75–  
  80, 109–110, 170  
  anatomy 109, 258  
  blood flow 76–78  
    absent signal 78  
    decreased velocities 76–77  
    increased velocities 76  
    intermediate blood flow 77–78  
    retrograde flow 78  
    slosh phenomenon 77  
  collateral pathways 76–77, 79

  compression tests 33–35, 44–45  
  diagnostic effectiveness 80  
  dissection 278–279  
  evaluation of findings 78  
  examination 33–35, 94–95  
  hypoplasia 78, 79  
  intracranial 94–95, 109–110  
  occlusion 78, 79, 120  
    segmental 78, 79  
  sources of error 78–79  
  stenosis 76, 77, 78, 79, 117, 118  
  vertebral vein 139, 142, 257  
  vertebrobasilar artery, stenosis 280  
  viscosity 355  
  visual stimulation test 101–102, 104  
  volume rendering 17  
  vortices 355

**W**

wall motion filter 355  
wall pulsations, extensive 67  
wave properties 1, 355  
Weber syndrome 238  
Winiwarter–Buerger disease 183–  
  184

**Z**

zero-crossing counter 12–13, 355