

# Index

Note: 'vs' indicates differential diagnosis.

- A**
- abdomen (abdominal cavity)
    - acute *see* acute abdomen
    - approach to pelvic floor insufficiency surgery via 244
    - cleansing 353, 354–357
    - sepsis *see* sepsis
    - wall
      - anatomy 96
      - distension with obstructed bowel 265, 269
      - hernia *see* hernia
  - abdominal guarding in peritonitis 349
  - abdominoperineal approach
    - anal carcinoma 260
    - rectal cancer
      - amputation of rectum 239
      - intersphincteric resection of rectum 238
  - abdominothoracic esophageal resection 119–120
  - abscesses
    - bowel
      - anus 251–254
      - colorectal carcinoma surgery and risk of 228
      - Crohn disease 178, 181, 183
      - hepatic 307
      - pleural (empyema) 61–62
      - pyogenic *see* empyema
  - accessory spleen 277
  - achalasia 108–109
  - ACPP/SCCM Consensus Conference, diagnostic criteria for sepsis and septic shock 359
  - acute abdomen 349
    - mesenteric artery occlusion vs other causes of 387
  - acute lung injury or acute respiratory distress syndrome, ventilation 358
  - adenocarcinoma
    - anal 258, 261
    - esophagus 117, 119
      - distal 115, 116
      - esophagogastric junction (AEG) 116, 155, 166
  - adenoma
    - colonic 213, 214
      - progression to carcinoma 215
    - hepatocellular 283
    - parathyroid 45, 46, 47, 48, 49
      - removal 48
      - ultrasonography 15
    - thyroid 15, 16, 28, 29
  - adenomatous polyposis, familial (FAP) 213, 214
  - adhesions, bowel 266, 275
  - adhesive plastic drapes for temporary abdominal closure 356
  - adjunctive treatment in peritonitis 358
  - adjuvant (postoperative) therapy
    - colon carcinoma 218
    - gastric carcinoma 159–160
    - gastric MALToma 175
    - pancreatic carcinoma 334
    - rectal cancer 234
    - soft-tissue tumors 379
  - adventitia
    - arterial 381
    - esophageal 108
  - afferent loop syndrome 147
  - aftercare *see* postoperative care
  - airway injury 70–71
  - Aitken classification of epiphyseal fractures 401
  - AJCC *see* American Joint Committee on Cancer
  - alimentary tract *see* gastrointestinal tract
  - Altemeier operation in pelvic floor insufficiency 244
  - alveolar echinococcosis 298
  - American College of Chest Physicians/Society of Critical Care Medicine (ACPP/SCCM) Consensus Conference, diagnostic criteria for sepsis and septic shock 359
  - American Joint Committee on Cancer (AJCC) staging
    - esophageal carcinoma 117
    - gallbladder and bile duct carcinoma 317, 319
  - American Society of Anesthesiologists' risk group classification 1, 2
  - amine precursor uptake and decarboxylation (APUD) system 360
  - aminosalicylates
    - Crohn disease 180
    - diverticulitis 203
    - ulcerative colitis 207, 208
  - amputation, soft-tissue tumors 380
  - anal canal *see* anus
  - anal sphincters, internal and external 232
    - dysfunction causing fecal incontinence 255
      - artificial sphincter implantation 258
      - reconstructive surgery 257
    - incision (sphincterotomy) 251
      - see also* intersphincteric resection
  - anaplastic (undifferentiated) thyroid carcinoma 38, 41, 43
  - anastomosis (surgical)
    - colorectal 197–199, 238
      - low anterior proctectomy 237
      - proctocolectomy 210, 211, 212
    - hepatic resections 292

- in pancreatic carcinoma palliation 336
  - peptic ulcer surgery
    - leakage 147
    - stenosis 147
    - techniques 134–136
  - in portal hypertension surgery 301
  - small bowel in Crohn disease 182
  - transplantation, kidney–pancreas 343
  - anastomosis of Riolan 197
  - anesthesia 6
    - liver resection 289
  - aneurysms 383–385
  - angiographic embolization in upper GI bleeding 153, 154
  - angiography
    - acute limb artery occlusion 386
    - acute mesenteric artery occlusion 387
    - bowel obstruction 271
    - rib fractures 65
    - subclavian steal syndrome 390
    - see also* computed tomography angiography
  - anoderm 232
    - extent of loss in hemorrhoidectomy 247–249
  - antecolic Billroth II gastrectomy 140
  - antibiotics
    - cholecystitis (acute) 316
    - diverticulitis 203
    - H. pylori* eradication 132
    - peritonitis 352–353
  - antibodies in autoimmune thyroid disease 14, 30, 31
  - anticoagulation 3–5
    - after deep vein thrombosis treatment 393
    - lifelong 394
  - antithyroid drugs 29, 32
  - anus (and anal canal) 245–262
    - abscesses 251–254
    - anatomy 232
    - carcinoma 258–262
    - fissure 250
    - fistulas in or in region of 251–254
      - Crohn disease 182
    - hemorrhoids 245–249
    - see also* colo–anal pouch anastomosis; ileo–anal pouch; transanal procedures
  - AO classification
    - fractures 399
    - soft-tissue injury 405
  - aortic hiatus 77
  - aortoiliac occlusion 389
  - APACHE-II score in peritonitis 350
  - appendectomy
    - appendicitis
      - conventional 192
      - laparoscopic 190–191
    - carcinoid 194
  - appendicitis, acute 183–193
    - treatment 189–192
  - appendix (vermiform) 185–195
    - rare conditions 186, 193–194
    - neuroendocrine tumors 193–194, 370–371
  - APUD (amine precursor uptake and decarboxylation) system 360
  - arteries 381–391
    - structure/anatomy 381
    - supply to tissues/organs
      - colon 196–197
      - diaphragm 77
      - esophagus 106–107
      - gallbladder/biliary tract 305
      - liver 281–282
      - pancreas 321
      - peritoneum 346
      - rectum 230
      - spleen 277
      - stomach/duodenum 126
      - thyroid 9, 10
    - surgery 381–391
  - arteriosclerosis 388
  - arthroplasty prosthesis, infected 409
  - ASA's risk group classification 1, 2
  - ascending colon 196
  - aspiration, pleural 58
  - aspiration biopsy/cytology (incl. fine needle)
    - pancreatic carcinoma 333
    - thyroid 16–17
      - carcinoma 39–41
      - de Quervain's thyroiditis 34
      - goiter 27
      - hyperthyroidism 28
  - aspirin-related peptic ulcers 130
  - atherogenesis, steps in 388–389
  - atherosclerosis, risk factors 388
  - Atlanta classification of acute pancreatitis 324
  - auscultation
    - obstructed bowel 269
    - peritonitis 350
  - autoimmune thyroid disease 30–32
    - diagnosis 14
  - autonomic adenoma 15, 16, 28, 29
  - autotransplantation (grafts of autologous tissue)
    - interposition graft in post-gastrectomy reconstruction 165, 166, 167–168
    - parathyroid tissue 53
    - skin graft with incisional hernia 103
    - for vessel replacement 381
      - aneurysms 384
      - see also* bypass grafts
  - axonotmesis 409
  - azathioprine
    - Crohn disease 181
    - ulcerative colitis 208
- B**
- B cell lymphoma, gastric 174
  - bacteria in peritonitis pathogenesis 347–348
  - bands, adhesive (bowel) 266, 275
  - barium swallow
    - achalasia 109
    - esophageal diverticulum 110
  - Barrett esophagus 111, 112, 113, 116
  - Bassini herniotomy 88
  - Beger operation 329, 330
  - Best Crohn Disease Activity Index (CDAI) 177
  - bile, inspection for leaks with liver resection 292
  - bile ducts
    - anatomy 304
    - carcinoma (cholangiocarcinoma) 284, 285, 318–320
    - common 304
    - exploration 309, 314
    - stone impacted in 307

- biliary (gallstone) ileus 267, 275, 307
- biliary-enteric anastomosis (procedure)  
hepatic metastases 292  
pancreatic carcinoma 336
- biliary-enteric fistula (pathological) 307
- biliary tract 304–320  
anatomy 304–305
- Billroth I gastrectomy 133, 138–140  
ulcer recurrence after 150
- Billroth II gastrectomy 133  
afferent loop syndrome following 147  
ulcer recurrence after 150
- biopsy  
aspiration *see* aspiration biopsy  
esophageal 112  
liver, in portal hypertension 300  
soft-tissue tumors 378  
for radical removal 378, 379
- bisegmental liver resection 294–295
- Bismuth–Corlette classification of Klatskin tumors 319
- bleeding *see* hemorrhage
- blood vessels *see entries under* vascular and specific types of vessels
- Blumberg sign 187
- blunt chest trauma 62–67
- Bochdalek hernia 77, 79
- Boerhaave syndrome 124–125
- bone  
fractures *see* fractures  
in hyperparathyroidism 46  
infection 407–409
- bone scintigraphy, esophageal carcinoma 118
- Borrmann classification, advanced gastric carcinoma 157
- bowel *see* intestine
- brachytherapy  
anal carcinoma 261  
esophageal carcinoma 119
- Braun anastomosis 140, 141, 171
- breast, video-endoscopic goiter resection approach via 24
- bridging mesh 101
- bronchial injury 70–71
- bronchoscopy, esophageal carcinoma 118
- Brook terminal ileostomy, ulcerative colitis 209
- Budd–Chiari syndrome 299
- budesonide, Crohn disease 180
- Buess transanal endoscopic microsurgery 235
- bypass grafts 381  
peripheral arterial occlusive disease 390  
subclavian steal syndrome 391
- C**
- C-cell carcinomas 38, 42
- CA-19-9 and pancreatic carcinoma 333
- calcitonin 12, 45  
measurement 14  
*see also* procalcitonin
- calcium levels  
abnormal *see* hypercalcemia; hypocalcemia  
regulation 46
- Calot triangle 305
- cancer (malignant tumors)  
appendiceal 193–194  
bile duct (cholangiocarcinoma) 284, 285, 319–320  
colorectal *see* colorectal cancer; rectum  
esophageal 115–123  
gallbladder 316–320  
gallstones predisposing to 306, 316  
gastric 134, 155–175  
lymph node metastases 127, 156, 157, 163  
in stump following gastrectomy 149  
hepatic *see* liver  
pancreatic 332–336  
parathyroid 54–55  
pleural effusions in 58, 59  
soft-tissue, classification 377  
thyroid 36, 37–46  
*see also* metastases; precancerous conditions
- carcinoid syndrome 362, 369, 370
- carcinoid tumor  
appendiceal 193–194
- definition 360
- carcinoma  
anal 258–262  
bile duct (cholangiocarcinoma) 284, 285, 319–320  
colorectal *see* colorectal cancer; rectum  
esophageal 115–123  
gallbladder 316–318  
gallstones predisposing to 306  
gastric 134, 155–173  
lymph node metastases 127, 156, 157, 163  
in stump following gastrectomy 149  
hepatocellular 284, 285, 341  
neuroendocrine 360, 361  
pancreatic 332–336  
parathyroid 54–55  
thyroid 36, 37–46
- carcinomatosis, peritoneal *see* peritoneal cavity
- cardia, achalasia of 108–109
- cardiac contusions 65, 66
- cardiopulmonary symptoms, diaphragmatic hernia 79
- caval filter 393
- cecum 196  
reservoir construction from 238
- celiac trunk 126
- central liver resection 294
- central soft-tissue tumors 378
- cervical esophageal, resection 121–122
- cervical exploration, bilateral, in hyperparathyroidism 48
- cervical lymph nodes *see* neck lymph nodes
- cervical pulsion diverticulum 110, 110–111
- chemical injury, esophagus 123–124
- chemoradiotherapy  
anal carcinoma 260, 261  
prognosis 262  
esophageal carcinoma 118, 119  
gastric carcinoma 160  
rectal cancer 234
- chemotherapy  
anal carcinoma 260, 261  
bile duct carcinoma 320

- colon carcinoma 218
- gallbladder carcinoma 318
- gastric carcinoma 158
  - adjuvant 159–160, 160
  - palliative 171
- gastric MALToma 175
- hepatic metastases 286, 287, 288
- neuroendocrine tumors 363
  - gastrinoma 368
- pancreatic carcinoma 334
- pancreatic endocrine tumors 337
- rectal cancer
  - adjuvant and neoadjuvant 234
  - palliative 240
  - soft-tissue tumors 379
- thyroid carcinoma 43
- chest (thorax) 57–71
  - anatomy 57
  - drainage *see* drains
  - trauma *see* trauma
- chest X-ray/radiograph
  - achalasia 109
  - diaphragmatic hernia 80
  - mediastinitis 76
  - peritonitis 351
  - Perthes syndrome (traumatic asphyxia) 64
  - pleural effusions 58
    - in pleurodesis 59
  - sternal fractures 66
  - thyroid carcinoma 39
  - trauma 63
    - lung contusions 67
    - rib fractures 65
- Child classification of liver cirrhosis 285, 286
- children
  - fracture classification 401
  - inguinal hernia 85, 93
  - intussusception 267
  - large bowel obstruction 264
- cholangiocarcinoma 284, 285
- cholangiography
  - intravenous 308
  - percutaneous transhepatic 308
- cholangiopancreatography
  - endoscopic retrograde *see* endoscopic retrograde cholangiopancreatography
- magnetic resonance *see* magnetic resonance cholangiography (pancreato)graphy
- cholangitis, purulent, with stones 307
- cholecystectomy
  - cholecystitis (acute) 316
  - choledocholithiasis 309, 309–315
    - aftercare 313–314
    - complications 314–315
    - laparoscopic *see* laparoscopy, interventional
    - open *see* open cholecystectomy
  - liver metastases 290
- cholecystitis 315–316
  - acute 315–316
    - with choledocholithiasis 306, 307
  - chronic, with choledocholithiasis 307
- choledocholithiasis 306, 309
- choledochoscopy 313
- choledochotomy 313
- choleliths *see* gallstones
- cholestasis, laboratory tests 308
- cholinesterase levels and liver surgery 285
- CHOP regimen, gastric MALToma 175
- chromogranin A and neuroendocrine tumors 362
- chylothorax 70
- ciclosporin, ulcerative colitis 208
- cirrhosis, liver
  - cancer risk 284
  - Child classification 285, 286
  - portal hypertension in 299
- closed dislocation 404
- closed fractures, soft-tissue
  - damage with, classification 400
- closed pneumothorax 67–68
- closed postoperative peritoneal lavage 355
- coagulation therapy with liver metastases 291
- cold thyroid nodule, scintigraphy 15
- colectomy (colon resection) 219–227, 274
  - carcinoma 219–227
  - diverticulitis 204, 205
- laparoscopic and laparoscopically-assisted 199–200
- transverse *see* transverse colon
- see also* hemicolectomy; proctocolectomy; subtotal resection
- colitis, ulcerative *see* ulcerative colitis
- collagen metabolism and incisional hernia pathogenesis 97
- collar mediastinoscopy 73
- colo-anal pouch anastomosis 238
- colo-colostomy 198
- colon 196–229
  - cancer *see* colorectal cancer
  - fast-track surgery 7–8
  - minimally invasive surgery 199–200
  - neuroendocrine tumors 371
  - pseudo-obstruction 267
  - stenosis in Crohn disease 182
- colonoscopy
  - colorectal carcinoma, prophylactic/screening 229
    - in ulcerative colitis 208
  - diverticulitis 202
  - esophageal carcinoma 118
- color-coded Doppler, thyroid 14
- colorectal cancer (predominantly carcinoma) 214–229, 274–275
  - classification 216
  - definition 214
  - diagnostic approach 216–217
  - epidemiology 214
  - etiology 214–215
  - follow-up care 228
  - hepatic metastases 218, 234, 286
  - lymph node metastases 197, 215
  - obstruction in 218–219, 274–275
  - pathogenesis 215
  - postoperative care 227
  - screening 229
    - in ulcerative colitis 208
  - surgery 218–227, 235–239
    - minimally invasive 199
  - symptoms 216
  - treatment 217–229, 231–240, 274–275
    - conservative 218, 234

- indications/contraindications
    - 217, 234
    - palliative 217, 219, 227, 239–240
    - surgical *see subheading above*
  - see also* rectum
  - colostomy
    - emergency, colorectal carcinoma 219
    - terminal descending 239
  - compartment resection, soft-tissue tumors 379–380
  - complications of procedures incl. surgery, perioperative (incl. iatrogenic damage) and their risks
    - for appendicitis 192–193
    - for bowel obstruction 276
    - cholecystectomy 314–315
    - for colon cancer 227–228
      - left hemicolectomy 224
      - right hemicolectomy 222
      - sigmoid colectomy 227
    - for esophageal carcinoma 123
    - gastric resection 146–149
    - for gastroesophageal reflux disease 114
    - ileostomy 210
    - ileus as 264, 267–268, 272–273
    - inguinal hernia repair 93
    - for liver metastases 297
    - for liver trauma 303
    - parathyroid surgery 51
    - peritonitis as 349
    - proctocolectomy 212
    - for rectal cancer 240
    - splenectomy 280
    - thyroid surgery 24–26
    - vascular investigations 382
    - for Zenker diverticulum 111
  - compound fractures, classification 400
  - compression, chest 63–64
  - computed tomography (CT)
    - appendicitis 188
    - bile duct carcinoma 319
    - bowel obstruction 271
    - cholecystolithiasis 308
    - diaphragmatic hernia 80
    - diverticulitis 202
    - esophagus
      - carcinoma 118
      - rupture 125
    - gallbladder carcinoma 318
    - hypersplenism 277
    - liver
      - focal nodular hyperplasia 282
      - hydatid cyst 298
    - liver cancer 285
      - operative planning 289
    - neuroendocrine tumors 362
    - pancreatitis (acute) 325
    - parathyroid 47
    - peritonitis 351
    - Perthes syndrome (traumatic asphyxia) 64
    - pleural effusions 58
    - portal hypertension 300
    - thyroid 16
  - computed tomography angiography (angio-CT) 382, 383
    - acute limb artery occlusion 386
    - acute mesenteric artery occlusion 387
    - pancreatic trauma 337
  - congenital hypoparathyroidism 55
  - consent, informed 3
  - continence-preserving proctocolectomy 210–212
  - contrast-enhanced CT
    - pancreatic carcinoma 333
    - pancreatitis
      - acute 325
      - chronic 327
  - contrast-enhanced radiography
    - bowel obstruction 271
    - Crohn disease 178
    - diaphragmatic hernia 80
    - mediastinitis 76
    - peritonitis 351
    - ulcerative colitis 207
    - see also* barium swallow
  - contrast-enhanced ultrasound of liver in focal nodular hyperplasia 282
  - contusions
    - cardiac 65, 66
    - chest 63
    - lung 66–67
  - corpus cavernosum of rectum 232
  - corrosive injuries, esophagus 123–124
  - corticosteroids *see* steroids
  - cricomytomy 111
  - criminal nerves 127
  - Crohn disease 176–184
    - appendix 193
  - Crohn Disease Activity Index (CDAI) 177
  - crural arterial occlusion 389
  - cryoablation, hepatic metastases 288
  - cutaneo-enteric fistulas, Crohn disease 183
  - CVI regimen, gastric MALToma 175
  - cyst(s)
    - diaphragmatic 82
    - hepatic 284
      - hydatid 297, 298, 299
  - cystadenoma of appendix, mucinous 194
  - cystic artery 305, 306
    - in laparoscopic cholecystectomy 311
  - cystic duct 304, 305
    - in laparoscopic cholecystectomy 311
  - Czerny method, inguinal hernia 93
- D**
- Dacron grafts for vessel replacement 381
  - de Quervain's (subacute) thyroiditis 34
  - death *see* mortality
  - decompression surgery
    - bowel 273
    - endocrine orbitopathy 32–33
    - mediastinitis 76
    - pneumothorax 68, 69
  - deep venous thrombosis 392–394
  - defecation 232
  - deglutition (swallowing) 108
  - delayed primary surgery, polytrauma 397
  - Delorme operation in pelvic floor insufficiency 244
  - Denonvillier fascia 230
  - descending colon 196
  - devascularization operations in portal hypertension 301

- development, thyroid 9  
*see also* embryogenesis
- diabetes, pancreatic transplantation 342
- diaphragm 77–82  
 hernia 77, 78–81, 113  
 rare disorders 81–82
- Dieulafoy ulcer 130, 153
- differentiated thyroid carcinoma 37, 42, 43
- digestive tract *see* gastrointestinal tract
- dilation procedures, gastric 143
- dislocations 403–404
- dissecting aneurysms 383
- diverticular disease, definition 200
- diverticulitis 200–205  
 appendiceal 193
- diverticulum  
 colon 200, 201  
 esophageal 110–112  
 small bowel 184
- dobutamine, peritonitis 358
- dome sign 202
- Doppler ultrasound  
 peripheral arterial disease 386  
 thyroid 14  
*see also* duplex ultrasound
- Dormia basket 313
- double-barrelled ileostomy  
 incisional hernia 101  
 ulcerative colitis 209–210
- double contrast enema, ulcerative colitis 207
- drain(s) 6  
 anal fistulas and abscesses 254  
 chest 59  
 hemothorax 69  
 mediastinitis 76  
 pleural empyema 61, 62  
 pneumothorax 68–69  
 polytrauma 396  
 in hepatic resection 292  
 tube, wound dressings made of 357
- drainage operations/procedures  
 gastric 143–146  
 resection procedures combined with 330  
 pancreatic 327  
 pseudocyst 331  
 peritonitis 353
- drapes (adhesive plastic) for temporary abdominal closure 356
- dressings for temporary abdominal closure 356–357
- drug administration (pharmaceuticals)  
 choledocholithiasis 309  
 Crohn disease 180–182  
 gastroesophageal reflux disease 113  
 hyperparathyroidism (secondary) 52  
 hyperthyroidism 29  
 immunogenic 32  
 peptic ulcer 132–133  
 peritonitis 358  
 premedication 3  
 ulcerative colitis 207–208
- drug-induced conditions  
 paralytic ileus 265  
 peptic ulcer 129, 130  
 thyroiditis 36
- drug monitoring with immunosuppressive agents 345
- ductal adenocarcinoma of pancreas 332
- Dukes staging, colorectal cancer 216
- dumping (gastric)  
 early 148–149  
 late 149
- Dunhill operation 21–22
- duodenopancreatectomy  
 partial 320, 329, 333, 334–335  
 total 329
- duodenum 126–175  
 anatomy 126–128  
 bleeding from 150–153  
 Kocher mobilization *see* Kocher mobilization  
 neuroendocrine tumors 364–369  
 post-gastrectomy restoration of passage to 166  
 stenosis in Crohn disease 182  
 ulcer *see* ulcer
- duplex ultrasound  
 subclavian steal syndrome 390  
 thyroid 14
- duplications, diaphragmatic 81–82
- dynamic gracilis repair 257
- dystopic parathyroid glands 49
- E**
- ECF regimen, gastric carcinoma 171
- ECG, peritonitis 352
- echinococcosis 297–299
- echocardiography, cardiac contusions 66
- edema (fluid collection), pancreatic necrosis 324, 325
- efferent loop syndrome 147
- effusions, pleural 57–60
- elastic arteries 381
- electrocardiography (ECG), peritonitis 352
- electrolyte administration, acute pancreatitis 326
- embolism, arterial  
 limbs 385  
 removal 386  
 mesenteric 387  
 removal 387
- embolization in upper GI bleeding, angiographic 153, 154
- embryogenesis, neuroendocrine tumor classification according to 361  
*see also* development
- emergency surgery 395–412  
 diverticulitis 202  
 malignant bowel occlusion 274  
 portal hypertension 300, 301  
 proctocolectomy 212  
 thyroidectomy 34  
 trauma 395–412  
 ulcerative colitis 207
- emesis *see* vomiting
- emphysema  
 mediastinal 74–75  
 subcutaneous 74
- empyema  
 gallbladder 307  
 pleural 61–62
- endocrine pancreatic tumors 336–337, 364–365  
*see also* neuroendocrine tumors
- Endo-GIA stapler, liver metastases 291
- endometriosis, appendiceal 193
- endoscopic investigation  
 Crohn disease 178  
 vs ulcerative colitis 180

- gastrointestinal stromal tumors 374
- large bowel obstruction 271
- neuroendocrine tumors 363
- peritonitis 352
- ulcerative colitis 207
- see also* bronchoscopy; choledochoscopy; colonoscopy; esophagoscopy; gastroscopy; laparoscopy; laryngoscopy; mediastinoscopy; thoracoscopy
- endoscopic retrograde cholangiopancreatography (ERCP)
- bile duct carcinoma 319
- gallbladder carcinoma 318
- gallstones 308, 309
- pancreatic carcinoma 333
- pancreatic trauma 337
- pancreatitis
- acute 325
- chronic 327
- endoscopic sonography, esophageal carcinoma 118
- endoscopic treatment/surgery
- gastrointestinal
- gastric carcinoma 159, 161
- rectal cancer 235
- rectal polyps 239
- upper GI bleeding 152, 153–154
- parathyroid 49
- thyroid 22–23
- see also* laparoscopy, interventional/operative; minimally invasive surgery
- endothelial damage in atherogenesis 388
- endotoxin (lipopolysaccharide)-binding protein levels in peritonitis 351
- endovascular transluminal stent graft 385
- enteral nutrition, peritonitis 358
- entero-biliary anastomoses and fistulas *see* biliary-enteric anastomosis; biliary-enteric fistula
- enterocele 242
- enterocutaneous fistulas, Crohn disease 183
- entero-enteric fistulas, Crohn disease 183
- enterogenital fistulas, Crohn disease 183
- enterovesical fistulas, Crohn disease 183
- enzymes, pancreatic 323
- epigastric hernia 104
- epiphrenic diverticulum 110, 111
- epiphyseal (growth plate) fractures in children
- classification 401
- reduction and internal fixation 402
- erythrocyte concentrate, peritonitis 358
- esophageal hiatus 77
- hernia 78–79, 113
- esophageal sphincter, lower 108
- esophagitis, reflux 111, 112, 113
- esophagogastric junction, adenocarcinoma (AEG) 116, 155, 166
- esophagogastrostomy in gastric carcinoma palliation 171
- esophagojejunostomy 168–169
- cancer 165, 166, 168–169
- peptic ulcer 143
- esophagoscopy
- achalasia 109
- carcinoma 118
- diverticulum 110
- reflux esophagitis 112
- esophagus 106–125
- anatomy 106–107
- carcinoma 115–123
- diverticulum 110–112
- function (physiology) 108
- disorders 108–109
- histology 108
- injuries 123–125
- varices 150, 299, 300, 301
- eventration, diaphragmatic 82
- excision biopsy, soft-tissue tumors 378, 379
- external fixation, bone infection following 409
- extracorporeal shock wave lithotripsy 309
- exudative pleural effusions 57
- with empyema 61, 62
- eye opening in Glasgow Coma Scale 398
- F**
- false aneurysm 383
- familial adenomatous polyposis (FAP) 213, 214
- familial hyperparathyroidism 49
- familial medullary thyroid carcinoma 38, 41, 42
- Fansler–Arnold operation 246, 248
- fascia
- duplication with incisional hernia 103
- pelvic 230
- in rectal resection 236, 237
- fast-track review 7–8
- fasting 2–3
- fatty streaks 388
- feces
- discharge/expulsion 232
- fistula producing, risk with colorectal cancer surgery 228
- incontinence 255–258
- occult blood test 229
- females *see* women
- femoral hernias 95–96
- femoral thrombosis 393
- femoropopliteal occlusion 389
- fibrinopurulent phase of pleural empyema 61, 62
- fibrosing phase of pleural empyema 61, 62
- fibrous thyroiditis 36
- fine needle biopsy *see* aspiration biopsy/cytology
- finger fracture method with liver metastases 291
- Finney gastroduodenostomy 145
- first aid at accident site 406
- fissure, anal 250–251
- fistula repair 254
- fistulas, gastrointestinal
- with biliary tract 307
- Crohn disease 183
- fecal, risk with colorectal cancer surgery 228
- fixation
- bone infection following 409
- growth plate fractures 401
- FLP regimen, gastric carcinoma 171
- fluid administration/volume replacement

intraoperative 6  
 pancreatitis (acute) 326  
 peritonitis 358  
 fluid collection (edema), pancreatic necrosis 324, 325  
 focal nodular hyperplasia (liver) 282–283  
 Fogarty catheter, embolectomy 386  
 follicles, thyroid 9–10  
 follicular thyroid carcinoma 37, 39, 41, 43  
 Fontaine classification of peripheral arterial occlusive disease 389  
 Forrest classification of upper GI bleeding 151, 152  
 fractures 399–403  
   rib 64–65  
   sternal 65–66  
 French triple therapy, *H. pylori* eradication 132  
 Frey operation 330  
 Frykman and Goldberg operation in pelvic floor insufficiency 244  
 fundophrenicopy 113  
 fundoplication 113–114

## G

gallbladder 304–320  
 anatomy 304  
 cancer *see* cancer  
 removal *see* cholecystectomy  
 stones 306–315  
 gallstones (biliary stones; choleliths) 306–315  
 carcinoma predisposition 306, 316  
 in common bile duct (cholecystolithiasis) 306  
 in gallbladder 306–315  
 ileus with 267, 275, 307  
 gastrectomy (gastric resection) 133–146  
 carcinoma 158–159, 161–162  
 complications 146–149  
 distal *see* subtotal resection  
 MALToma 175  
 postoperative care *see* postoperative care  
 ulcer 133–146  
 gastric ... *see* stomach  
 gastrin measurement 133  
 gastrinoma 132, 149, 336, 366–369  
   post-gastrectomy 150  
 gastrocolic ligament division 221, 222  
 gastroduodenal artery ligation 154, 155  
 gastroduodenostomy 145  
 gastroenterostomy, palliative  
   gastric carcinoma 171  
   pancreatic carcinoma 336  
 gastroepiploic artery ligation, right 154, 155  
 gastroesophageal reflux disease (GERD) 111–114  
 gastrointestinal (gastroenterological/alimentary/digestive) tract or system  
   appendicitis vs other conditions of 189  
   diaphragmatic hernia effects 79  
   hyperparathyroidism effects 46  
   neuroendocrine tumors 364–372  
     WHO classification 361  
   stromal tumors 372–376  
   *see also specific regions*  
 gastrointestinal series (contrast study), Crohn disease 178  
 gastrojejunostomy in Billroth II gastrectomy 141  
 gastroscopy  
   choledocholithiasis 308  
   esophageal/gastric varices 300  
   peptic ulcer 131  
 genetic factors/predisposition  
   colon cancer 215  
   screening 229  
   immunogenic hyperthyroidism 30  
   medullary thyroid carcinoma in MEN II syndrome 39, 41, 42  
 genetic testing or analysis  
   MEN I 361  
   RET mutations 41  
 genitoenteric fistulas, Crohn disease 183  
 Glasgow Coma Scale 398  
 Glisson triads 282  
 glucagonoma 367  
 goiter 26–27  
   euthyroid 26–27  
   video-endoscopic resection via axillo-bilateral breast approach 24  
 Goodsall rule, anal fistulas 251, 254  
 Gottstein–Heller myotomy 109  
 gracilis muscle transposition in fecal incontinence 257  
 grafts *see* autotransplantation; stent graft  
 Graves disease 30–32  
 Grob method, inguinal hernia 93  
 growth plate fractures *see* epiphyseal fractures  
 guarding in peritonitis 349  
 Gütgemann post-gastrectomy reconstruction 167  
 gynecological disorders vs appendicitis 189

## H

Haemocult test 229  
 hamartomas, colonic 213  
 hanging maneuver, hemihepatectomy 292  
 Hansen–Stock classification, diverticulitis and diverticulosis 201  
 Häring tube 171, 172  
 Hartmann operation/discontinuity resection  
   cancer 274  
   colon 219  
   rectum 239  
   diverticulitis 202  
 Hashimoto disease 35  
 hazards *see* complications  
 head injury 397–399  
 heart contusions 65, 66  
   *see also* cardiopulmonary symptoms  
 Heidelberg–Allenberg classification of aneurysms 385  
 Heinecke–Mikulicz pyloroplasty 144  
*Helicobacter pylori*  
 eradication  
   with MALToma 174  
   with ulcer 132



- in etiology
    - gastric carcinoma 155
    - ulcer 129, 130
  - hemangioma, hepatic 283–284
  - hemicolectomy 220–224
    - left 274
      - colorectal carcinoma 223–224
    - right 274
      - appendiceal carcinoid 194
      - appendiceal carcinoma 194
      - colorectal carcinoma 219, 220–222
  - hemifundoplication 113
  - hemihepatectomy 292, 292–294
    - exposure and ligation of large vessels before 290
    - hanging maneuver 292
    - left 293
      - extended 294
    - right 292
      - extended 293, 318
  - hemithyroidectomy 17, 21
    - carcinoma 41
    - goiter 27
    - preventive replacement therapy after 26
    - with subtotal resection of contralateral side 21–22
      - immunogenic hyperthyroidism 32
  - hemorrhage/bleeding
    - diverticular 202, 205
    - esophageal varices 300, 301
    - gastroduodenal 150–153
    - into pleural cavity 69
    - postoperative
      - gastric resection 146–147
      - thyroid surgery 24–25
  - hemorrhoids 245–249
  - hemostasis
    - liver
      - in resection 292
      - traumatic 302
    - spleen without resection 279
  - hemothorax 69
  - heparin 5
  - hepatectomy (hepatic resection) 285, 287, 288–297
    - general technique 289–292
  - hepatic arteries 281–282, 305
    - right, mistaken for cystic artery 311
  - hepatic duct, common 304
    - stone in 307
  - hepatic veins 282
    - obstruction 299
  - hepatobiliary sequence scintigraphy 308
  - hepatocellular adenoma 283
  - hepatocellular carcinoma 284, 285, 341
  - hereditary factors and disorders
    - see genetic factors
  - Herfarth operation 170
  - hernia 78–81, 83–105
    - abdominal 83–105
      - classification 83–84
      - definition 83–84
      - epidemiology 83
      - etiology 83
      - external 83, 85–104
      - incarcerated see incarcerated hernia
      - internal 84, 104
      - palpation 269
    - diaphragmatic 77, 78–81, 113
  - herniotomy
    - femoral hernia 95–96
    - inguinal hernia 88–90
      - children and infants 93
  - heterotopic autotransplantation of parathyroid tissue 53
  - Heyrowsky method, gastric carcinoma palliation 171, 172
  - hiatus, diaphragmatic 77
    - hernia 77, 78–79, 80, 81, 113
      - sliding 78, 133
  - hiccup, postoperative 82
  - histology
    - esophageal 108
    - peritoneal 346
    - thyroid 9–10
  - histopathology
    - anal carcinoma 258
    - appendicitis, in classification 186
    - colorectal carcinoma, in grading 216
      - gastric carcinoma
        - in classification 156
        - in grading 156
      - gastric MALToma 173
        - in classification 164
    - history-taking in peritonitis 350
    - homeostasis 1
  - hormone-secreting tumors see endocrine pancreatic tumors; neuroendocrine tumors
  - hormones
    - parathyroid see parathyroid hormone
    - thyroid 12
      - laboratory test 13, 14
      - postoperative preventive replacement therapy 25, 26
  - hot thyroid nodule, scintigraphy 15
  - Hunt (Hunt–Lawrence–Rodino) pouch 166, 170
  - hydatid disease 297–299
  - hydrocortisone, peritonitis 358
  - 5-hydroxyindole acetic acid and neuroendocrine tumors 362
  - hypercalcemia in hyperparathyroidism 46, 47
    - effects 46
    - in secondary hyperparathyroidism 52
  - hyperparathyroidism 40, 45–54
    - familial 49
    - primary 45–51
    - secondary 46, 51–54
    - tertiary 46, 54
  - hyperplasia, hepatic 281
    - focal nodular 282–283
  - hyperplastic polyps 213
  - hypersplenism 277–280
  - hypertension, portal 299–301
  - hyperthyroidism 28–29
    - immunogenic 30–32
      - see also thyrotoxic crisis
  - hypertrophy, hepatic 281
  - hypocalcemia
    - after parathyroid surgery 51
    - after thyroid surgery 25
  - hypoparathyroidism 55–56
    - after thyroid surgery 25
- I**
- iatrogenic damage see complications
  - ileo-anal pouch (ileal pouch-anal anastomosis) 212
  - ileocolostomy 197, 198
  - ileostomy, ulcerative colitis 209–210

- ileum  
 neuroendocrine tumors 369–370  
 reservoir construction from 210–211  
 terminal, Crohn disease involving 176  
 endoscopy 178
- ileus  
 advanced 264–265  
 colorectal carcinoma 218–219  
 definition 263  
 gallstone 267, 275  
 paralytic *see* paralytic ileus  
 postoperative 264, 267–268, 272–273
- imaging (diagnostic)  
 appendicitis 188  
 arterial disease 382  
 bile duct carcinoma 319–320  
 bone infection 408  
 bowel obstruction 270  
 cholecystitis (acute) 315  
 cholecystolithiasis 308  
 colorectal cancer 217  
 Crohn disease 178  
 deep venous thrombosis 393  
 diaphragmatic hernia 80  
 diverticulitis 202  
 esophagus  
 achalasia 109  
 carcinoma 118  
 fractures 401–402  
 gallbladder carcinoma 318  
 gastrointestinal stromal tumors 374  
 hypersplenism 277  
 incisional hernia 98  
 inguinal hernia 87  
 liver  
 cancer 285  
 focal nodular hyperplasia 282  
 hepatic hemangioma 283  
 neuroendocrine tumors 362  
 pancreatic carcinoma 333  
 pancreatitis  
 acute 325  
 chronic 327  
 parathyroid 15, 47  
 peptic ulcer 131  
 peritonitis 351–352  
 portal hypertension 300  
 soft-tissue tumors 378
- thorax 58  
 mediastinitis 76  
 Perthes syndrome (traumatic asphyxia) 64  
 rib fractures 65  
 sternal fractures 66  
 thyroid 14–15  
 ulcerative colitis 207  
*see also specific modalities*
- imatinib, gastrointestinal stromal tumors 374, 375
- immunogenic hyperthyroidism 30–32
- immunosuppressive agents for transplantation 345
- immunosuppressive drugs, ulcerative colitis 208
- immunotherapy  
 Crohn disease 182  
 hepatic cancer 286
- incarcerated hernia 84, 266, 275  
 inguinal 87, 88
- incidentaloma, thyroid 13
- incision biopsy, soft-tissue tumors 378
- incisional hernia 96–103
- incontinence, fecal 255–258
- infants  
 inguinal hernia 85, 93  
 intussusception 267  
*see also neonates*
- infection  
 bone 407–409  
 pancreatic necrotic areas 325, 326  
 in peritonitis, eradication of source of 354  
 post-splenectomy 280  
*see also sepsis*
- inflammatory bowel disease *see* Crohn disease; ulcerative colitis
- inflammatory polyps 213
- infliximab, Crohn disease 182
- informed consent 3
- infrahyoid neck muscles in thyroid surgery 18
- inguinal canal anatomy 85
- inguinal hernia 83
- inherited factors *see* genetic factors
- injury *see* trauma
- innervation *see* nerve supply
- inspection (observation)  
 obstructed bowel 269  
 peritonitis 350
- insulin therapy in peritonitis 358
- insulinoma 336, 364–366, 367
- intensive unit/intensive therapy  
 head trauma 398  
 polytrauma 396–397
- interdisciplinary care *see* multidisciplinary care
- interleukin-6 levels in peritonitis 351
- internal fixation  
 bone infection following 409  
 growth plate fractures 401
- International Union Against Cancer (UICC) classification  
 colorectal cancer 216  
 follow-up care and 228  
 survival and 229
- esophageal carcinoma 117  
 gastric carcinoma 157, 173
- interposition graft in post-gastrectomy reconstruction 165, 166, 167–168
- intersphincteric resection of rectum 238
- intestine (bowel) 176–276  
 large *see* large intestine  
 neuroendocrine tumors *see* neuroendocrine tumors  
 obstruction 263–276  
 definition 263  
 malignant 218–219, 274–275  
 mechanical 263–264  
 special forms 266–268  
*see also stenosis (subheading below)*  
 preparation 3  
 small *see* small intestine  
 stenosis in Crohn disease 182, 183
- intima *see* neointima; tunica intima
- intraoperative phase 5–6  
 fast-track colon surgery 7  
 neuromonitoring *see* neuromonitoring
- intraperitoneal onlay mesh (IPOM), incisional hernia 100
- intravenous cholangiography 308
- intussusception 267, 275

- iodine  
 deficiency 12, 13  
 radioactive *see* radioiodine  
 therapy
- irreducible hernia 84
- islets of Langerhans 323  
 carcinoma 332  
 endocrine tumors 336  
 endocrine tumors arising from  
 336–337
- Italian triple therapy, *H. pylori*  
 eradication 132
- J**
- J pouch 238  
 continence-preserving procto-  
 colectomy 210, 211
- Jaboulay gastroduodenostomy  
 145
- jejunum  
 diverticulum 184  
 in post-gastrectomy recon-  
 struction 165, 166, 167–168  
*see also* esophagojejunostomy
- Johnson classification, gastric  
 ulcer 130
- joint  
 dislocations 403–404  
 replacement (arthroplasty)  
 prosthesis, infected 409
- K**
- kidney  
 hyperparathyroidism (primary)  
 affecting the 46  
 hyperparathyroidism (second-  
 ary), caused by 51  
 transplantation 340  
 with kidney 343
- c-KIT and gastrointestinal stromal  
 tumors 373, 374, 375
- Klatskin tumors,  
 Bismuth–Corlette classification  
 319
- Kocher mobilization of duode-  
 num 136, 137, 321  
 pancreatic trauma 338
- Kremer operation 170–171
- L**
- laboratory tests  
 bile duct carcinoma 320
- bowel disorders  
 appendicitis 187  
 Crohn disease 178  
 diverticulitis 202  
 obstructive 270  
 ulcerative colitis 206–207
- cholecystitis (acute) 315
- cholecystolithiasis 308
- diaphragmatic hernia 80
- esophageal carcinoma 117
- gastric MALToMa 174
- hydatid disease 298
- hypersplenism 277
- liver cancer 285
- neuroendocrine tumors 362
- pancreatitis (acute) 324
- parathyroid  
 hypoparathyroidism 56  
 primary hyperparathyroid-  
 ism 46  
 secondary hyperparathyroid-  
 ism 52
- peptic ulcer 131
- peritonitis 351
- portal hypertension 300
- thyroid 13–14  
 acute purulent thyroiditis  
 35  
 cancer 39  
 chronic lymphocytic thyroi-  
 ditis 35  
 de Quervain's thyroiditis 34  
 goiter 27  
 hyperthyroidism 28, 31
- Lanz point tenderness 187
- laparoscopy, interventional/oper-  
 ative  
 appendicitis 190–191  
 cholecystectomy 309–312  
 aftercare 313–314  
 in cholecystitis (acute) 316  
 in choledocholithiasis  
 309–312  
 complications 314–315
- colon carcinoma 199
- diverticulitis 204
- fundoplication 113–114
- gastric carcinoma 159, 161
- hiatal hernia 81
- liver  
 cysts 384  
 focal nodular hyperplasia  
 282, 283  
 metastases 296  
 rectosigmoid resection 243  
 splenectomy 279  
*see also* endoscopic treatment/  
 surgery; minimally invasive  
 surgery
- laparoscopy, non-interventional/  
 diagnostic  
 esophageal carcinoma 118  
 gallbladder carcinoma 318  
 gastric carcinoma staging 158  
 peritonitis 352  
 portal hypertension 300
- laparotomy vs minimally invasive  
 surgery 5  
*see also* relaparotomy
- large intestine/bowel 196–262  
 anatomy 196–197  
 cancer *see* colorectal cancer  
 obstruction 263, 264, 268,  
 274–275  
 causes 264  
 diagnosis 270, 271  
 malignant 218–219, 274–275  
 treatment 272
- Larrey hernia 77, 79
- laryngeal nerve  
 internal branch 11  
 recurrent 11  
 exposure 19  
 injury 25  
 superior 10
- laryngoscopy in thyroid cancer  
 39
- laser ablation, hepatic metastases  
 288
- Lauren classification, gastric car-  
 cinoma 156
- leg, lower, deep vein thrombosis  
 393  
*see also* limbs
- Lichtenstein herniotomy 89
- LigaSure, hepatic resection 291
- limbs  
 amputation with soft-tissue  
 tumors 380  
 arterial occlusions  
 acute 385–386  
 chronic 388–390

- deep vein thrombosis in lower leg 393
  - injury including soft-tissue damage 406
  - lipopolysaccharide-binding protein levels in peritonitis 351
  - lithotripsy 309
  - liver 281–303
    - abscesses 307
    - acute failure indicating transplantation 341
    - advanced disease indicating transplantation 340
    - anatomy 281–282
    - benign tumors 282–284
    - malignant tumors 284–297, 340
      - primary 284–286, 341
      - secondary *see* metastases
    - transplantation with 284, 341
  - liver transplantation 340–342
    - with hepatocellular carcinoma 284, 340
  - living-donor for liver transplant 342
  - lobes of liver 281
    - excision (lobectomy), left-sided 294–295
  - lobules, hepatic 282
  - Loewe and Rehn skin graft, incisional hernia 103
  - Longmire post-gastrectomy reconstruction 165, 166, 167
  - Longo operation 246, 249
  - Lotheissen herniotomy 96
  - lower leg, deep vein thrombosis 393
  - lungs
    - acute injury, ventilation 358
    - anatomy 57
    - contusions 66–67
    - metastases from liver 284
    - see also* cardiopulmonary symptoms
  - luxations (dislocations) 403–404
  - lymph node(s)
    - gastric area 126, 127
    - liver hilum 288
    - pancreas 322–323
    - rectal area 231
    - thyroid area 11
    - ultrasound assessment 15
  - lymph node dissection (lymphadenectomy)
    - appendiceal carcinoid 194
    - appendiceal carcinoma 194
    - colorectal cancer 199, 219, 220
    - gastric carcinoma 158–159, 160–161, 163
    - ileal neuroendocrine tumor 370
    - thyroid carcinoma 41, 42, 43
  - lymph node metastases
    - biliary carcinoma
      - bile duct 319
      - gallbladder 317
    - colon cancer 197, 215
    - esophageal cancer 115
    - gastric carcinoma 127, 156, 157, 163
    - hepatic cancer 284, 285, 290
    - pancreatic carcinoma 332
    - rectal cancer 233
    - thyroid area 37, 38
  - lymphatic drainage
    - colon 197
    - esophagus 107
    - liver 282
    - pancreas 322–323
    - peritoneum 346
    - rectum 231
    - stomach/duodenum 127
  - lymphocytic thyroiditis, chronic 35
  - lymphoma, gastric 173–175
  - Lynch syndrome 215
- M**
- McBurney point tenderness 186
  - McVay herniotomy 96
  - magnetic resonance cholangio (pancreato)graphy (MRCP)
    - bile duct carcinoma 320
    - cholecystolithiasis 308
    - gallbladder carcinoma 318
  - magnetic resonance imaging (MRI)
    - diaphragmatic hernia 80
    - liver
      - focal nodular hyperplasia 282
      - hepatic hemangioma 283
    - neuroendocrine tumors 362
    - parathyroid 47
    - thyroid 16
  - male rectum, mobilization (for anterior resection) 236–237
  - malignant tumors *see* cancer
  - MALT lymphoma 173–175
  - Mannheim Peritonitis Index 350
  - manometry (and pressure assessment)
    - anal, in fecal incontinence 256
    - esophageal, achalasia 109
  - Mason classification, rectal cancer 233
  - Mayo–Dick fascial duplication 103
  - MCF regimen, gastric carcinoma 171
  - mechanical obstruction of bowel 263–264
  - Meckel diverticulum 184
  - media, arterial 381
  - mediastinitis 75–76
  - mediastinoscopy 73–74
    - esophageal carcinoma 118
  - mediastinum 72–76
    - anatomy 72, 73
    - lymph nodes, thyroid surgery and 11
    - see also* transmediastinal esophageal resection
  - medullary thyroid carcinoma 40
    - diagnosis 39, 40, 41
    - familial 38, 41, 42
    - sporadic 42
  - megacolon, toxic 212
  - megadiaphragm 82
  - men, mobilization of rectum (for anterior resection) 236–237
  - 6-mercaptopurine, Crohn disease 181
  - Merendino operation 166
  - mesalazine, Crohn disease 180
  - mesenteric arteries 197
    - acute occlusion 387–388
  - mesentericocaval anastomosis 301
  - mesentery, division
    - left hemicolectomy 224
    - right hemicolectomy 222
    - transverse colectomy 225
    - see also* mesocolon; mesorectal excision

- mesh repair  
 abdominal hernia  
   epigastric hernia 104  
   incisional hernia 98, 99, 100, 101, 103  
   inguinal hernia 87, 90, 91, 92  
   umbilical hernia 104  
 hiatal hernia 81, 113  
 mesocolon, division  
   in low anterior rectal resection 236  
   in sigmoid colectomy 226  
 mesorectal excision, total and partial 235  
 metabolic causes of paralytic ileus 265  
 metastases (distant)  
   to liver 286–297  
     from colorectal cancer 218, 234, 286  
     from neuroendocrine tumors 361, 363, 364, 369, 370, 371  
   to lung from liver 284  
 source  
   bile duct carcinoma 319  
   colon cancer 215, 216, 217, 218, 227, 228, 229  
   esophageal carcinoma 116  
   gallbladder carcinoma 317  
   gastric carcinoma 156, 158, 159, 160, 171  
   hepatic carcinoma 284, 285  
   neuroendocrine tumors 361, 362, 363, 364, 365, 368, 370, 371, 372, 373  
   pancreatic carcinoma 332  
   rectal cancer 233, 234, 240  
   soft-tissue tumors 378  
   thyroid carcinoma 37  
   *see also* TNM classification  
 metastases (lymph node) *see* lymph node metastases; TNM classification  
 methotrexate, Crohn disease 181  
 Milligan–Morgan operation 246, 257–258  
 minilaparotomy in laparoscopic cholecystectomy 311  
 minimally invasive surgery  
   colon 199–200  
   laparotomy vs 5  
   pancreatic pseudocyst 332  
   parathyroid 49  
   thyroid 22–24  
     *see also* endoscopic treatment  
 Mirizzi syndrome 307  
 monoclonal antibody therapy, Crohn disease 182  
 Moore classification of hepatic trauma 302  
 Morgagni hernia 77, 79  
 mortality (death)  
   gastric ulcer perforation 129  
   upper GI bleeding 151  
 motility, bowel, recovery after  
   abdominal surgery 267  
   after bowel surgery 274  
 motor response in Glasgow Coma Scale 398  
 MRI *see* magnetic resonance imaging  
 mucinous cystadenoma of appendix 194  
 mucosa  
   esophageal 108  
   gastroduodenal  
     protective agents 133  
     resection of gastric mucosa with carcinoma 159  
     *see also* proctomucosectomy  
 mucosa-associated lymphoid tissue (MALT) lymphoma 173–175  
 multidisciplinary (interdisciplinary) care  
   fast-track surgery and 7  
   postoperative period 6  
 multiple endocrine neoplasia 38, 360–361  
   type I (MEN I) 46, 360–361, 368, 369  
   type II (MEN II) 39, 41, 42, 46  
     medullary thyroid carcinoma 38  
 multiple trauma 395–397  
 multivisceral resection  
   colorectal carcinoma 217, 219  
   gastric carcinoma 163–165  
 multivisceral transplantation 344  
 Murphy sign 308  
 muscle  
   compartment resection, soft-tissue tumors 379–380  
   injury 405  
   transposition (gracilis) in fecal incontinence 257  
 muscular arteries 381  
 muscularis, esophageal 108  
 Musshoff staging of MALToma 175  
 myotomy  
   anterior, in achalasia 109  
   cricopharyngeus 111
- N**
- nasogastric tubes 6  
 nausea and vomiting, postoperative 1  
 neck lymph nodes (incl. cervical LN)  
   metastases in thyroid carcinoma 38  
   dissection (lymphadenectomy) 41, 42, 43  
   in thyroid surgery 11  
     assessment 15  
 necrotizing pancreatitis 324, 325, 326  
 needle aspiration biopsy *see* aspiration biopsy  
 neoadjuvant (preoperative) therapy  
   esophageal carcinoma 118, 119  
   gastric carcinoma 158, 160  
   hepatic metastases 287  
   rectal cancer 234  
 neointima formation 389  
 neonates, large bowel obstruction 264  
 neoplasms *see* tumors  
 nerve  
   injury 405, 409–410  
   removal for pain after inguinal hernia surgery 93  
 nerve supply  
   diaphragm 77  
   peritoneal 346  
   rectum 231–232  
   stomach/duodenum 127–128  
   thyroid 10–11  
     injury 25  
 neurapraxia 409  
 neurectomy for pain after inguinal hernia surgery 93

- neuroendocrine tumors 360–372  
 general aspects  
 definition 360  
 diagnosis 362–363  
 epidemiology 360  
 etiology 360  
 prognosis 364  
 symptoms 361–362  
 treatment 363–364  
 specific sites 364–372  
 appendix 193–194, 370–371  
 colon 371  
 duodenum 364–369  
 pancreas 336–337, 364–369  
 stomach 364, 365
- neurological examination in fecal incontinence 256
- neuromonitoring (intraoperative)  
 parathyroid surgery 50  
 thyroid surgery 20, 22
- neuromuscular effects of hyperparathyroidism 46
- neuron-specific enolase and neuroendocrine tumors 362
- neuropathic pain, inguinal hernia surgery 93
- neurotmesis 409
- newborns (neonates), large bowel obstruction 264
- Nissen fundoplication 113, 115
- nodule, thyroid  
 diagnosis 14, 15, 16, 17, 28  
 enucleation 20, 26  
 incidentally discovered 13  
 malignant 39, 40, 41
- non-Hodgkin lymphoma, gastric 173–175
- non-steroidal anti-inflammatory drug-related peptic ulcers 129, 130
- norepinephrine, peritonitis 358
- Notaras lateral submucous sphincterotomy 251
- nutrition  
 acute pancreatitis 326  
 peritonitis 358  
 preoperative 2–3
- Nyhus classification, inguinal hernias 86
- O**
- observation *see* inspection
- onlay technique, incisional hernia 100
- open cholecystectomy 312–313  
 aftercare 313–314  
 in cholecystitis (acute) 316  
 in choledocholithiasis 312–313  
 complications 314–315
- open dislocation 404
- open minimally invasive parathyroidectomy (OMIP) 49
- open pneumothorax 68
- open postoperative peritoneal lavage 355
- open splenectomy 279
- orbitopathy, endocrine 31, 32
- organ transplantation *see* transplantation
- orthotopic autotransplantation of parathyroid tissue 53
- osteitis and osteomyelitis 407, 408
- outpatient review of fast-track colon surgery, post-hospital 8
- P**
- pain  
 acute abdominal *see* acute abdomen  
 appendicitis, diagnostic examination for 186–187  
 motor response in Glasgow Coma Scale 398  
 peritonitis 349  
 postoperative, inguinal hernia surgery 93  
 thyroiditis 34–35  
 venous thrombosis 393
- palisade dressings for temporary abdominal closure 357
- palliative therapy  
 anal carcinoma 260  
 bile duct carcinoma 320  
 colorectal carcinoma 217, 219, 227, 239–240  
 esophageal carcinoma 119, 123  
 gallbladder carcinoma 318  
 gastric carcinoma 159, 171  
 pancreatic carcinoma 336
- palpation  
 obstructed bowel 269–270  
 peritonitis 350  
 rectal cancer 269
- pancreas 321–338  
 anatomy 321–323  
 peptic ulcer penetrating into 131, 142–143  
 pseudocysts 324, 331–332  
 transplantation 341–342  
 trauma 337–338  
 tumors 332–337  
 neuroendocrine 336–337, 364–369
- pancreatectomy 329  
 combined with drainage operation 334  
 distal *see* subtotal resection  
 total 333  
*see also* duodenopancreatectomy
- pancreatic duct  
 anatomy 305, 321  
 drainage procedure 329  
 obstruction 327  
*see also* ductal adenocarcinoma
- pancreaticoduodenal arteries 321  
 ligation 154, 155
- pancreatitis 323–330  
 acute 323–326  
 chologenic 307  
 chronic 327–330
- pancreaticojejunostomy, Partington–Rochelle side-to-side 329  
 resection procedure combined with 330
- pancreatoduodenectomy *see* duodenopancreatectomy
- papilla (duodenal/of Vater)  
 incision (papillotomy) 308, 309  
 local excision 333
- papillary thyroid carcinoma 36, 37, 41, 42, 43
- paraesophageal hernia 77, 79, 80, 113
- parafollicular C-cell carcinomas 38, 42
- paralytic ileus 263, 264  
 after gastric resection 147  
 causes 265, 387  
 treatment 272
- paraproctium 230

- parathyroid glands 44–56  
 anatomy 44–45  
 carcinoma 54–55  
 dystopic 49  
 imaging 15, 47  
 physiology 45  
 in thyroid surgery  
 dissection 19  
 postoperative insufficiency 25
- parathyroid hormone (PTH; parathormone) 45  
 abnormal levels *see* hyperparathyroidism; hypoparathyroidism
- parathyroidectomy 53  
 carcinoma 55  
 minimally invasive 49  
 subtotal 53  
 with simultaneous autotransplantation 53  
 without autotransplantation 53
- parenchyma, hepatic  
 dissection with metastases 291  
 injuries 302
- parenteral nutrition in acute pancreatitis 326
- parietal pelvic fascia 230
- parietal peritoneum 346  
 pain in peritonitis relating to 349
- Parks operation/procedure  
 hemorrhoidectomy 246, 248  
 transanal local excision in rectal cancer 235, 238
- Partington–Rochelle side-to-side pancreaticojejunostomy *see* pancreaticojejunostomy
- pediatrics *see* children
- pelvic fascia *see* fascia
- pelvic floor insufficiency/dysfunction 240  
 fecal incontinence due to 255  
 surgery 257
- pelvic vein thrombosis 393
- penetrating chest injury 67–71
- penetrating peptic ulcer 128, 131  
 treatment 133
- peptic ulcer *see* ulcer
- peptide hormones and neuroendocrine tumors 362
- percutaneous transhepatic cholangiography 308
- percutaneous transjugular intrahepatic portosystemic shunt 301
- perforation  
 bowel in Crohn disease 184  
 esophagus, traumatic 124  
 gastric ulcer 131, 132
- periampullary carcinoma 332
- perianal, venous thrombosis 250
- perianal fistulas *see* anus
- pericystectomy 299
- perineal descent 242  
*see also* abdominoperineal approach
- perioperative medicine 1–8
- peripheral arterial disease *see* limbs
- peripheral nerves *see* nerve
- peripheral soft-tissue tumors 378
- peristalsis  
 examination 269  
 in peritonitis, disturbed 349
- peritoneal cavity  
 carcinomatosis  
 esophageal cancer 116, 118, 119  
 obstruction due to 266, 275  
 lavage 354, 355  
 pseudomyxoma (pseudomyxoma peritonei) 194  
*see also* pneumoperitoneum
- peritoneum, anatomy 346
- peritonitis 346–359  
 classification 347–348  
 definition 346  
 diagnosis 349–352, 359  
 diffuse 349, 353  
 epidemiology 347  
 etiology 347  
 acute mesenteric artery occlusion 387  
 primary 347–348, 352  
 risk in colorectal carcinoma surgery 227–228  
 secondary 348, 352–353  
 symptoms 349  
 tertiary 348  
 treatment 348, 352–358
- Perthes syndrome (traumatic asphyxia) 63
- PET *see* positron emission tomography
- pharmaceuticals *see* drug administration
- pheochromocytoma 40
- phlebothrombosis *see* veins
- phlegmasia cerulea dolens 393
- phosphate  
 levels in hyperparathyroidism 46  
 regulation 45
- plastic bag (sterile) for temporary abdominal closure 357
- plastic drapes for temporary abdominal closure 356
- plastic zippers or slide fasteners for temporary abdominal closure 356
- platelets, elevated levels (thrombocytosis) after splenectomy 280
- pleural cavity  
 air in 67–69  
 anatomy 57  
 chyle in 70  
 effusions 57–60  
 empyema 61–62  
 hemorrhage into 69
- pleurodesis 59
- pleuroperitoneal hernia 77, 79
- pneumoperitoneum for laparoscopic cholecystectomy 311
- pneumothorax, traumatic 67–69
- poliglecapron + polypropylene mesh 99
- polyethylene terephthalate mesh 99
- polyglactin + polypropylene mesh 99
- polyp(s)  
 colonic 212–214  
 screening following removal 229  
 rectal, endoscopic removal 239
- polypropylene mesh 99
- polytetrafluorethylene (PTFE/ePTFE)  
 grafts for vessel replacement 381, 381–382  
 mesh for hernia repair 99
- polytrauma 395–397
- poorly differentiated thyroid carcinoma 37, 42
- portal hypertension 299–301
- portal veins 282

- branch ligature, with liver metastases 287
  - pressure measurement 299
  - thrombosis 299
  - portocaval end-to-side anastomosis 301
  - portosystemic shunt, transjugular intrahepatic 301
  - positron emission tomography (PET)
    - cancer 285
    - gastrointestinal stromal tumors 374
    - neuroendocrine tumors 362
  - positron emission tomography-CT (PET-CT), esophageal carcinoma 118
  - post-hospital outpatient review of fast-track colon surgery 8
  - postoperative care (aftercare) 6
    - appendiceal carcinoid 194
    - appendicitis 192
    - bile duct carcinoma 320
    - bowel obstruction 276
    - cholecystectomy 313–314
    - colorectal carcinoma 227
    - deep vein thrombosis 393
    - fast-track colon surgery 7–8
    - fractures 403
    - gallbladder carcinoma 318
    - gastric resection
      - for cancer 173
      - for ulcer 146
    - gastroesophageal reflux disease 114
    - nausea and vomiting 1
    - parathyroid surgery
      - primary hyperparathyroidism 50
      - secondary hyperparathyroidism 53
    - peritoneal lavage in 355
    - proctocolectomy 212
    - splenectomy 280
    - tendon injury 411
    - thromboprophylaxis 3–5
    - thyroid surgery 24
  - postoperative complications *see* complications
  - postpartum thyroid disease 30, 36
  - pouch
    - post-gastrectomy reconstruction 165, 166, 169, 170–171
    - post-proctectomy reconstruction 238
    - post-proctocolectomy reconstruction 210, 211, 212
  - pouch of Douglas tenderness 187
  - precancerous/premalignant conditions
    - colon 213
    - esophagus 112, 116, 118, 124
    - stomach 155
  - prednisolone
    - Crohn disease 181
    - ulcerative colitis 207, 208
  - pregnancy
    - appendicitis diagnosis in 187
    - Graves disease during/after 30
  - prehospital care
    - first aid at accident site 406
    - head trauma 398
    - polytrauma 396
  - premalignant conditions *see* precancerous conditions
  - premedication 3
  - preoperative phase 1–5
    - colorectal carcinoma 218
    - fast-track surgery 7
    - parathyroid surgery for hyperparathyroidism 48
    - splenectomy 278
  - preperitoneal mesh repair of inguinal hernia, transabdominal (TAPP) 91
  - Pringle maneuver 291, 302
  - procalcitonin levels in peritonitis 351
  - proctectomy (rectal resection) 235–237
    - abdominoperineal intersphincteric 238
    - low anterior 235–237
      - blood supply after 230
    - ulcerative colitis 208, 210–212
  - proctocele (rectocele) 242, 244
  - proctocolectomy, ulcerative colitis 208, 210–212
  - proctodeal glands 232
  - proctomucosectomy, transanal 210
  - proctopexy (rectopexy) 243
  - programmed relaparotomy in peritonitis/abdominal sepsis 355–357
  - prolapse, rectal 242
  - protein C, recombinant activated, administration in peritonitis 358
  - proton pump inhibitors
    - gastroesophageal reflux disease 113
    - peptic ulcer 132
  - pseudoaneurysm (false aneurysm) 383
  - pseudoarthrosis 403
  - pseudocysts, pancreatic 324, 331–332
  - pseudodiverticulum *see* pulsion diverticulum
  - pseudohypoparathyroidism 55
  - pseudomyxoma peritonei 194
  - pseudo-obstruction of colon 267
  - psoas sign 187
  - PTFE *see* polytetrafluorethylene
  - puerperal (postpartum) thyroid disease 30, 36
  - pulmonary problems *see* cardiopulmonary symptoms; lungs
  - pulsion diverticulum (pseudodiverticulum)
    - colon 200, 201
    - esophagus 110, 110–111
  - purse-string suture, bleeding duodenal ulcer 154
  - purulent/pyogenic disorders
    - cholangitis with stones 307
    - thyroiditis (acute) 35
  - pyloromyectomy, extramucosal 144
  - pyloroplasty, Heinecke–Mikulicz 144
  - pyogenic lesions *see* empyema; purulent/pyogenic disorders
- Q**
- quinodeoxycholic acid 309



- R**
- radiation thyroiditis 35
  - radiofrequency thermoablation, liver metastases 287, 288, 296
  - radiography (x-ray)
    - appendicitis 188
    - bowel obstruction 270
    - chest *see* chest X-ray
    - contrast *see* contrast-enhanced radiography
    - Crohn disease 178, 180
    - pancreatitis (chronic) 327
    - peptic ulcer 131
    - peritonitis 351
    - ulcerative colitis 180
  - radioiodine therapy
    - Graves disease 31–32, 32
    - thyroid carcinoma 41, 43
  - radiology *see* imaging and specific modalities
  - radionuclide scans *see* scintigraphy
  - radiotherapy
    - anal carcinoma 261
    - esophageal carcinoma, palliative 119, 123
    - gastric MALToMa 175
    - neuroendocrine tumors 363
    - pancreatic carcinoma 334
    - rectal cancer 234
    - thyroid carcinoma 41
    - see also* chemoradiotherapy
  - Ramirez component separation 102
  - RAP regimen, *H. pylori* eradication 132
  - reconstructive surgery
    - fecal incontinence 257
    - post-esophagectomy 121
    - post-gastrectomy 138–143
      - in gastric carcinoma 162, 165–169
    - post-partial duodenopancreatectomy 335
  - rectal arteries 230
  - rectocele 242, 244
  - rectopexy 243
  - rectosigmoid resection, laparoscopic 243
  - rectouterine (Douglas) pouch
    - tenderness 187
  - rectum 230–244
    - amputation 239
      - with anal carcinoma 261
    - anatomy 230
    - cancer of (and not colon) 233–240
    - cancer of colon and *see* colorectal cancer
    - examination in peritonitis 350
    - neuroendocrine tumors 372
    - prolapse 242
    - stenosis in Crohn disease 182
    - ulcerative colitis involving 206
    - see also* entries under proctored cell (erythrocyte) concentrate, peritonitis 358
  - reducible hernia 84
    - inguinal, reduction 88
  - reduction of fractures 401
  - reflex causes of paralytic ileus 265
  - reflux
    - duodenogastric, after Billroth II procedure 133
    - gastroesophageal 111–114
  - regional chemotherapy, hepatic metastases 288
  - relaparotomy in peritonitis/abdominal sepsis 355–357
  - relaxation, diaphragmatic 82
  - renal organ *see* kidney
  - reoperation, parathyroid
    - in primary hyperparathyroidism 50
    - in secondary hyperparathyroidism 53
  - reservoir
    - cecal 238
    - dysfunction, fecal incontinence due to 255
    - ileal 210–211
  - residual tumor (R) in gastric carcinoma, classification of 156
  - respiratory distress syndrome, acute, ventilation 358
  - resuscitation room, polytrauma 396
  - RET mutations 39, 40, 41, 42
  - retrocolic Billroth I gastrectomy 140
  - retromuscular mesh implantation for incisional hernia 101
  - retroperitoneal fistulas, Crohn disease 183
  - rib fractures 64–65
  - Riedel disease 36
  - Riolan's anastomosis 197
  - Ripstein operation in pelvic floor insufficiency 244
  - risk assessment 1–2
  - risk factors
    - operation 2
    - patient 2
    - thrombosis 3–5
  - Roux-en-Y reconstruction/esophagojejunostomy 169
    - with cancer 165, 166, 169
    - with ulcer 143
  - Rovsing sign 187
  - rubber band ligature, hemorrhoids 247
- S**
- sacral nerve stimulation 257
  - Salter–Harris classification of epiphyseal fractures 401
  - Santorini duct 305, 321
  - sarcoma, soft-tissue 377, 378, 379, 380
  - scarring phase of pleural empyema 61, 62
  - Schlatter operation 166
  - Schreiber post-gastrectomy reconstruction 167
  - Schumpelick classification, inguinal hernias 86
  - scintigraphy (radionuclide scans)
    - hepatobiliary sequence 308
    - neuroendocrine tumors 362
    - parathyroid 47
    - skeletal, esophageal carcinoma 118
    - thyroid 15, 16
      - carcinoma 39, 43
      - chronic lymphocytic thyroiditis 35
      - goiter 27
      - hyperthyroidism 28, 31
  - sclerotherapy, hemorrhoids 247
  - screening for colorectal cancer *see* colorectal cancer
  - segment(s), hepatic (vascular divisions) 281

- segmental resection  
 colon  
   in diverticulitis 205  
   transverse, in gastric carcinoma 165  
 liver, with metastases 291, 295  
 spleen 279  
*see also* bisegmental liver resection
- Seo post-gastrectomy reconstruction 167
- sepsis  
 abdominal 346, 351  
   eradication of septic foci 353–354  
 diagnostic criteria 359  
 pancreatic necrosis complicated by 325, 326  
 splenectomy complicated by 280  
*see also* infection
- septic shock, diagnostic criteria 359
- Seton drain 254
- Sherren triangle tenderness 186
- Shouldice herniotomy  
 femoral hernia 95–96  
 inguinal hernia 89
- shunt operations in portal hypertension 301
- Siewert–Peiper Operation 166, 170
- sigmoid colon 196  
 resection  
   colorectal carcinoma 219, 226–227  
   laparoscopic, in diverticulitis 204  
*see also* rectosigmoid resection  
 volvulus 266
- sigmoid mesocolon (mesosigmoid) division in low anterior rectal resection 236
- skeletal scintigraphy, esophageal carcinoma 118
- skeletonization of greater and lesser curvatures 136
- skin graft with incisional hernia 103
- slide fasteners (plastic) for temporary abdominal closure 356
- sliding hernia  
 abdominal 84  
 hiatal 78, 133
- small intestine/bowel 176–184  
 anatomy 176  
 interposition in post-gastrectomy reconstruction 165, 166  
 obstruction 263, 266, 267, 268  
   causes 264  
   imaging 270, 271  
   treatment 272, 273–274  
 transplantation 342–343
- soft-tissue  
 injury *see* trauma  
 tumors 377–380  
*see also specific soft tissues*
- somatostatin analogs with neuroendocrine tumors  
 diagnostic use (receptor detection) 362  
 therapeutic use 363  
 yttrium-90-labelled 363
- somatostatinoma 367
- sonography *see* ultrasonography
- spasm, esophageal, idiopathic diffuse 109
- spermatic cord pain after inguinal hernia surgery 93
- sphincters *see* anal sphincters; esophageal sphincter
- spleen 277–280  
 anatomy 277  
 hyperfunction 277–280  
 physiology 277
- splenectomy 277–279  
 aftercare and complications 280  
 distal pancreatectomy with 159, 333, 335  
 gastric carcinoma 159
- splenic artery 277
- splenic vein 277  
 thrombosis 299
- splenoportography 300
- spleno-renal anastomosis, distal 301
- squamous epithelial carcinoma  
 anal 258, 260, 261  
 esophagus 115, 116  
   management approach 118
- staging laparoscopy, gastric carcinoma 158
- stapling  
 colon 198–199  
 esophagojejunostomy 168  
 hemorrhoidectomy (Longo operation) 246, 249  
 liver resection for metastases 291  
 stomach and duodenum 134–136
- stent graft for aneurysms 385
- sterile plastic bag for temporary abdominal closure 357
- sternal fractures 65–66
- steroids (corticosteroids)  
 Crohn disease 180–181  
 refractoriness to 181  
 peritonitis 358  
 ulcerative colitis 207, 208
- stomach 126–175  
 anatomy 126–128  
 atony, postoperative 147  
 bleeding from 150–153  
 carcinoma *see* carcinoma  
 neuroendocrine tumors 364, 365  
 substitute (post-gastrectomy) 170–171  
   functions 165–166  
 ulcer *see* ulcer  
 upside-down 79
- stools *see* feces
- strangulated obstruction of bowel 263
- stromal tumors, gastrointestinal 372–376
- subclavian steal syndrome 390–391
- subcutaneous emphysema 74
- sublay technique, incisional hernia 99–100
- submucosa, esophageal 108
- subtotal (partial/limited) resection  
 colon 212  
   in malignancy 219, 274–275  
 pancreas, distal (distal pancreatectomy) 163–165  
 chronic pancreatitis 329  
 gastric carcinoma 159  
 pancreatic carcinoma 333  
 splenectomy with 159, 333, 335

- pancreas, proximal (incl. head) 329, 333, 335–336
- parathyroid 53
- stomach (distal)  
 carcinoma 158, 162  
 MALToma 175  
 ulcer 136
- thyroid 17, 21  
 on contralateral side, hemithyroidectomy with *see* hemithyroidectomy  
 goiter 27
- Sudeck operation in pelvic floor insufficiency 244
- Sudeck point 197
- supportive therapy, peritonitis 357–358
- sutures  
 colon 197, 198  
 esophagojejunostomy 168  
 small bowel in Crohn disease 182  
 stomach and duodenum 134  
 Billroth I gastrectomy 139, 140, 141  
 Billroth II gastrectomy 141, 142, 143  
 bleeding ulcer 154  
 leakage 147
- swallowing 108
- symptomatic hernia 78
- synaptophysin and neuroendocrine tumors 362
- synthetic vessel replacement 381–382
- T**
- T-cell lymphoma, gastric 174
- TASC II classification of peripheral arterial occlusive disease 389
- temperature in peritonitis 350
- tendon injury 405, 410–411
- tension pneumothorax 68
- terminal ileostomy, ulcerative colitis 209
- thermoablation, liver metastases 287, 288, 296
- thoracoscopy, video-assisted  
 debridement with pleural empyema 62  
 dystopic parathyroid glands 49
- thoracotomy  
 epiphrenic pulsion diverticulum 111  
 esophageal carcinoma 119, 121  
 esophageal rupture 125  
 pleural empyema 62
- thorax *see* chest
- thrombocytosis, post-splenectomy 280
- thromboendarterectomy 390
- thrombosis  
 arterial  
 limbs, and its removal 385, 390  
 mesenteric, and its removal 387, 388  
 perioperative, and its prevention 3–5  
 venous *see* veins
- thyroglobulin 12  
 measurement 14
- thyroid (gland) 9–43  
 anatomy 9–11  
 complications of surgery 24–26  
 diseases/disorders 26–43  
 diagnostic approach 12–17  
 indications for surgery 17  
 postoperative care 24  
 recurrence of benign conditions, follow-up and prevention 25  
 treatment (in general) 17–26  
 physiology 12
- thyroid arteries  
 inferior 10, 106  
 superior 10
- thyroid ima artery 10
- thyroid plexus, unpaired 10
- thyroid-releasing hormone *see* thyroliberin
- thyroid-stimulating hormone *see* thyrotropin
- thyroid veins 10, 107
- thyroidectomy (thyroid resection)  
 subtotal *see* subtotal resection  
 total/near total 22  
 carcinoma 41, 42, 43  
 emergency 34  
 goiter 27  
 immunogenic hyperthyroidism 32  
 preventive replacement therapy after 26  
*see also* hemithyroidectomy
- thyroiditis 34–37  
 autoimmune *see* autoimmune thyroid disease  
 painful 34–35  
 painless 35–36
- thyroliberin (TRH; thyroid-releasing hormone; thyrotropin-releasing hormone) 12  
 measurement 13
- thyrotoxic crisis 33–34
- thyrotropin (TSH; thyroid-stimulating hormone) 12  
 measurement 13  
 suppression of stimulation 16, 27  
 in thyroid carcinoma, post-operative use 43
- thyrotropin-releasing hormone *see* thyroliberin
- thyroxine (T4) 12  
 measurement 13  
 suppression 16  
 thyroid carcinoma 41
- TNF $\alpha$ , monoclonal antibody to, Crohn disease therapy 182
- TNM classification/staging  
 anal carcinoma 259  
 biliary carcinoma  
 bile duct 319  
 gallbladder 317  
 colorectal cancer 216  
 treatment approach depending on 217, 234
- esophageal carcinoma 116–117  
 indicating treatment approach 118–119
- gastric carcinoma 156
- hepatic cancer 285
- pancreatic carcinoma 332
- thyroid carcinoma 38
- tomography  
 computed *see* computed tomography  
 conventional, sternal fractures 66
- total extraperitoneal hernia repair (TEP) 92
- toxic megacolon 212
- tracheal injury 70–71

- traction diverticulum 110, 111  
 transabdominal preperitoneal (TAPP) hernia repair 91  
 transanal procedures  
   pouch advancement 212  
   rectal resection  
     in cancer 235, 244  
     full-thickness 235, 244  
     mucosal 210  
     in prolapse 244  
 transjugular intrahepatic porto-systemic shunt 301  
 transmediastinal esophageal resection 122–123  
 transplantation 339–345  
   autologous tissue *see* auto-transplantation  
   liver *see* liver transplantation  
   multivisceral 343  
   pancreatic 341–342  
   renal *see* kidney  
 transudative pleural effusions 57  
 transverse colon  
   anatomy 196  
   resection 225  
     colorectal carcinoma 219, 225  
     segmental 165  
 trauma (injury) 395–412  
   chest 62–71  
     blunt 62–67  
     diaphragmatic hernia due to 79, 80, 81  
     emphysema due to 74, 75  
     penetrating 67–71  
     pleural empyema following 61–62  
   esophageal 123–125  
   head 397–399  
   hepatic 302–303  
   multiple 395–397  
   pancreatic 337–338  
   soft-tissue 405–407  
     with closed fractures, classification 400  
     nerve 405, 409–410  
     tendon 405, 410–411  
   splenic 279  
   vascular 382–383, 405  
   *see also* fractures  
 Treitz hernia 84  
 triiodothyronine (T3) 12  
   measurement 13  
   suppression 16  
 tube drains, wound dressings made of 357  
 tubular adenoma 213  
 tubulovillous adenoma 213  
 tumor(s) (neoplasms) 360–382  
   diaphragmatic 82  
   malignant *see* cancer  
   neuroendocrine *see* neuroendocrine tumors  
   pancreatic *see* pancreas  
   parathyroid, ultrasonography 15  
   soft-tissue 377–380  
   thyroid 15, 16, 28, 29, 37–46  
 tumor markers  
   esophageal carcinoma 117  
   pancreatic carcinoma 333  
 tumor necrosis factor-alpha (TNF $\alpha$ ), monoclonal antibody to, Crohn disease therapy 182  
 tunica adventitia, arterial 381  
 tunica intima, arterial 381  
   *see also* neointima  
 tunica media, arterial 381  
 Turnbull procedure for toxic megacolon 212  
 tyrosine kinase inhibitors with gastrointestinal stromal tumors 374, 375
- U**
- UICC *see* International Union Against Cancer  
 ulcer, peptic/gastroduodenal 128–149  
   acute 130  
   bleeding 150  
   chronic 130  
   classification 130–131  
   definition 128  
   diagnostic approach 131–132  
   epidemiology 129  
   etiology 129–130  
   postoperative care 146  
   recurrence 149  
   symptoms 131  
   treatment 132–140  
     conservative 132–133  
     indications 132  
     surgical 133–149  
 ulcerative colitis 205  
   differential diagnosis 207  
     Crohn disease 179, 180  
 ultrasonic dissectors/scissors  
   hepatic resection 291  
   laparoscopic colon surgery 199  
 ultrasonography  
   appendicitis 188  
   bowel obstruction 270–271  
   cholecystitis (acute) 315  
   cholecystolithiasis 308  
   colorectal cancer 217  
   Crohn disease 178  
   diaphragmatic hernia 80  
   esophageal carcinoma 118  
   gallbladder carcinoma 318  
   hypersplenism 277  
   liver  
     focal nodular hyperplasia 282  
     hepatic hemangioma 283  
     hydatid cyst 298  
   liver cancer 285  
   pancreatic carcinoma 333  
   pancreatic trauma 337  
   pancreatitis  
     acute 324  
     chronic 327  
   parathyroid 15, 47  
   peritonitis 351  
   pleural effusions 58  
   portal hypertension 300  
   rib fractures 65  
   sternal fractures 66  
   thyroid 14–15, 16  
     acute purulent thyroiditis 35  
     carcinoma 39  
     chronic lymphocytic thyroiditis 35  
     de Quervain's thyroiditis 34  
     goiter 27  
     hyperthyroidism 28, 31  
     ulcerative colitis 207  
   *see also* Doppler ultrasound; duplex ultrasound; endoscopic sonography  
 umbilical hernia 103–104  
 undifferentiated thyroid carcinoma 38, 41, 43  
 urease rapid test 131  
 urological disorders vs appendicitis 189  
 ursodeoxycholic acid 309

- V**
- vacuum dressings for temporary abdominal closure 356
  - vagus nerve 127–128
    - division (vagotomy) 134, 146
  - varicose veins (varices) 391–392
    - esophageal 150, 299, 300, 301
  - vascular (blood) supply
    - colon 196–197
    - diaphragm 77
    - esophagus 106–107
    - gallbladder/biliary tract 305
    - injury 382–383, 405
    - liver 281–282
      - in hepatectomy, exposure and ligation 290
    - peritoneum 346
    - rectum 230–231
    - spleen 277
    - stomach/duodenum 126
    - thyroid 9, 10
      - ligation 19
  - vascular surgery 381–393
  - vascularization of thyroid, ultrasound 14
    - see also* devascularization operations
  - vasoactive intestinal polypeptide (VIP)-secreting tumor 336, 367
  - vasopressors, peritonitis 358
  - veins
    - as bypass graft material 381
    - draining various tissues/organs
      - colon 197
      - diaphragm 77
      - esophagus 107
      - gallbladder/biliary tract 305
      - liver 282
      - pancreas 321
      - peritoneum 346
      - rectum 231
      - spleen 277
      - stomach/duodenum 126
      - thyroid 9, 10
    - structure/anatomy 391
    - thrombosis (phlebothrombosis) 392–394
      - deep 392–394
      - perianal 250
      - portal or splenic 299
      - varicose *see* varicose veins
  - vena cava (inferior) filter 393
  - ventilation in acute lung injury or acute respiratory distress syndrome 358
  - verbal response in Glasgow Coma Scale 398
  - vermiform appendix *see* appendix
  - vesicoenteric fistulas, Crohn disease 183
  - vibration pain in appendicitis 187
  - video-assisted surgery
    - parathyroid 49
    - thoracoscopic *see* thoracoscopy
    - thyroid 23, 23–24
  - video-endoscopic goiter resection via axillo-bilateral breast approach 24
  - villous adenoma 213
  - VIPoma 336, 367
  - Virchow triad 392
  - visceral pelvic fascia 230
  - visceral peritoneum 346
    - pain in peritonitis relating to 349
  - vitamin B12 replacement after gastrectomy 162
  - vitamin D 45
    - use in parathyroid insufficiency after thyroid surgery 25
  - vocal cord paralysis due to cancer 39
  - Vollmar classification of vascular injuries 382, 383
  - volume therapy *see* fluid administration
  - volumetry, thyroid 14
  - volvulus 266–267, 275
  - vomiting (emesis)
    - in bowel obstruction 269
    - postoperative nausea and 1
    - violent, causing esophageal rupture 124–125
- W**
- Warren shunt 301
  - water jet dissection of liver 291
  - wedge excision/resection
    - gastric carcinoma, laparoscopic/endoscopic 159, 161
    - hepatic metastases 295
  - Wells operation in pelvic floor insufficiency 244
  - Werner syndrome (MEN I) 46, 360–361, 368, 369
  - Whipple operation (partial duodenopancreatectomy) 329, 333, 334–335
  - Whipple triad 366
  - WHO *see* World Health Organization
  - Winslow's foramen 305
  - Wirsung duct 305, 321
  - Witzel fistula 171, 172
  - women
    - pelvic floor insufficiency, pathologies causing 241
    - rectal mobilization (for anterior resection) 237
  - World Health Organization (WHO) classification
    - gastric carcinoma 156
    - goiter 26
    - neuroendocrine tumors of digestive tract 361
    - thyroid carcinoma 37–38
- X**
- x-ray *see* radiography
- Z**
- Zenker diverticulum 110, 110–111
  - zippers (plastic) for temporary abdominal closure 356
  - Zollinger–Ellison syndrome 131, 132, 149, 150