

# Index

Note: Page numbers set **bold** or *italic* indicate headings or figures, respectively.

## A

- A-D conversion 7, 10
- AABR, *see* Automated auditory brainstem response (AABR)
- AABR systems, *see* Automated auditory brainstem response (AABR) systems
- ABR, *see* Acoustic tumor detection (ABR), Auditory brainstem response (ABR)
- ABR systems, *see* Auditory brainstem response (ABR) systems
- ACC, *see* Acoustic change complex (ACC)
- Acoustic change complex (ACC) 107
- Acoustic stimuli, calibration of 235
- Acoustic tumor detection (ABR) 5
- Acquired vestibulopathy
  - aging 185
  - benign paroxysmal positional vertigo (BPPV) 184
  - cochlear implantation 185
  - Ménière's disease 182
  - ototoxicity 183
  - third window disorders 182
  - vestibular neuritis and vestibular labyrinthitis 183
  - vestibular schwannoma 183
- Acquired vestibulopathy 182
- Acquisition parameters
  - differential amplification 9
  - filtering
    - analog versus digital filters 10
    - filter designs 11
    - filtering 10
    - signal averaging 12
- Acquisition parameters 9
- Action potential (AP) 45
- AEPs, *see* Auditory evoked potentials (AEPs)
- Alligator clips 14
- ALLRs, *see* Auditory late latency responses (ALLRs)
- ALR, *see* Auditory late response (ALR)
- Amplification 17, 47
- Amplification of AEPs 9
- Amplitude modulation 80
- Analog versus digital filters 10
- Analysis and interpretation, principles of
  - clinical analysis techniques in AEP 22
  - frequency domain, analysis in 29
  - time domain, analyses in
- analysis techniques during signal averaging 28
  - collecting normative data 28
  - signal averaging, analysis techniques following 22
  - time-domain techniques 27
  - time domain, analyses in 22
  - transient versus steady-state responses 21
- Analysis techniques during signal averaging 28
- Anesthesia 202
- Animal audiology
  - canine evoked potentials
    - auditory middle latency response 219
    - canine BAER screening 216
    - estimation of hearing thresholds for canines 217
    - mismatch negativity (MMN) 220
  - canine evoked potentials 216
  - equine brainstem evoked potentials 221
  - history of 215
  - testing on other animals 221
- Animal audiology 215
- Animal hearing, evaluating 216
- ANSD, *see* Auditory neuropathy spectrum disorder (ANSD)
- AP, *see* Action potential (AP)
- ARC, *see* Average response computer (ARC)
- Artifact rejection 18
- Artifact rejection levels 152
- ASSR, *see* Auditory steady-state response (ASSR)
- Attention 19, 38, 111
- Auditory brainstem response (ABR)
  - assessment
    - bone conduction ABR assessment 162
    - case studies 166
    - click evoked ABR 165
    - clinical tips 163
    - cross-check principle 164
    - setting the stage 159
    - state of consciousness 160
    - three types of ABR waveforms 163
    - tone burst ABR test strategy 160
    - tone burst ABR threshold estimations for hearing aid fitting 165
    - waveform analysis 163
    - well-defined plan 160
  - assessment 159, 166, 172–173
  - common central auditory function uses of 193
  - complex auditory brainstem response (cABR) 194
  - contralateral masking 60
  - electrode montage 61
  - electrode montage and recording parameters 192
  - history 55
  - measurement parameters
    - amplitude 61
    - latency 61
    - overall waveform morphology 61
    - measurement parameters 61
    - measurement techniques 159
    - monaural versus binaural presentation 60
    - neural generators 56
    - response analysis 193
    - stimulation rate 59
    - stimulus intensity 59
    - stimulus polarity 59
    - stimulus types
      - broadband clicks 57
      - derived-band technique and chirp stimuli 58
      - frequency-specific tone bursts 58
      - speech-evoked responses 58
      - stimulus types 57
    - subject effects
      - gender 63
      - hearing sensitivity 63
      - maturation and aging effects 63
    - subject effects 63
    - transducer types and artifact 59
    - typical setup 60
    - useful and promising applications
      - maximum length sequence 64
      - objective detection techniques 64
      - weighted averaging 64
    - useful and promising applications 63
    - waveform morphology 55
  - Auditory brainstem response (ABR) 4–5, 7, 8–9, 11, 15, 16–17, 21, 55, 67, 79, 107, 192, 204
  - Auditory brainstem response (ABR) systems 145, 147
  - Auditory evoked potentials
    - limitations of 191
    - when to use 192
  - Auditory evoked potentials 149
  - Auditory evoked potentials, stimuli for 235
  - Auditory late latency responses (ALLRs) 220
  - Auditory late response (ALR) 194–195
  - Auditory middle latency response 219
    - *See also* Middle latency responses (MLR)
  - Auditory monitoring modalities 202
  - Auditory nervous system
    - phase locking 36
    - synchrony 36
  - Auditory nervous system 36
  - Auditory neural system
    - binaural interaction in 33
    - monaural contributions to 33
  - Auditory neuropathy spectrum disorder (ANSD)
    - candidacy for testing of 171
    - case studies of
      - bilateral auditory neuropathy spectrum disorder 173
      - sensorineural hearing loss (SNHL) 174
      - unilateral auditory neuropathy spectrum disorder 174
    - case studies of 173
    - evoked potentials for diagnosis of
      - cochlear microphonic and auditory brainstem response 172
      - magnetic resonance imaging in ANSD 173
      - middle ear muscle reflexes 173
      - otoacoustic emissions 172
    - evoked potentials for diagnosis of 171
    - potential sites of lesion 171
  - Auditory neuropathy spectrum disorder (ANSD) 4, 86, 140, 146, 171, 195
  - Auditory neuropathy spectrum disorder, ECochG in 140
  - Auditory steady-state response (ASSR)
    - case studies 89
    - clinical applications
      - suprathreshold applications 89
      - threshold estimation 88
      - clinical applications 88
      - historical overview of 79
      - measurement parameters
        - clinical testing procedures 85
        - equipment and supplies 84

- recording parameters 85
  - reporting findings 87
  - response detection 87
  - test setting and patient preparation 85
  - measurement parameters 84
  - neural generators 82
  - stimulus parameters
  - bone-conducted ASSR 83
  - broadband and narrowband chirp stimuli 82
  - intensity 83
  - modulation rate and depth 82
  - single versus multiple-frequency ASSR 83
  - stimulus parameters 82
  - subject effects
  - maturation effects 88
  - sleep state and attention 88
  - subject effects 88
  - terminology
  - amplitude modulation 80
  - carrier frequency 80
  - cosine stimulus 81
  - frequency (Fourier) analysis 81
  - frequency modulation 81
  - mixed modulation 81
  - modulation frequency 80
  - phase coherence (PC) 81
  - steady-state response 80
  - terminology 80
  - Auditory steady-state response (ASSR) 4–5, 8, 21, 29, 32, 79
  - Auditory stimuli 8
  - Auditory training 112
  - Automated auditory brainstem response (AABR) systems 145–147, 150, 154–155
  - Autonomic disorders 186
  - Average response computer (ARC) 5
- ## B
- BAEP, *see* Brainstem auditory evoked potential (BAEP)
  - BAER, *see* Brainstem auditory evoked response (BAER)
  - Balance and falls risk assessment, evaluation of
    - acquired vestibulopathy
    - aging 185
    - benign paroxysmal positional vertigo (BPPV) 184
    - cochlear implantation 185
    - Ménière's disease 182
    - ototoxicity 183
    - third window disorders 182
    - vestibular neuritis and vestibular labyrinthitis 183
    - vestibular schwannoma 183
  - acquired vestibulopathy 182
  - background 179
  - central vestibulopathy
  - autonomic disorders 186
  - brainstem disease 186
  - concussion 187
  - migraine 186
  - central vestibulopathy 186
  - congenital vestibulopathy
  - gross motor delay 185
  - sensorineural hearing loss 185
  - congenital vestibulopathy 185
  - disease presentation 182
  - typical presentation 181
  - vestibular evoked myogenic potential (VEMP) protocol considerations
  - air versus bone conduction 179
  - electrode location 181
  - electromyographic activity 180
  - vestibular evoked myogenic potential (VEMP) protocol considerations 179
  - Balance and falls risk assessment, evaluation of 179
  - Bayesian weighted averaging 152
  - Behavioral observation of auditory responses (BOA) 164
  - Benign paroxysmal positional vertigo (BPPV) 184
  - BIC, *see* Binaural interaction component (BIC)
  - Bilateral auditory neuropathy spectrum disorder 173
  - Binaural interaction component (BIC) 60
  - BOA, *see* Behavioral observation of auditory responses (BOA)
  - Bone conduction ABR assessment 162
  - Bone-conducted ASSR 83
  - Bone-conducted BAER 217
  - BPPV, *see* Benign paroxysmal positional vertigo (BPPV)
  - Brain-behavior comparisons/prediction 112
  - Brainstem auditory evoked potential (BAEP) 55, 217
  - Brainstem auditory evoked response (BAER) 55
  - Brainstem disease 186
  - Brainstem evoked response (BSER) 55
  - Brainstem speech processing, FFR as neuronal indicators of 76
  - Broadband clicks 57
  - Broadband stimuli 147
  - BSER, *see* Brainstem evoked response (BSER)
- ## C
- cABR, *see* Complex auditory brainstem response (cABR)
  - CAEP, *see* Cortical auditory evoked potential (CAEP)
  - Canine evoked potentials
    - auditory middle latency response 219
    - canine BAER screening 216
    - estimation of hearing thresholds for canines
    - bone-conducted BAER 217
    - frequency-specific stimuli, responses to 217
    - estimation of hearing thresholds for canines 217
    - mismatch negativity (MMN) 220
  - Canine evoked potentials 216
  - CANS, *see* Central auditory nervous system (CANS)
  - CAP, *see* Compound action potential (CAP)
  - Carrier frequency 80
  - CDT, *see* Cubic difference tone (CDT)
  - CE chirp®-evoked ABR 147
  - CE chirp®-evoked ABR 155
  - Central auditory function, evaluating
    - auditory brainstem response (ABR)
    - common central auditory function 193
    - complex auditory brainstem response (cABR) 194
    - electrode montage and recording parameters 192
    - response analysis 193
    - auditory brainstem response (ABR) 192
    - auditory evoked potentials
    - limitations of 191
    - when to use 192
    - case studies
    - traumatic brain injury 198
    - type 2 diabetes mellitus 198
    - vestibular schwannoma 197
    - case studies 197
    - influences on 196
    - late latency response
    - common central auditory function uses 195
    - recording parameters and electrode montage 195
    - response analysis 195
    - late latency response 195
    - middle latency response
    - common central auditory function uses 194
    - recording parameters and electrode montage 194
    - response analysis 194
    - middle latency response 194
    - P300 event-related potential
    - common central auditory function uses 196
    - electrode montage and recording parameters 196
    - response analysis 196
    - P300 event-related potential 196
  - Central auditory function, evaluating 191
  - Central auditory nervous system (CANS) 31
  - Central nervous system, disorders affecting 130
  - Central vestibulopathy
    - autonomic disorders 186
    - brainstem disease 186
    - concussion 187
    - migraine 186
  - Central vestibulopathy 186
  - Cerebellopontine angle (CPA) tumors, hearing preservation in 202
  - CERP waveform, *see* Cortical event-related potential (CERP) waveform
  - Cervical vestibular evoked myogenic potential (cVEMP) waveform 27, 38, 124, 124–125, 126, 126, 179–180, 186
  - CHAMP, *see* Cochlear hydrops analysis masking procedure (CHAMP)
  - Circumaural EarHug 148
  - Circumaural earphones 148–149, 149, 150
  - Classification of AEPs 4, 4
  - Clinical analysis techniques in AEP 22
  - Clinician preparation
    - case history review 227
    - patient instructions before testing 227
    - supplies and equipment 227
  - Clinician preparation 227
  - CM, *see* Cochlear microphonic (CM)
  - CMR, *see* Common-mode rejection (CMR)
  - Cochlear hydrops analysis masking procedure (CHAMP) 5
  - Cochlear implantation 129, 185
  - Cochlear mechanics 32

- Cochlear microphonic (CM)  
 – and auditory brainstem response  
 -- interpretation 172  
 -- setup and stimuli 172  
 – and auditory brainstem response 172  
 Cochlear microphonic (CM) 4, 44, 67, 79  
 Cochlear synaptopathy 140  
 Collecting normative data 28  
 Common-mode rejection (CMR) 9–10  
 Competencies in AEPs measurement 6  
 Complex auditory brainstem response (cABR) 5, 194  
 Compound action potential (CAP) 4, 45  
 Concussion 187  
 Congenital vestibulopathy  
 – gross motor delay 185  
 – sensorineural hearing loss 185  
 Congenital vestibulopathy 185  
 Consonant-vowel (CV) stimuli 22  
 Contralateral masking 60  
 Contralateral noise 73  
 Cortical AEPs 4  
 Cortical auditory evoked potential (CAEP) 195  
 Cortical event-related potential (CERP)  
 waveform  
 – late auditory evoked potential (LAEP)  
 -- clinical applications 111  
 -- description of the waveform 108  
 -- measurement parameters 110  
 -- neural generators 108  
 -- stimulus and recording parameters 109  
 -- subject effects 110  
 – late auditory evoked potential (LAEP) 108  
 – mismatch negativity  
 -- clinical applications 115  
 -- description of the waveform 113  
 -- measurement parameters 114  
 -- neural generators 113  
 -- stimulus and recording parameters 114  
 -- subject effects 114  
 – mismatch negativity 113  
 – P3 cognitive potential  
 -- clinical applications 117  
 -- description of the waveform 115  
 -- measurement parameters 116  
 -- neural generators 115  
 -- stimulus/recording parameters 115  
 -- subject effects 116  
 – P3 cognitive potential 115  
 Cortical event-related potential (CERP)  
 waveform 10, 11, 15, 107, 107  
 Cortical evoked response audiometry 112  
 Cosine stimulus 81  
 CPA tumors, *see* Cerebellopontine angle (CPA)  
 tumors  
 Cubic difference tone (CDT) 72  
 CV stimuli, *see* Consonant-vowel (CV) stimuli  
 cVEMP waveform, *see* Cervical vestibular evoked  
 myogenic potential (cVEMP) waveform
- D**  
 Data collection 231  
 Davis, Hallowell 5  
 Dawson, George Duncan 5  
 DCML, *see* Dorsal column–medial lemniscal  
 system (DCML)
- Deep learning 154  
 Deep neural networks 154  
 Dehydration (glycerol) test 138  
 Derived-band technique and chirp stimuli 58  
 Differential amplification 9, 10  
 Digital filter 10  
 Digital signal processing (DSP) 3, 7, 7  
 Dipoles 34  
 Disposable snap electrodes and prewired  
 repositionable electrodes 150, 150  
 Distortion product FFRs (dp-FFRs) 72  
 Distortion product otoacoustic emissions  
 (DPOAEs) 72  
 Documentation 233  
 Dorsal column–medial lemniscal system  
 (DCML) 211  
 dp-FFRs, *see* Distortion product FFRs (dp-FFRs)  
 DPOAEs, *see* Distortion product otoacoustic  
 emissions (DPOAEs)  
 DSP, *see* Digital signal processing (DSP)
- E**  
 ECAP testing, *see* Electrically evoked compound  
 action potential (ECAP) testing  
 ECochG, *see* Electrocochleogram (ECochG);  
 Electrocochleography (ECochG)  
 EEG, *see* Electroencephalogram (EEG)  
 Electrical humm 151  
 Electrically evoked compound action potential  
 (ECAP) testing 174, 174  
 Electrically evoked middle latency response  
 (eMLR) waveforms 99  
 Electrocochleogram (ECochG)  
 – amplitude 50  
 – latency 50  
 – reliability 51  
 – spectra 51  
 Electrocochleogram (ECochG) 4–5, 15, 49  
 Electrocochleography (ECochG)  
 – 3-T magnetic resonance imaging in Ménière's  
 disease 139  
 – acquisition parameters  
 -- amplification 47  
 -- electrode impedance 46  
 -- electrode montage 46  
 -- electrode type 45  
 -- filtering bandwidth and artifact rejection  
 47  
 -- replications/sweeps 47  
 -- time epoch 47  
 -- transducer 47  
 – acquisition parameters 45  
 – action potential (AP) 45  
 – cochlear microphonic (CM) 44  
 – cochlear synaptopathy 140  
 – components 135  
 – components/generators 44  
 – dehydration (glycerol) test 138  
 – historical aspects 43  
 – in auditory neuropathy spectrum disorder  
 140  
 – in Ménière's disease 137  
 – in third window syndrome 139  
 – Ménière's disease and vestibular migraine,  
 overlap between 138  
 – recording 45  
 – stimulus parameters  
 -- duration 48  
 -- intensity 48  
 -- masking 49  
 -- polarity 48  
 -- rate 49  
 -- type 47  
 – stimulus parameters 47  
 – summing potential (SP) 44  
 Electrocochleography (ECochG) 43, 45, 46, 48,  
 49, 135  
 Electrode  
 – impedance 13  
 – number of electrodes versus number of  
 channels 14  
 – placement 13  
 – types 13  
 Electrode 12  
 Electrode array and number of channels 15  
 Electrode arrays  
 – cervical vestibular evoked myogenic potential  
 (cVEMP) electrode arrays 125  
 – ocular vestibular evoked myogenic potential  
 (oVEMP) electrode array 125  
 Electrode arrays 125  
 Electrode impedance 46  
 Electrode montage 46, 61  
 Electrode placement 15  
 Electrode type 45  
 Electroencephalogram (EEG) 3, 7, 12, 212  
 Electromagnetic artifacts 18  
 eMLR waveforms, *see* Electrically evoked middle  
 latency response (eMLR) waveforms  
 EP, *see* Evoked potential (EP)  
 Equine brainstem evoked potentials 221  
 ER, *see* Evoked response (ER)  
 ERA, *see* Evoked response audiometry (ERA)  
 Evoked potential (EP) 7  
 Evoked response (ER) 7  
 Evoked response audiometry (ERA) 5  
 Exogenous versus endogenous potentials  
 – attention 38  
 – sleep 38  
 Exogenous versus endogenous potentials 37  
 Eye-related activity 110
- F**  
 Fast Fourier transformation (FFT) 10, 11, 22, 58,  
 110  
 FETCHLAB protocol 215, 217  
 FFR, *see* Frequency-following responses (FFR)  
 FFT, *see* Fast Fourier transformation (FFT)  
 Filter designs 11  
 Filter settings 17  
 Filtering  
 – analog versus digital filters 10  
 – filter designs 11  
 Filtering 10  
 Filtering bandwidth and artifact rejection 47  
 Fmp 154  
 Free running and stimulated electromyography  
 210  
 Frequency (Fourier) analysis 81  
 Frequency domain, analysis in 29  
 Frequency modulation 81  
 Frequency-following responses (FFR)

- brainstem speech processing, FFR as neuronal indicators of 76
- correlation of cochlear nonlinearities
  - contralateral noise 73
  - primary-tone (f2/f1) ratio 73
  - primary-tone frequency 73
  - primary-tone level 75
- recommendations for recording distortion product FFR 75
- correlation of cochlear nonlinearities 72
- origins of 67
- properties of 67
- recording
  - electrode placement 71
  - monaural versus binaural stimulation 71
  - recording parameters 71
- recording 70
- signal effects on
  - signal duration 69
  - signal frequency 70
  - signal intensity 70
- signal effects on 67
- Frequency-following responses (FFR) 22, 67, 68–70, 72, 79
- Frequency-specific stimuli, responses to 217
- Frequency-specific tone bursts 58
- Fsp technique 153

## G

- Geisler, Dan 5
- Gender 19
- Gross motor delay 185
- Ground cable connected to the jack of personal computer 151, 151

## H

- HAVOC, *see* Histogram average ogive calculator (HAVOC)
- Hearing devices 112
- Hearing loss 129
- Hearing preservation in cerebellopontine angle tumors 202
- Hearing sensitivity 111
- Hidden hearing loss 140
- Histogram average ogive calculator (HAVOC) 5
- History of AEPs 5
- Hypothermia 202

## I

- iChirp 147
- Instrumentation
  - stimulus generator 8
  - transducers 8
  - trigger 9
- Instrumentation 8
- Interpeak latency (IPL) 23
- Intraoperative AEPs, mechanisms of change in
  - anesthesia 202
  - hypothermia 202
  - ischemia/decreased perfusion 201
  - stretching the nerve/cerebellar retraction 201
- Intraoperative AEPs, mechanisms of change in 201
- Intraoperative monitoring modalities

- electroencephalogram monitoring 212
- free running and stimulated electromyography 210
- somatosensory evoked potentials 211
- transcranial motor evoked potentials (TCMEPs) 211
- Intraoperative monitoring modalities 210
- Intraoperative neurophysiologic monitoring (IONM)
  - improving outcomes 205
  - outcome predictions 206
- Intraoperative neurophysiologic monitoring (IONM) 205
- IONM, *see* Intraoperative neurophysiologic monitoring (IONM)
- IPL, *see* Interpeak latency (IPL)
- Ischemia/decreased perfusion 201

## K

- Kalman weighting 152

## L

- LAEP, *see* Late auditory evoked potential (LAEP)
- Large-amplitude myogenic (muscle) activity 3
- Late auditory evoked potential (LAEP)
  - clinical applications
    - auditory training 112
    - brain-behavior comparisons/prediction 112
    - cortical evoked response audiometry 112
    - hearing devices 112
    - neurodiagnostics 111
  - clinical applications 111
  - measurement parameters, latency and amplitude 110
  - measurement parameters 110
  - neural generators 108
  - stimulus and recording parameters 109
  - subject effects
    - attention 111
    - development and maturation 111
    - eye-related activity 110
    - hearing sensitivity 111
  - subject effects 110
  - waveform, description of 108
- Late auditory evoked potential (LAEP) 107, 108, 112, 195
- Late latency response (LLR)
  - common central auditory function uses of the late latency response 195
  - recording parameters and electrode montage 195
  - response analysis 195
- Late latency response (LLR) 195
- Latency and amplitude 23, 110
- Latency-intensity functions (LIFs) 26
- LEAQ, *see* LittlEARS Auditory Questionnaire (LEAQ)
- LIFs, *see* Latency-intensity functions (LIFs)
- LittlEARS Auditory Questionnaire (LEAQ) 173
- LLR, *see* Late latency response (LLR)

## M

- Machine learning 154
- Magnetic resonance imaging in ANSD 173

- Marking or labeling waves 24
- Maximum length sequence 64
- Measurement, AEPs 6
- Medial longitudinal fasciculus (MLF) 124
- MEMRs, *see* Middle ear muscle reflexes (MEMRs)
- Ménière's disease
  - 3-T magnetic resonance imaging in 139
  - ECochG in 137
  - overlap with vestibular migraine 138
- Ménière's disease 182
- Middle ear muscle reflexes (MEMRs) 171, 173
- Middle latency auditory evoked potentials (MLAEPs) 147
- Middle latency response (MLR)
  - assessing cochlear implant candidacy and function 98
  - behavioral threshold estimation 96
  - clinical applications 96
  - common central auditory function uses of the middle latency response 194
  - components of
    - Na component 96
    - Nb component 96
    - Pa component 96
    - Pb component 96
  - components of 95
  - neurodiagnostic 97
  - recording parameters and electrode montage 194
  - response analysis 194
- Middle latency response (MLR) 14–15, 16, 95, 97–98, 194
- Middle latency responses (MLR) recording
  - number of electrode channels available for recording 100
  - participant state
    - age, sleep, and sedation 101
    - handedness 102
    - postauricular muscle artifact 101
  - participant state 101
  - recommended protocol 100
  - test environment 104
- Middle latency responses (MLR) recording 100
- Migraine 186
- Mismatch negativity (MMN)
  - clinical applications 115
  - measurement parameters
    - latency and amplitude 114
    - topography 114
  - measurement parameters 114
  - neural generators 113
  - stimulus and recording parameters 114
  - subject effects
    - aging effects 115
    - development/maturation effects 114
    - neurologic abnormalities 115
  - subject effects 114
  - waveform, description of 113
- Mismatch negativity (MMN) 3, 5, 27, 107, 113, 220
- Mixed modulation 81
- MLF, *see* Medial longitudinal fasciculus (MLF)
- MLR, *see* Middle latency response (MLR)
- MMN, *see* Mismatch negativity (MMN)
- Modified q-sample uniform scores test 154
- Modulation frequency 80



- Monaural versus binaural presentation 60  
 Monaural versus binaural stimulation 71  
 Monitoring cerebellar retraction/microvascular decompression 203  
 Monitoring cochlear function 204  
 Monitoring vertebrobasilar perfusion and/or brainstem function 203  
 MS, *see* Multiple sclerosis (MS)  
 Multiple sclerosis (MS) 130, 186  
 Muscle activity 19  
 Myogenic activity 3  
 Myogenic versus sensory recordings 124
- ## N
- Na component 96  
 Nb component 96  
 Near- and far-field potentials 35  
 Neonatal intensive care unit (NICU) 86  
 Neonatal intensive care units (NICUs) 145, 152  
 Neural generators 56, 82, 113  
 Neuroanatomy and neurophysiology related to AEPs
  - auditory nervous system, general principles of
    - phase locking 36
    - synchrony 36
  - auditory nervous system, general principles of 36
  - exogenous versus endogenous potentials
    - attention 38
    - sleep 38
  - exogenous versus endogenous potentials 37
  - general neurophysiology concepts
    - basic neuronal anatomy and physiology 33
    - dipoles 34
    - near- and far-field potentials 35
    - potentials at the source 34
  - general neurophysiology concepts 33
  - peripheral and central auditory neural systems
    - binaural interaction 33
    - cochlear mechanics 32
    - monaural contributions 33
  - peripheral and central auditory neural systems 31
  - somomotor reflexes 38
- Neuroanatomy and neurophysiology related to AEPs 31  
 Neurodiagnostic MLRs 97  
 Neurodiagnostics 111  
 Neurophysiology concepts
  - basic neuronal anatomy and physiology 33
  - dipoles 34
  - near- and far-field potentials 35
  - potentials at the source 34
- Neurophysiology concepts 33  
 Newborn hearing screening (NHS)
  - frequency domain, testing in, modified q-sample uniform scores test 154
  - frequency domain, testing in 154
  - machine learning 154
  - objective response detection 152
  - patient considerations
    - age 154
    - hearing loss 155
    - patient considerations 154
  - recording parameters
    - electrode montage 150
    - electrode types 150
    - filters 150
    - noise reduction techniques 151
    - sweeps and replications 152
  - recording parameters 150
  - stimulus parameters
    - intensity 148
    - polarity 148
    - rate 147
    - stimuli 147
  - stimulus parameters 147
  - test performance 145
  - time domain, testing in
    - Fmp 154
    - Fsp technique 153
  - template matching algorithms 153
  - time domain, testing in 153
  - transducer calibration 149
  - transducers 148
- Newborn hearing screening (NHS) 145  
 NHS, *see* Newborn hearing screening (NHS)  
 NICU, *see* Neonatal intensive care unit (NICU)  
 NICUs, *see* Neonatal intensive care units (NICUs)  
 Noise, signal versus 7  
 Noise/blast exposure 129  
 Nyquist frequency 7  
 Nyquist theorem 7
- ## O
- OAE, *see* Otoacoustic emission (OAE)  
 OAEs, *see* Otoacoustic emissions (OAEs)  
 Objective detection techniques 64  
 Ocular vestibular evoked myogenic potential (oVEMP) waveform 124, 125, 125, 126, 128, 128, 179–181, 186  
 Otoacoustic emission (OAE) 145–146, 155  
 Otoacoustic emissions (OAEs) 172  
 Ototoxicity 183  
 oVEMP waveform, *see* Ocular vestibular evoked myogenic potential (oVEMP) waveform
- ## P
- p-values 154  
 P3 cognitive potential
  - clinical applications 117
  - measurement parameters 116
  - neural generators 115
  - stimulus/recording parameters 115
  - subject effects
    - aging effects 116
    - auditory processing disorders 116
    - maturation effects 116
  - subject effects 116
  - waveform, description of 115
- P3 cognitive potential 115  
 P300 amplitude 4–5  
 P300 event-related potential
  - common central auditory function uses of the P300 196
  - electrode montage and recording parameters 196
  - response analysis 196
- P300 event-related potential 196  
 Pa component 96
- PAM, *see* Postauricular muscle (PAM)  
 Parkinson's disease (PD) 186  
 Patient preparation
  - electrode application 229
  - patient orientation 228
- Patient preparation 228  
 Pb component 96  
 PC, *see* Phase coherence (PC)  
 PD, *see* Parkinson's disease (PD)  
 peRETSPL calibration 149  
 Peripheral and central auditory neural systems
  - binaural interaction 33
  - cochlear mechanics 32
  - monaural contributions 33
- Peripheral and central auditory neural systems 31  
 Peripheral and central auditory system
  - considerations for AEPs
    - exogenous versus endogenous potentials
    - attention 38
    - sleep 38
    - exogenous versus endogenous potentials 37
- Peripheral and central auditory system
  - considerations for AEPs 37
- Peripheral labyrinth, disorders affecting 130  
 Phase coherence (PC) 81  
 Phase locking 36  
 Point-optimized variance ratio (POVR) measure 64  
 Post hoc filtering and smoothing 25  
 Postauricular muscle (PAM) 3  
 POVR measure, *see* Point-optimized variance ratio (POVR) measure  
 Pre-, peri-, and postoperative considerations for AEP monitoring
  - interpreting signal changes 210
  - intraoperative case log 208
  - intraoperative interventions to a change in signals 208
  - optimizing signals in the operating room
    - common mode rejection 209
    - equipment placement 209
    - filters 210
    - stimulation rate 209
  - optimizing signals in the operating room 208
  - preoperative planning 207
  - running AEP intraoperatively 207
  - setting up the patient 207
  - when to alert the surgeon 208
- Pre-, peri-, and postoperative considerations for AEP monitoring 207  
 Preauricular muscle (PAM) artifact 95  
 Primary-tone ( $f_2/f_1$ ) ratio 73  
 Primary-tone frequency 73  
 Primary-tone level 75
- ## Q
- q-sample test 154  
 QDT, *see* Quadratic difference tone (QDT)  
 Quadratic difference tone (QDT) 72  
 Quantization 7
- ## R
- Real-ear-to-coupler difference (RECD) 165  
 RECD, *see* Real-ear-to-coupler difference (RECD)

- Recording considerations for AEPs
- amplification 17
  - artifact rejection 18
  - electrode array and number of channels 15
  - electromagnetic artifacts 18
  - filter settings 17
  - sampling rate 16
  - stimulation rate 17
  - sweeps, number of (stimulus repetitions) 16
  - time window 15
- Recording considerations for AEPs 15
- Reference equivalent threshold sound pressure level (RETSPL) value 235
- Replications/sweeps 47
- RETSPL value, *see* Reference equivalent threshold sound pressure level (RETSPL) value
- ## S
- Sampling frequency 7
- Sampling rate 16
- Scaling 26
- SCM, *see* Sternocleidomastoid muscle (SCM)
- Sensorineural hearing loss 185
- Sensorineural hearing loss (SNHL) 174
- Signal averaging
- analysis techniques following
  - latency and amplitude 23
  - latency-intensity functions (LIFs) 26
  - marking or labeling waves 24
  - post hoc filtering and smoothing 25
  - scaling 26
  - analysis techniques following 22
- Signal averaging 12
- Signal effects on the frequency-following response
- signal duration 69
  - signal frequency 70
  - signal intensity 70
- Signal effects on the frequency-following response 67
- Signal versus noise 7
- Signal-to-noise ratio (SNR) 4, 9–10, 12, 13, 24, 71, 147
- Single versus multiple-frequency ASSR 83
- Sleep 38
- SNHL, *see* Sensorineural hearing loss (SNHL)
- SNR, *see* Signal-to-noise ratio (SNR)
- Somatosensory evoked potentials 211
- Sonomotor reflexes 38
- Sound pressure level (SPL) 148–149
- SP, *see* Summating potential (SP)
- Speech stimulus, recording and editing 242
- Speech-evoked responses 58
- SPL, *see* Sound pressure level (SPL)
- SSR, *see* Steady-state response (SSR)
- Stacked ABR 5
- Steady-state response (SSR) 80, 147
- Sternocleidomastoid muscle (SCM) 123
- Stimulation calibration and generation
- acoustic stimuli, calibration of 235
  - auditory evoked potentials, stimuli for 235
  - generating custom stimuli 240
  - speech stimulus, recording and editing 242
  - steps for calibrating acoustic transients with calibration equipment 240
  - steps for conducting behavioral calibration of acoustic transients 239
  - stimulus calibration, methods of 237
- Stimulation calibration and generation 235
- Stimulation rate 17, 59
- Stimulus and recording parameters 114
- Stimulus calibration, methods of 237
- Stimulus generator 8
- Stimulus intensity 59
- Stimulus parameters
- duration 48
  - intensity 48
  - masking 49
  - polarity 48
  - rate 49
  - type 47
- Stimulus parameters 47
- Stimulus polarity 59
- Stimulus rate 49
- Stimulus types
- broadband clicks 57
  - derived-band technique and chirp stimuli 58
  - frequency-specific tone bursts 58
  - speech-evoked responses 58
- Stimulus types 57
- Stretching the nerve/cerebellar retraction 201
- Subject-related factors
- age 18
  - attention 19
  - gender 19
  - muscle activity 19
  - temperature 19
- Subject-related factors 18
- Summating potential (SP) 44
- Supra-aural earphones 148–149
- Suprathreshold applications 89
- Surgical applications of AEPs
- auditory monitoring modalities 202
  - intraoperative AEPs, mechanisms of change in
  - anesthesia 202
  - hypothermia 202
  - ischemia/decreased perfusion 201
  - stretching the nerve/cerebellar retraction 201
  - intraoperative AEPs, mechanisms of change in 201
  - intraoperative monitoring modalities
  - electroencephalogram monitoring 212
  - free running and stimulated electromyography 210
  - somatosensory evoked potentials 211
  - transcranial motor evoked potentials (TCMEPs) 211
  - intraoperative monitoring modalities 210
  - intraoperative neurophysiologic monitoring (IONM), utility of AEPs in
  - improving outcomes 205
  - outcome predictions 206
  - intraoperative neurophysiologic monitoring (IONM), utility of AEPs in 205
  - monitoring applications
  - hearing preservation in CPA tumors 202
  - monitoring cerebellar retraction/microvascular decompression 203
  - monitoring cochlear function 204
  - monitoring vertebrobasilar perfusion and/or brainstem function 203
  - monitoring applications 202
  - pre-, peri-, and postoperative considerations for AEP monitoring
  - interpreting signal changes 210
  - intraoperative case log 208
  - intraoperative interventions to a change in signals 208
  - optimizing signals in the operating room 208
  - preoperative planning 207
  - running AEP intraoperatively 207
  - setting up the patient 207
  - when to alert the surgeon 208
  - pre-, peri-, and postoperative considerations for AEP monitoring 207
- Surgical applications of AEPs 201
- Sweeps, number of (stimulus repetitions) 16
- Synchrony 36
- ## T
- T magnetic resonance imaging in Ménière's disease 3-T magnetic resonance imaging in Ménière's disease 139
- TCMEPs, *see* Transcranial motor evoked potentials (TCMEPs)
- Temperature 19
- Template-matching algorithms 153
- TEOAEs, *see* Transient-evoked OAEs (TEOAEs)
- Third window disorders 182
- Third window syndrome, ECochG in 139
- Threshold estimation 88
- Time and frequency domain 8
- Time domain, analyses in
- analysis techniques during signal averaging 28
  - collecting normative data 28
  - signal averaging, analysis techniques following
  - latency and amplitude 23
  - latency-intensity functions (LIFs) 26
  - marking or labeling waves 24
  - post hoc filtering and smoothing 25
  - scaling 26
  - signal averaging, analysis techniques following 22
  - time-domain techniques, adding and subtracting waveforms 27
  - time-domain techniques 27
- Time domain, analyses in 22
- Time epoch 47
- Time window 15
- Time-domain auditory evoked potentials 23
- Time-domain techniques, adding and subtracting waveforms 27
- Time-domain techniques 27
- TM electrode, *see* Tympanic membrane (TM) electrode
- Tone burst ABR test strategy 160
- Tone burst ABR threshold estimations for hearing aid fitting 165
- Transcranial motor evoked potentials (TCMEPs) 211
- Transducer types and artifact 59
- Transducers 8, 47
- Transient versus steady-state responses 21
- Transient-evoked OAEs (TEOAEs) 172

- Transtympanic ECoG recording 45  
 Traumatic brain injury 198  
 Trigger 9  
 Tympanic membrane (TM) electrode 27  
 Type 2 diabetes mellitus 198
- U**
- UMN pathway, *see* Upper motor neuron (UMN) pathway  
 Unilateral auditory neuropathy spectrum disorder 174  
 Upper motor neuron (UMN) pathway 211
- V**
- VEMP, *see* Vestibular evoked myogenic potential (VEMP)  
 Vestibular evoked myogenic potential (VEMP)  
 – background/historical information 123  
 – cervical 124  
 – clinical application 130  
 – clinical considerations  
 -- aging effects 128  
 -- central nervous system, disorders affecting 130  
 -- cochlear implantation 129  
 -- gender 129  
 -- hearing loss 129  
 -- noise/blast exposure 129  
 -- peripheral labyrinth, disorders affecting 130  
 – clinical considerations 128  
 – clinical interpretation 130  
 – collection parameters 126  
 – electrode arrays  
 -- cervical vestibular evoked myogenic potential (cVEMP) electrode arrays 125  
 -- ocular vestibular evoked myogenic potential (oVEMP) electrode array 125  
 – electrode arrays 125  
 – myogenic versus sensory recordings 124  
 – ocular 124  
 – protocol considerations  
 -- air versus bone conduction 179  
 -- electrode location 181  
 -- electromyographic activity 180  
 -- response values 182  
 – protocol considerations 179  
 – stimulus parameters 124  
 – vestibular evoked myogenic potential  
 -- cervical 124  
 -- ocular 124  
 – vestibular evoked myogenic potential 124  
 – waveform characteristics  
 -- cervical vestibular evoked myogenic potential (cVEMP) waveform 126  
 -- ocular vestibular evoked myogenic potential (oVEMP) waveform 128
- waveform characteristics 126  
 Vestibular evoked myogenic potential (VEMP) 3–4, 18, 123–124, 179, 229  
 Vestibular neuritis and vestibular labyrinthitis 183  
 Vestibular schwannoma 183, 197  
 Visual reinforcement audiometry (VRA) task 164
- W**
- Wave V amplitude 147, 150, 151, 155  
 Wave V latency 147, 153–154  
 Waveform characteristics  
 – cervical vestibular evoked myogenic potential (cVEMP) waveform 126  
 – ocular vestibular evoked myogenic potential (oVEMP) waveform 128  
 Waveform characteristics 126  
 Waveform morphology 55  
 Waveform, description of 108  
 Weighted averaging 64  
 Wesley Clark 5
- Z**
- Zwislocki coupler 149